

NEWS RELEASE

**KINGSMEN COMPLETES GEOLOGICAL FIELD PROGRAM
ON ITS 100% OWNED LA TRINI SILVER - GOLD PROJECT**

Vancouver, British Columbia, Canada, December 12, 2019 – Kingsmen Resources Ltd. (TSXV:KNG) (OTCQB:TUMIF) (the “Company” or “Kingsmen”) is pleased to announce that the geological field program on its 100% owned La Trini Silver-Gold project located in the historical Hostotipaquillo mining district of Mexico is complete.

The 2019 geological mapping structural analysis and channel sampling programs were completed on time and within budget of \$ 70,000. The focus of the work programs was to define the extent of the rhyolite unit that hosts the silver-gold mineralization at the La Trini deposit. The central area of the La Trini claim block was mapped and sampled. A total of 156 channel samples were collected from various outcrops and exposures around the historical workings on the property. Sample lengths varied between 0.5 to 1.3m depending on the rock exposures.

The samples were assayed for gold (fire assay) and multi-element ICP analysis. The results from assays from the 156 channel samples taken range from a low of <0.05 to a high of 35.3 g/t for gold and an average of 2.21 g/t gold; and 0.9 to 976.7 for silver and an average of 120.7 g/t for silver. The La Trini prospect is an epithermal, low sulphidation silver-gold deposit that strikes in an east – west direction for 450 meters and dips to the north between 25 to 30 degrees. The mineralization is hosted within a rhyolitic tuff with abundant quartz eyes, the hanging wall unit is an andesitic tuff with euhedral plagioclase. The footwall unit is a dacitic tuff. The mineralization is related to a zone up to 25 metres wide characterized by intense pervasive silicification forming patches of vuggy silica following a fault zone in the rhyolitic tuff. Quartz veinlets and veins up to 3cm thick are observed with vuggy, saccharoidal and drusic textures. Fine grained pyrite is disseminated in the veins and alteration zone along with trace amounts of chalcopyrite, galena and malachite. Hematite and goethite can also be observed along the zone.

A list of the significant intersections in the channel samples are listed below;

Trench ID	From	To	Length	Gold	Silver	Gold Equiv*	Silver Equiv*
	(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
LRTRH-0446	0.00	5.95	5.95	9.524	278.1	13.231	992.3
LRTRH-0447	0.00	5.80	5.80	1.115	128.4	2.827	212.0
LRTRH-0519	0.00	1.45	1.45	0.646	79.9	1.712	128.4
LRTRH-0546	0.00	4.95	4.95	4.193	117.6	5.760	432.0
LRTRH-0548	0.00	2.80	2.80	1.877	37.7	2.379	178.4
LRTRH-0552	0.00	3.05	3.05	0.161	39.9	0.693	52.0
LRTRH-0553	0.00	2.30	2.30	0.188	47.2	0.818	61.4
LRTRH-0565	0.00	3.80	3.80	0.257	22.5	0.557	41.8

Note 1: Gold and Silver Equivalent is calculated using a Silver to Gold Ratio of 75:1

Said company CEO Mr. Emerson *“We are pleased with the results of this work program which shows prospectivity of this project. Management is currently assessing the best way to realize value for the Company from this property”*.

Sample Preparation and Analytical Methods

The sealed and tagged sample bags were transported to the ActLabs facility in Zacatecas, Mexico. ActLabs crushes the samples and prepares 200-300 gram pulp samples with ninety percent passing Tyler 150 mesh (106µm). The pulps are assayed for gold using a 50-gram charge by fire assay (Code 1A2-50) and over limits greater than 10 grams per tonne are re-assayed using a gravimetric finish (Code 1A3-50). Silver and multi-element analysis is completed using total digestion (Code 1F2 Total Digestion ICP). Over limits greater than 100 grams per tonne silver are re-assayed using a gravimetric finish (Code 8-Ag FA-GRAV Ag).

Quality Assurance / Quality Control and Data Verification

Quality assurance and quality control ("QA/QC") procedures monitor the chain-of-custody of the samples and includes the systematic insertion and monitoring of appropriate reference materials (certified standards, blanks and duplicates) into the sample strings. The results of the assaying of the QA/QC material included in each batch are tracked to ensure the integrity of the assay data. All results stated in this announcement have passed Kingsmen's QA/QC protocols.

The 2019 exploration programs were conducted by Servicios y Proyectos Mineros de Mexico ("SPM") of Hermosillo, Mexico. Technical information in this news release has been approved by David R. Duncan, P. Geo., President of D. R. Duncan & Associates Ltd. and an independent qualified person for the person of National Instrument 43-101.

For additional information, please contact:

Scott Emerson, President and CEO at (604) 603-0074 or
Email: se@kingsmenresources.com
Website: www.kingsmenresources.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.