

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE DRILL RESULTS FROM KORA

- **Drill Hole KMDD0166 records multiple intersections including 7.43 m at 24.52 g/t Au, 4 g/t Ag and 0.35% Cu (25.14 g/t AuEq) plus 3.97 m at 16.55 g/t Au, 5 g/t Ag and 0.34% Cu (17.1743 g/t AuEq)**
- **Drill Hole KMDD0168 records multiple intersections including 4.05 m at 20.53 g/t Au, 7 g/t Ag and 0.29% Cu (21.09 g/t AuEq) plus 12.95 m at 20.30 g/t Au, 18 g/t Ag and 0.98% Cu (22.12 g/t AuEq)**
- **Drill Hole KMDD0170 records multiple intersections including 9.81 m at 6.15 g/t Au, 7 g/t Ag and 0.19% Cu (6.54 g/t AuEq) plus 5.56 m at 8.09 g/t Au, 22 g/t Ag and 0.02% Cu (8.40 g/t AuEq) plus 8.88 m at 18.98 g/t Au, 17 g/t Ag and 1.55% Cu (21.57 g/t AuEq)**
- **Drill Hole KMDD0133 records multiple intersections including 11.93 m at 5.53 g/t Au, 2g/t Ag and 0.29% Cu (5.99 g/t AuEq) plus 17.48 m at 6.05 g/t Au, 36 g/t Ag and 0.52% Cu (7.31 g/t AuEq) plus 31.43 m at 3.56 g/t Au, 15 g/t Ag and 0.68% Cu (4.80 g/t AuEq)**
- **Drill Hole EKDD0002 from surface records multiple intersections including the Judd Vein with 4.70 m at 4.98 g/t Au, 17 g/t Ag and 0.02% Cu (5.22 g/t AuEq) plus Kora – 6.84 m at 2.83 g/t Au, 10 g/t Ag and 0.28% Cu (3.39 g/t AuEq) plus 4.24 m at 1.98 g/t Au, 26 g/t Ag and 1.75% Cu (4.99 g/t AuEq)**

Vancouver, British Columbia, September 9, 2019 - K92 Mining Inc. (“K92” or the “Company”) (TSX-V: KNT; OTCQX: KNTNF) is pleased to announce results from the continuing diamond drilling of the Kora North Extension of the Kainantu gold mine in Papua New Guinea.

The results for the latest 10 diamond drill holes completed from both surface and underground into the Kora North deposit are summarized in Table 1 below. Long sections of K1 and K2 showing the location of the latest drill holes are provided in Figures 1 and 2 respectively. The second hole drilled from surface recorded both K1 and K2 intersections as well as the first significant Judd Vein intersection, approximately 500 metres north of the known intersections recorded by the previous owners Highlands Pacific and Barrick Gold Corporation. A plan showing the surface expressions of the Irumafimpa, Kora and Judd Vein Systems is shown in Figure 3.

John Lewins, K92 Chief Executive Officer and Director, stated, “*The latest results include the first significant Judd Vein intersection of 4.7 metres at 5.22 g/t AuEq from one of the surface rigs,*

over 500 metres to the North of the previous intersections reported by Highlands and Barrick. This reinforces the potential of the Judd Vein system, which is located approximately 200 metres to the East of the Kora system and known to have a surface strike length of over 2,000 metres. Other results yet again show the very high continuity of the K1 and K2 lodes with K92 drilling, confirming the vertical extent to be in excess of 1,100 metres with a known strike of over 1,000 metres. These latest results again show that the Kora system remains open both at depth and along strike.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Diamond Drilling

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
KMDD0127	217.60	229.30	11.70	4.86	8.16	6	0.37	8.84	K1
including	217.60	218.54	0.94	0.39	9.11	8	0.10	9.38	
including	218.54	219.10	0.56	0.23	25.60	6	0.20	26.00	
including	219.10	219.61	0.51	0.21	0.39	1	0.02	0.44	
including	219.61	220.86	1.25	0.52	5.72	3	0.06	5.86	
including	220.86	221.72	0.86	0.36	0.83	2	0.05	0.93	
including	221.72	223.40	1.68	0.70	15.30	1	0.06	15.41	
including	223.40	223.68	0.28	0.12	0.72	2	0.02	0.78	
including	223.68	224.60	0.92	0.38	1.93	2	0.14	2.18	
including	224.60	225.00	0.40	0.17	1.02	6	0.12	1.29	
including	225.00	226.40	1.40	0.58	5.21	5	0.14	5.50	
including	226.40	227.60	1.20	0.50	0.95	7	0.05	1.12	
including	227.60	228.66	1.06	0.44	3.12	10	0.15	3.49	
including	228.66	229.30	0.64	0.27	38.50	41	5.12	47.38	
KMDD0127	229.30	230.00	0.70	0.29	2.00	2	0.04	2.10	
KMDD0127	230.00	231.00	1.00	0.42	1.28	3	0.08	1.44	
KMDD0127	235.00	236.36	1.36	0.57	1.03	1	0.05	1.12	
KMDD0127	236.36	237.70	1.34	0.60	1.84	1	0.03	1.90	
KMDD0127	240.30	241.90	1.60	0.72	5.34	1	0.23	5.74	KL
including	240.30	241.18	0.88	0.40	8.67	1	0.14	8.91	
including	241.18	241.90	0.72	0.32	1.26	2	0.36	1.87	
KMDD0127	247.00	248.33	1.33	0.60	1.42	2	0.05	1.53	
KMDD0127	250.00	251.12	1.12	0.52	1.90	10	0.10	2.20	
KMDD0127	253.00	264.00	11.00	5.07	0.61	12	1.07	2.50	K2
including	253.00	254.00	1.00	0.46	2.78	37	2.21	6.86	
including	254.00	255.00	1.00	0.46	0.45	9	0.53	1.43	
including	255.00	256.00	1.00	0.46	1.52	19	0.66	2.84	
including	256.00	257.00	1.00	0.46	0.28	6	0.33	0.90	
including	257.00	258.00	1.00	0.46	0.09	5	0.70	1.30	
including	258.00	259.00	1.00	0.46	0.12	9	0.86	1.64	
including	259.00	260.00	1.00	0.46	0.14	7	1.37	2.46	
including	260.00	261.00	1.00	0.46	0.24	10	1.50	2.82	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
<i>including</i>	261.00	262.00	1.00	0.46	0.19	7	0.55	1.17	
<i>including</i>	262.00	262.90	0.90	0.42	0.15	8	0.54	1.13	
<i>including</i>	262.90	264.00	1.10	0.51	0.67	10	2.34	4.61	
KMDD0127	297.05	298.06	1.01	0.47	4.33	50	0.77	6.24	
KMDD0166	57.47	64.9	7.43	5.38	24.52	4	0.35	25.14	K1
<i>including</i>	57.47	57.68	0.21	0.15	0.1	3	1.20	2.09	
<i>including</i>	57.68	58.28	0.6	0.43	0.16	1	0.61	1.17	
<i>including</i>	58.28	58.96	0.68	0.49	0.38	2	0.53	1.27	
<i>including</i>	58.96	59.53	0.57	0.41	56.2	6	0.35	56.85	
<i>including</i>	59.53	59.84	0.31	0.22	5.39	3	0.64	6.46	
<i>including</i>	59.84	60.33	0.49	0.35	0.93	3	0.51	1.79	
<i>including</i>	60.33	60.8	0.47	0.34	275.8	36	0.93	277.79	
<i>including</i>	60.8	61.06	0.26	0.19	8.33	2	0.15	8.61	
<i>including</i>	61.06	61.97	0.91	0.66	3.55	1	0.03	3.62	
<i>including</i>	61.97	62.83	0.86	0.62	3.47	1	0.01	3.50	
<i>including</i>	62.83	63.2	0.37	0.27	0.98	1	0.03	1.04	
<i>including</i>	63.2	63.9	0.7	0.51	11.1	1	0.01	11.13	
<i>including</i>	63.9	64.9	1	0.72	1.53	2	0.41	2.22	
KMDD0166	71.59	75.56	3.97	2.91	16.55	5	0.34	17.17	K2
<i>including</i>	71.59	72.1	0.51	0.37	19.3	5	0.20	19.70	
<i>including</i>	72.1	72.75	0.65	0.48	1.99	10	1.29	4.22	
<i>including</i>	72.75	73.3	0.55	0.40	3.84	4	0.09	4.04	
<i>including</i>	73.3	74	0.7	0.51	13.9	4	0.23	14.33	
<i>including</i>	74	74.45	0.45	0.33	13.2	2	0.14	13.46	
<i>including</i>	74.45	75	0.55	0.40	2.8	1	0.04	2.88	
<i>including</i>	75	75.3	0.3	0.22	46	5	0.24	46.46	
<i>including</i>	75.3	75.56	0.26	0.19	82.5	7	0.14	82.83	
KMDD0166	82.58	83	0.42	0.31	1.3	14	13.68	23.78	
KMDD0166	83	83.6	0.6	0.44	1.2	16	0.37	2.01	
KMDD0168	47.52	51.57	4.05	2.94	20.53	7	0.29	21.09	K1
<i>including</i>	47.52	47.8	0.28	0.20	53.5	14	0.15	53.93	
<i>including</i>	47.8	48.5	0.7	0.51	2.41	2	0.07	2.55	
<i>including</i>	48.5	49.02	0.52	0.38	1.43	1	0.19	1.75	
<i>including</i>	49.02	49.32	0.3	0.22	5.68	5	0.26	6.17	
<i>including</i>	49.32	49.98	0.66	0.48	0.56	12	0.81	2.04	
<i>including</i>	49.98	50.3	0.32	0.23	51.8	3	0.20	52.17	
<i>including</i>	50.3	50.6	0.3	0.22	32.5	2	0.11	32.71	
<i>including</i>	50.6	51.57	0.97	0.70	38.5	12	0.26	39.08	
KMDD0168	56.53	56.73	0.2	0.15	3.89	2	0.10	4.07	
KMDD0168	70.80	83.75	12.95	8.82	20.30	18	0.98	22.12	K2
<i>including</i>	70.8	71.4	0.6	0.41	10.3	19	3.53	16.30	
<i>including</i>	71.4	71.6	0.2	0.14	0.39	6	0.41	1.14	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
including	71.6	71.95	0.35	0.24	26.2	81	7.23	39.04	
including	71.95	72.95	1	0.68	163	48	1.01	165.27	
including	72.95	73.25	0.3	0.20	142	115	6.67	154.37	
including	73.25	73.64	0.39	0.27	45.6	39	0.80	47.42	
including	73.64	74.1	0.46	0.31	8.15	47	1.39	11.03	
including	74.1	74.77	0.67	0.46	7.45	33	2.21	11.48	
including	74.77	75	0.23	0.16	1.14	7	0.39	1.87	
including	75	76	1	0.68	1.42	22	0.89	3.15	
including	76	77	1	0.68	0.05	2	0.01	0.10	
including	77	77.7	0.7	0.48	0.12	1	0.10	0.29	
including	77.7	78.24	0.54	0.37	3.04	7	0.07	3.25	
including	78.24	78.84	0.6	0.41	0.08	2	0.35	0.67	
including	78.84	79.5	0.66	0.45	1.6	8	0.38	2.33	
including	79.5	80.23	0.73	0.50	0.23	3	0.06	0.37	
including	80.23	81.2	0.97	0.66	0.15	3	0.26	0.61	
including	81.2	82	0.8	0.54	0.15	2	0.24	0.57	
including	82	82.48	0.48	0.33	0.57	1	0.18	0.87	
including	82.48	83.18	0.7	0.48	10.1	5	0.07	10.28	
including	83.18	83.75	0.57	0.39	5.18	7	0.53	6.13	
KMDD0168	86	87	1	0.68	1.33	16	0.71	2.70	
KMDD0170	66.87	81.13	14.26	9.81	6.15	7	0.19	6.54	K1
including	66.87	67.72	0.85	0.58	1.01	5	0.45	1.77	
including	67.72	68.16	0.44	0.30	0.31	4	0.46	1.06	
including	68.16	68.54	0.38	0.26	4.39	15	1.21	6.43	
including	68.54	69.36	0.82	0.56	45.21	8	0.62	46.26	
including	69.36	69.62	0.26	0.18	12.10	31	0.26	12.90	
including	69.62	70.38	0.76	0.52	0.20	2	0.10	0.38	
including	70.38	70.78	0.4	0.28	0.11	1	0.13	0.32	
including	70.78	71.4	0.62	0.43	40.08	1	0.21	40.42	
including	71.4	72.1	0.7	0.48	0.14	1	0.05	0.24	
including	72.1	72.68	0.58	0.40	0.09	1	0.03	0.16	
including	72.68	73.55	0.87	0.60	0.01	3	0.01	0.06	
including	73.55	74.73	1.18	0.81	0.14	2	0.20	0.47	
including	74.73	75.45	0.72	0.50	0.23	2	0.02	0.28	
including	75.45	76.06	0.61	0.42	0.14	1	0.01	0.16	
including	76.06	76.4	0.34	0.23	0.17	1	0.02	0.21	
including	76.4	76.9	0.5	0.34	3.39	2	0.36	3.97	
including	76.9	77.4	0.5	0.34	0.93	3	0.07	1.07	
including	77.4	77.92	0.52	0.36	14.62	12	0.07	14.87	
including	77.92	78.68	0.76	0.52	0.57	1	0.04	0.64	
including	78.68	79	0.32	0.22	9.90	2	0.09	10.06	
including	79	79.45	0.45	0.31	0.22	1	0.06	0.32	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
<i>including</i>	79.45	80	0.55	0.38	0.07	2	0.16	0.33	
<i>including</i>	80	80.43	0.43	0.30	0.07	2	0.05	0.17	
<i>including</i>	80.43	81.13	0.7	0.48	8.05	75	0.19	9.29	
KMDD0170	86.74	87.00	0.26	0.16	4.25	225	4.85	14.52	
KMDD0170	90.50	96.06	5.56	3.36	8.09	22	0.02	8.40	KL
<i>including</i>	90.5	91.43	0.93	0.56	4.72	36	0.09	5.31	
<i>including</i>	91.43	91.9	0.47	0.28	78.50	474	0.17	84.78	
<i>including</i>	91.9	92.73	0.83	0.50	1.00	4	0.02	1.08	
<i>including</i>	92.73	93.26	0.53	0.32	1.51	18	0.12	1.92	
<i>including</i>	93.26	93.7	0.44	0.27	0.54	6	0.13	0.82	
<i>including</i>	93.7	94.4	0.7	0.42	0.91	15	0.45	1.78	
<i>including</i>	94.4	95.1	0.7	0.42	0.94	13	0.09	1.25	
<i>including</i>	95.1	96.06	0.96	0.58	0.58	3	0.03	0.67	
KMDD0170	99.35	108.23	8.88	5.65	18.98	17	1.55	21.57	K2
<i>including</i>	99.35	100	0.65	0.41	1.25	4	0.04	1.35	
<i>including</i>	100	100.7	0.7	0.45	1.83	7	0.07	2.02	
<i>including</i>	100.7	101.4	0.7	0.45	118.00	42	0.22	118.87	
<i>including</i>	101.4	101.95	0.55	0.35	2.04	7	0.22	2.46	
<i>including</i>	101.95	102.48	0.53	0.34	3.64	32	1.17	5.84	
<i>including</i>	102.48	103.2	0.72	0.46	2.39	13	0.59	3.46	
<i>including</i>	103.2	103.74	0.54	0.34	1.85	11	0.35	2.52	
<i>including</i>	103.74	104.42	0.68	0.43	3.86	11	0.85	5.30	
<i>including</i>	104.42	105.05	0.63	0.40	1.20	58	12.16	20.54	
<i>including</i>	105.05	105.49	0.44	0.28	15.46	47	6.61	26.17	
<i>including</i>	105.49	105.7	0.21	0.13	2.63	15	1.11	4.52	
<i>including</i>	105.7	106.52	0.82	0.52	16.89	4	0.54	17.77	
<i>including</i>	106.52	107.23	0.71	0.45	2.78	2	0.03	2.84	
<i>including</i>	107.23	108.23	1	0.64	51.50	8	0.36	52.15	
KMDD0170	116.00	118.00	2.00	1.27	8.67	10	0.24	9.16	
KMDD0170	121.00	121.50	0.50	0.32	1.25	3	0.04	1.35	
KMDD0135	193.00	203.87	10.87	5.95	1.99	3	0.09	2.17	K1
<i>including</i>	193	194	1	0.55	3.34	3	0.04	3.44	
<i>including</i>	194	195	1	0.55	1.46	3	0.03	1.54	
<i>including</i>	195	196	1	0.55	1.77	3	0.18	2.09	
<i>including</i>	196	197	1	0.55	4.20	3	0.09	4.37	
<i>including</i>	197	197.7	0.7	0.38	0.64	5	0.15	0.93	
<i>including</i>	197.7	199.15	1.45	0.79	0.09	2	0.15	0.35	
<i>including</i>	199.15	200.87	1.72	0.94	0.12	3	0.08	0.28	
<i>including</i>	200.87	201.6	0.73	0.40	4.14	1	0.03	4.20	
<i>including</i>	201.6	202.5	0.9	0.49	0.54	3	0.01	0.60	
<i>including</i>	202.5	202.8	0.3	0.16	2.49	2	0.01	2.53	
<i>including</i>	202.8	203.18	0.38	0.21	0.35	1	0.01	0.37	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
<i>including</i>	203.18	203.87	0.69	0.38	8.18	4	0.26	8.62	
KMDD0135	329.30	330.13	0.83	0.49	2.54	10	0.02	2.70	
KMDD0135	334.66	338.60	3.94	2.33	0.13	4	0.25	0.57	K2
<i>including</i>	334.66	335.5	0.84	0.50	0.07	9	1.07	1.83	
<i>including</i>	335.5	336.81	1.31	0.78	0.10	1	0.02	0.14	
<i>including</i>	336.81	337.77	0.96	0.57	0.08	2	0.01	0.12	
<i>including</i>	337.77	338.6	0.83	0.49	0.30	8	0.06	0.49	
KMDD0172	70.40	74.55	4.15	2.00	7.36	6	0.89	8.80	K1
<i>including</i>	70.40	71.40	1.00	0.48	6.46	8	2.38	10.20	
<i>including</i>	71.4	72.23	0.83	0.40	1.07	8	0.87	2.50	
<i>including</i>	72.23	72.68	0.45	0.22	2.26	8	0.44	3.04	
<i>including</i>	72.68	73.55	0.87	0.42	0.76	4	0.20	1.12	
<i>including</i>	73.55	74.55	1.00	0.48	21.52	3	0.21	21.88	
KMDD0172	87.42	91.00	3.58	3.74	1.10	13	0.52	2.06	K2
<i>including</i>	87.42	88	0.58	0.47	0.17	13	3.30	5.38	
<i>including</i>	88	89	1	0.82	0.07	1	0.10	0.24	
<i>including</i>	89	89.5	0.5	0.41	0.50	11	0.11	0.81	
<i>including</i>	89.5	90	0.5	0.41	0.18	2	0.02	0.23	
<i>including</i>	90	91	1	0.82	3.49	41	0.18	4.29	
KMDD0172	100.80	101.80	1.00	0.82	1.02	3	0.13	1.26	
KMDD0133	215.55	216.16	0.61	0.25	3.58	16	2.51	7.62	
KMDD0133	268.74	269.44	0.70	0.29	1.34	5	0.17	1.66	
KMDD0133	280.83	282.12	1.29	0.53	2.70	7	2.29	6.28	
<i>including</i>	280.83	281.44	0.61	0.25	1.01	1	0.46	1.72	
<i>including</i>	281.44	282.12	0.68	0.28	4.21	12	3.93	10.38	
KMDD0133	286.00	287.00	1.00	0.41	1.47	1	0.05	1.56	
KMDD0133	293.30	305.23	11.93	4.94	5.53	2	0.29	5.99	K1
<i>including</i>	293.3	294.26	0.96	0.40	0.50	1	0.05	0.58	
<i>including</i>	294.26	294.5	0.24	0.10	5.72	2	0.38	6.33	
<i>including</i>	294.5	294.84	0.34	0.14	4.46	4	1.08	6.17	
<i>including</i>	294.84	295.6	0.76	0.31	36.10	4	0.39	36.75	
<i>including</i>	295.6	296.55	0.95	0.39	20.80	3	0.35	21.38	
<i>including</i>	296.55	297.13	0.58	0.24	2.80	1	0.14	3.02	
<i>including</i>	297.13	298	0.87	0.36	0.20	1	0.17	0.48	
<i>including</i>	298	299	1	0.41	1.78	1	0.26	2.19	
<i>including</i>	299	299.68	0.68	0.28	0.13	1	0.46	0.84	
<i>including</i>	299.68	300.42	0.74	0.31	0.41	1	0.38	1.01	
<i>including</i>	300.42	301	0.58	0.24	0.14	1	0.42	0.79	
<i>including</i>	301	302	1	0.41	0.04	1	0.04	0.12	
<i>including</i>	302	302.45	0.45	0.19	0.15	1	0.50	0.93	
<i>including</i>	302.45	303.1	0.65	0.27	0.13	1	0.45	0.83	
<i>including</i>	303.1	303.22	0.12	0.05	61.90	7	0.25	62.37	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
<i>including</i>	303.22	304	0.78	0.32	0.08	1	0.12	0.28	
<i>including</i>	304	304.8	0.8	0.33	0.38	1	0.30	0.85	
<i>including</i>	304.8	305.23	0.43	0.18	7.81	1	0.08	7.94	
KMDD0133	306.42	323.90	17.48	13.35	6.05	36	0.52	7.31	KL
<i>Including</i>	306.42	306.8	0.38	0.29	5.36	37	0.60	6.75	
<i>Including</i>	306.8	309.2	2.4	1.83	5.13	82	0.79	7.38	
<i>Including</i>	309.2	310	0.8	0.61	6.16	69	0.78	8.23	
<i>Including</i>	310	311	1	0.76	2.89	66	0.65	4.72	
<i>Including</i>	311	312.2	1.2	0.92	1.15	52	1.96	4.81	
<i>Including</i>	312.2	313.2	1	0.76	0.93	7	0.73	2.14	
<i>Including</i>	313.2	314	0.8	0.61	28.30	3	0.24	28.71	
<i>Including</i>	314	314.6	0.6	0.46	0.25	1	0.31	0.74	
<i>Including</i>	314.6	314.8	0.2	0.15	0.11	1	0.11	0.28	
<i>Including</i>	314.8	315.2	0.4	0.31	1.56	1	0.20	1.87	
<i>Including</i>	315.2	315.6	0.4	0.31	75.40	28	0.32	76.25	
<i>Including</i>	315.6	316	0.4	0.31	0.37	1	0.13	0.59	
<i>Including</i>	316	317	1	0.76	0.09	1	0.15	0.33	
<i>Including</i>	317	317.8	0.8	0.61	0.09	1	0.19	0.40	
<i>Including</i>	317.8	318.69	0.89	0.68	0.28	4	0.37	0.89	
<i>Including</i>	318.69	319	0.31	0.24	0.50	11	0.37	1.21	
<i>Including</i>	319	320	1	0.76	0.67	8	0.07	0.88	
<i>Including</i>	320	320.5	0.5	0.38	0.74	9	0.15	1.09	
<i>Including</i>	320.5	320.72	0.22	0.17	0.56	14	0.16	0.98	
<i>Including</i>	320.72	321.9	1.18	0.90	0.62	11	0.11	0.93	
<i>Including</i>	321.9	322.7	0.8	0.61	10.76	173	0.74	14.08	
<i>Including</i>	322.7	323.37	0.67	0.51	23.31	41	0.43	24.48	
<i>Including</i>	323.37	323.9	0.53	0.40	1.72	13	0.12	2.07	
KMDD0133	328.57	360.00	31.43	10.70	3.56	15	0.68	4.80	K2
<i>Including</i>	328.57	329.2	0.63	0.21	5.06	32	0.68	6.50	
<i>Including</i>	329.2	330	0.8	0.27	0.54	4	0.20	0.89	
<i>Including</i>	330	331	1	0.34	1.69	22	0.64	2.95	
<i>Including</i>	331	332	1	0.34	0.23	4	0.32	0.77	
<i>Including</i>	332	333	1	0.34	1.26	18	1.15	3.25	
<i>Including</i>	333	333.85	0.85	0.29	0.12	1	0.08	0.26	
<i>Including</i>	333.85	334.65	0.8	0.27	0.08	1	0.10	0.25	
<i>Including</i>	334.65	336	1.35	0.46	0.73	1	0.14	0.96	
<i>Including</i>	336	337	1	0.34	2.34	1	0.17	2.61	
<i>Including</i>	337	338	1	0.34	4.79	18	2.03	8.12	
<i>Including</i>	338	339	1	0.34	0.51	3	0.18	0.82	
<i>Including</i>	339	340.2	1.2	0.41	1.24	8	1.00	2.87	
<i>Including</i>	340.2	341.28	1.08	0.37	3.28	29	2.91	8.10	
<i>Including</i>	341.28	342.5	1.22	0.42	0.69	3	0.22	1.06	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
Including	342.5	343	0.5	0.17	0.81	18	0.23	1.39	
Including	343	344.52	1.52	0.52	4.01	75	0.54	5.78	
Including	344.52	346	1.48	0.50	23.38	57	0.46	24.81	
Including	346	347	1	0.34	4.62	16	0.73	5.94	
Including	347	348	1	0.34	0.53	2	0.37	1.12	
Including	348	349	1	0.34	0.29	16	0.49	1.24	
Including	349	350	1	0.34	0.08	1	0.13	0.29	
Including	350	351.4	1.4	0.48	5.02	2	1.02	6.61	
Including	351.4	352.4	1	0.34	30.02	33	2.64	34.48	
Including	352.4	353.8	1.4	0.48	0.29	4	0.27	0.75	
Including	353.8	354.7	0.9	0.31	1.74	12	1.22	3.77	
Including	354.7	356.2	1.5	0.51	0.70	9	0.93	2.24	
Including	356.2	357.2	1	0.34	0.63	6	0.37	1.28	
Including	357.2	358	0.8	0.27	1.30	12	0.26	1.84	
Including	358	359	1	0.34	0.81	14	0.28	1.41	
Including	359	360	1	0.34	1.28	11	0.20	1.73	
KMDD0133A	334.00	359.10	25.10	8.55	4.27	22	0.64	5.53	K2
Including	334	334.2	0.2	0.07	1.49	35	1.20	3.77	
Including	334.2	334.8	0.6	0.20	0.80	22	0.23	1.43	
Including	334.8	335.2	0.4	0.14	1.16	7	0.23	1.61	
Including	335.2	335.85	0.65	0.22	1.10	23	0.33	1.89	
Including	335.85	336.3	0.45	0.15	0.70	15	0.34	1.41	
Including	336.3	337	0.7	0.24	0.96	27	0.35	1.84	
Including	337	337.7	0.7	0.24	10.10	121	0.81	12.88	
Including	337.7	338.4	0.7	0.24	3.09	37	0.26	3.95	
Including	338.4	339	0.6	0.20	0.62	12	0.13	0.97	
Including	339	340	1	0.34	0.44	5	0.05	0.58	
Including	340	341	1	0.34	0.46	10	0.34	1.11	
Including	341	342	1	0.34	0.13	1	0.08	0.26	
Including	342	343	1	0.34	0.12	2	0.06	0.24	
Including	343	343.82	0.82	0.28	0.22	4	0.04	0.34	
Including	343.82	344.2	0.38	0.13	10.90	110	0.41	12.92	
Including	344.2	345	0.8	0.27	0.41	9	0.18	0.80	
Including	345	345.2	0.2	0.07	0.19	2	0.03	0.27	
Including	345.2	345.53	0.33	0.11	16.50	125	0.26	18.49	
Including	345.53	345.9	0.37	0.13	1.99	16	0.32	2.69	
Including	345.9	346.6	0.7	0.24	61.30	34	0.78	62.93	
Including	346.6	347.25	0.65	0.22	13.30	40	1.30	15.80	
Including	347.25	348	0.75	0.26	0.13	1	0.14	0.36	
Including	348	349	1	0.34	0.25	5	0.23	0.67	
Including	349	350	1	0.34	0.15	5	0.24	0.58	
Including	350	350.92	0.92	0.31	0.17	6	0.36	0.80	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
Including	350.92	351.2	0.28	0.10	0.53	2	0.33	1.07	
Including	351.2	351.8	0.6	0.20	9.46	5	1.93	12.48	
Including	351.8	352.35	0.55	0.19	15.90	5	6.10	25.30	
Including	352.35	353.25	0.9	0.31	0.44	53	0.34	1.63	
Including	353.25	354.15	0.9	0.31	1.23	10	0.35	1.89	
Including	354.15	354.6	0.45	0.15	9.71	38	3.81	16.02	
Including	354.6	355.5	0.9	0.31	1.20	9	0.78	2.51	
Including	355.5	356.17	0.67	0.23	3.99	37	2.88	8.87	
Including	356.17	356.8	0.63	0.21	0.46	13	0.61	1.56	
Including	356.8	357.3	0.5	0.17	2.82	15	0.24	3.38	
Including	357.3	359.1	1.8	0.61	2.47	29	0.40	3.45	
KMDD0174	108.08	111.80	3.72	1.92	4.01	1	0.10	4.19	K1
including	108.08	108.65	0.57	0.29	6.16	1	0.04	6.23	
including	108.65	109.16	0.51	0.26	14.50	2	0.16	14.78	
including	109.16	109.62	0.46	0.24	0.26	1	0.04	0.33	
including	109.62	110.5	0.88	0.45	1.07	1	0.28	1.51	
including	110.5	110.8	0.3	0.16	7.65	3	0.04	7.75	
KMDD0174	139.50	144.30	4.80	4.42	3.86	2	0.21	4.20	KL
including	139.5	140.5	1	0.92	12.50	1	0.10	12.66	
including	140.5	141.5	1	0.92	1.31	1	0.05	1.40	
including	141.5	142	0.5	0.46	2.42	2	0.13	2.64	
including	142	142.27	0.27	0.25	6.72	2	0.19	7.04	
including	142.27	143.3	1.03	0.95	0.66	5	0.48	1.45	
including	143.3	144.3	1	0.92	1.01	1	0.23	1.38	
KMDD0174	159.80	163.90	4.10	2.30	5.01	18	0.80	6.47	K2
including	159.8	160.42	0.62	0.28	0.75	8	0.06	0.95	
including	160.42	161.42	1	0.45	22.50	40	2.18	26.34	
including	161.42	161.9	0.48	0.22	1.08	15	0.55	2.11	
including	161.9	162.9	1	0.45	0.11	27	0.28	0.88	
including	162.9	163.9	1	0.45	1.08	7	0.50	1.93	
including	163.9	164.9	1	0.45	0.86	6	0.85	2.23	
EKDD0002	131.30	136.00	4.70	4.23	4.98	17	0.02	5.22	Judd
EKDD0002	131.30	133.00	1.70	1.53	1.56	1	0.02	1.61	
Including	131.30	131.50	0.20	0.18	2.80	2	0.04	2.89	
Including	131.50	133.00	1.50	1.35	1.40	1	0.02	1.44	
EKDD0002	133.00	134.30	1.30	1.26	0.25	1	0.01	0.28	
EKDD0002	134.30	136.00	1.70	1.44	12.75	49	0.01	13.38	
Including	134.40	134.79	0.39	0.35	46.30	196	0.03	48.83	
Including	134.79	136.00	1.21	1.09	1.93	1	0.01	1.95	
EKDD0002	253.96	260.80	6.84	6.16	2.83	10	0.28	3.39	K1
Including	253.96	254.40	0.44	0.40	0.85	19	0.56	1.94	
Including	254.40	255.50	1.10	0.99	1.33	1	0.03	1.39	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
Including	255.50	256.16	0.66	0.59	2.11	4	0.10	2.32	
Including	256.16	257.00	0.84	0.76	0.74	15	0.53	1.73	
Including	257.00	257.47	0.47	0.42	0.65	15	0.35	1.37	
Including	257.47	258.23	0.76	0.68	0.76	9	0.12	1.05	
Including	258.23	259.00	0.77	0.69	0.92	11	0.25	1.45	
Including	259.00	259.20	0.20	0.18	0.44	6	0.23	0.87	
Including	259.20	260.80	1.60	1.44	8.64	12	0.41	9.42	
EKDD0002	284.80	301.26	16.46	14.81	0.72	5	0.36	1.34	KL
EKDD0002	284.80	287.75	2.95	2.65	2.53	14	0.37	3.56	
Including	284.80	285.60	0.80	0.72	9.34	28	0.21	10.01	
Including	285.60	286.50	0.90	0.81	0.24	4	0.18	0.57	
Including	286.50	286.95	0.45	0.40	0.25	8	0.35	0.89	
Including	286.95	287.75	0.80	0.72	0.63	13	0.75	1.94	
EKDD0002	287.75	288.66	0.91	0.82	0.18	1	0.05	0.27	
EKDD0002	288.66	290.52	1.86	1.67	0.18	1	0.05	0.27	
EKDD0002	290.52	292.00	1.48	1.33	0.07	1	0.01	0.09	
EKDD0002	292.00	293.96	1.96	1.76	0.14	7	0.98	1.72	
Including	292.00	293.60	1.60	1.44	0.08	2	0.05	0.18	
Including	293.60	293.96	0.36	0.32	0.38	28	5.12	8.57	
EKDD0002	293.96	297.70	3.74	3.37	0.04	1	0.01	0.01	
EKDD0002	297.70	301.26	3.56	3.20	0.74	4	0.78	1.98	
Including	297.70	299.10	1.40	1.26	0.07	2	0.16	0.34	
Including	299.10	299.47	0.37	0.33	2.64	11	2.57	6.71	
Including	299.47	299.67	0.20	0.18	2.80	11	2.53	6.80	
Including	299.67	299.95	0.28	0.25	2.96	10	2.49	6.90	
Including	299.95	301.26	1.31	1.18	0.12	2	0.30	0.61	
EKDD0002	322.40	331.10	8.70	7.83	1.20	14	1.13	3.11	K2
EKDD0002	322.40	326.64	4.24	3.82	1.98	26	1.75	4.99	
Including	322.40	323.34	0.94	0.85	3.10	24	2.81	7.70	
Including	323.34	324.00	0.66	0.59	3.31	94	3.15	9.32	
Including	324.00	324.40	0.40	0.36	2.92	19	1.24	5.06	
Including	324.40	325.15	0.75	0.68	1.66	12	1.34	3.87	
Including	325.15	325.95	0.80	0.72	0.67	8	0.81	2.00	
Including	325.95	326.64	0.69	0.62	0.50	3	0.82	1.80	
EKDD0002	326.64	327.10	0.46	0.41	0.20	1	0.24	0.58	
EKDD0002	327.10	327.40	0.30	0.27	0.26	1	0.24	0.64	
EKDD0002	327.40	329.37	1.97	1.77	0.38	1	0.11	0.56	
EKDD0002	329.37	330.75	1.38	1.24	0.19	1	0.06	0.30	
EKDD0002	330.75	331.10	0.35	0.32	2.58	16	5.58	11.32	
EKDD0002	339.70	342.77	3.07	2.76	0.32	7	0.90	1.80	K2HW
Including	339.70	340.20	0.50	0.45	0.12	3	0.28	0.59	
Including	340.20	341.10	0.90	0.81	0.11	1	0.07	0.23	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Comment
Including	341.10	341.70	0.60	0.54	1.01	18	0.92	2.64	
Including	341.70	341.90	0.20	0.18	0.08	2	0.18	0.39	
Including	341.90	342.10	0.20	0.18	0.18	31	5.74	9.36	
Including	342.10	342.77	0.67	0.60	0.25	4	1.25	2.21	

⁽¹⁾ Gold Equivalent uses copper price of US\$2.90/lb; silver price of US\$16.5/oz and gold price of US\$1,300/oz

Table 2 - Kainantu Gold Mine – Collar Locations for Kora Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
KMDD0127	58928.26	29936.08	1210.87	-54.3	246.5	316.6	Kora North
KMDD0166	58883.42	29869.57	1208.84	2.1	239.5	89.9	Kora North
KMDD0168	58902.15	29870.58	1188.70	37.0	319.0	127.2	Kora North
KMDD0170	58901.34	29868.94	1189.56	-41.1	245.2	125	Kora North
KMDD0135	59042.01	29951.58	1194.66	-59.8	300.2	419.1	Kora North
EKDD0001	58951.75	30074.96	1872.42	-56.5	258.5	525.2	Kora North
KMDD0172	58901.19	29868.64	1194.46	57.5	243.2	109.4	Kora North
KMDD0133	58927.48	29934.97	1210.87	-39.9	218.7	373.1	Kora North
KMDD0133A	58927.48	29934.97	1210.87	-39.9	218.7	437.2	Kora North
KMDD0174	58900.85	29868.97	1189.57	-48.6	230.3	268.5	Kora North
EKDD00002	59205.00	29992.00	1779.50	-64.3	240.5	382.4	Kora North

The mineral resource estimate (shown in Table 3 and Table 4) for the Kora, Kora North and Irumafimpa deposits is based on the technical report prepared in accordance with National Instrument 43-101 – *Standards of Disclosure for Mineral Projects* (“NI 43-101”), and titled, “Independent Technical Report, Mineral Resources Estimate Update and Preliminary Economic Assessment of Kora North and Kora Gold Deposits, Kainantu Project, Papua New Guinea” with an effective date of September 30, 2018 (the “Technical Report”) prepared by Anthony Woodward BSc (Hons.), M.Sc., MAIG, Simon Tear BSc (Hons), EurGeol, PGeo IGI, EurGeol, Christopher Desoe BE (Min)(Hons), FAusIMM, RPEQ, MMICA, Lisa J. Park, BEng (Chem), GAICD, FAusIMM. Refer to the Company’s news release dated January 8, 2018 for a summary of the results of the PEA and details of the resource estimate.

Table 3 - Kora North Mineral Resource Estimate

Global Mineral Resources Kora North Gold-Copper Mine - October 2018									
Category	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	Mozs	g/t	Mozs	%	Mlbs	g/t	Mozs
Measured	0.15	18.7	0.09	8.9	0.04	0.5	1.6	19.6	0.09
Indicated	0.69	11.6	0.26	14.1	0.31	0.8	11.8	12.9	0.29
Total M & I	0.85	12.9	0.35	13.1	0.36	0.7	13.3	14.1	0.39
Inferred Total	1.92	10.7	0.66	13.3	0.82	0.7	29.5	11.9	0.74

M in table is millions.

Key Assumptions and Parameters

Mineralization comprises two parallel, steeply west dipping, N-S striking quartz-sulphide vein systems, K1 & K2, within an encompassing dilatant structural zone hosted by phyllite. An additional structure, the Kora Link, has also been defined and provides a possible link between the two main vein systems.

Underground drilling consists of diamond core for a range of core sizes depending on length of hole and expected ground conditions. Sampling is sawn half core under geological control and generally ranges between 0.5m and 1m. Underground face sampling is completed for every fired round and is to industry standard.

QAQC data indicated no significant issues with the accuracy of the on-site analysis.

Core recovery of the mineral zone was initially 90%, this has improved to >95%. There is no relationship between core recovery and gold grade.

Geological logging is consistent and is based on a full set of logging codes covering lithology, alteration and mineralization.

The geological interpretation of the vein systems is represented as 3D wireframe solids snapped to a combination of diamond drillhole data and underground face sampling. Definition of the wireframes is based on identified gold mineralisation in drillcore nominally at a 0.2 g/t Au cut off in conjunction with geological control/sense and current mining widths.

Gold equivalent (AuEq) g/t was calculated using the formula $Au\ g/t + (Cu\% \times 1.53) + Ag\ g/t \times 0.0127$. (No account of metal recoveries through the plant have been used in calculating the metal equivalent grade. However, production is currently achieving 93% metal recovery for both gold and copper and gold is currently providing 95% and copper 5% of the total revenue of the mine.)

Gold price US\$1,300/oz; silver US\$16.5/oz; copper US\$2.90/lb.

Table 4 – Irumafimpa and Kora/Eutompi Resource Estimates

Resource by Deposit and Category										
Deposit	Resource Category	Tonnes	Gold		Silver		Copper		Gold Equivalent	
			Mt	g/t	Moz	g/t	Moz	%	Mlb	g/t
Irumafimpa	Indicated	0.56	12.8	0.23	9	0.16	0.28	37	13.4	0.24
	Inferred	0.53	10.9	0.19	9	0.16	0.27	74	11.5	0.20
Kora/Eutompi	Inferred	4.36	7.3	1.02	35	4.9	2.23	215	11.2	1.57
Total Indicated		0.56	12.8	0.23	9	0.16	0.3	4.0	13.4	0.24
Total Inferred		4.89	7.7	1.21	32	5.06	2.0	288	11.2	1.76

Notes:

- *M in table is millions.*
- *Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate. Minor variations may occur during the addition of rounded numbers. Gold equivalents are calculated as $AuEq = Au\ g/t + Cu\% * 1.52 + Ag\ g/t * 0.0141$.*

K92 Mine Geology Manager and Mine Exploration Manager, Mr. Andrew Kohler, PGeo, a qualified person under the meaning of NI 43-101, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver from the Kora and Kora North deposits of the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018 and has commenced an expansion of the mine. An updated Preliminary Economic Assessment on the property was published in January 2019. K92 is operated by a team of mining company professionals with extensive international mine-building experience.

ON BEHALF OF THE COMPANY,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek at +1-604-687-7130.

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION:

This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of

estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding the realization of the preliminary economic analysis for the Kainantu Gold Mine, expectations of future cash flows, the ongoing plant expansion, potential expansion of resources and the generation of further drilling results which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things, the market price of the Company's securities, metal prices, exchange rates, taxation, the estimation, timing and amount of future exploration and development, capital and operating costs, the availability of financing, the receipt of regulatory approvals, environmental risks, title disputes, failure of plant, equipment or processes to operate as anticipated, accidents, labour disputes, claims and limitations on insurance coverage, changes in government regulations and other risks of the mining industry, changes in national and local government regulation of mining operations, and regulations and other matters.. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 - K1 Long Section




Figure 2 - K2 Long Section




Figure 3 – Plan Showing Irumafimpa, Kora and Judd Vein Systems

