

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE UNDERGROUND DRILL RESULTS AT KORA, INCLUDING STEP-OUT DRILLING TO SOUTH AND NORTH

- Underground drill hole KMDD0415 records multiple intersections including 7.51 m at 192.92 g/t gold equivalent (“AuEq”)⁽¹⁾ or 192.50 g/t Au, 8 g/t Ag and 0.22% Cu from the K1 Vein.
- Underground drill hole KMDD0312 records multiple intersections including 7.60 m at 41.91 g/t AuEq or 41.02 g/t Au, 24 g/t Ag and 0.41% Cu from the K1 Vein.
- Underground drill hole KMDD0441 records multiple intersections including 12.65 m at 36.54 g/t AuEq or 25.97 g/t Au, 94 g/t Ag and 6.60% Cu from the K2 Vein.
- Underground drill hole KMDD0342 records multiple intersections including 5.36 m at 29.50 g/t AuEq or 29.28 g/t Au, 4 g/t Ag and 0.11% Cu from the K1 Vein, and 5.60 m at 17.90 g/t AuEq or 13.77 g/t Au, 153 g/t Ag and 1.49% Cu from the K2 Vein.
- Underground drill hole KMDD0427 records multiple intersections including 12.00 m at 27.08 g/t AuEq or 12.57 g/t Au, 194 g/t Ag and 8.46% Cu from the K2 Vein.
- Underground drill hole KMDD0471 records multiple intersections including 8.00 m at 21.16 g/t AuEq or 17.78 g/t Au, 39 g/t Ag and 2.03% Cu from the K1 Vein.
- Underground drill hole KMDD0459 records multiple intersections including 6.20 m at 20.19 g/t AuEq or 5.65 g/t Au, 166 g/t Ag and 8.74% Cu from the K2 Vein.

Note (1): Gold equivalent (AuEq) exploration results are calculated using longer-term commodity prices with a copper price of US\$3.30/lb, a silver price of US\$21/oz and a gold price of US\$1,600/oz.

Vancouver, British Columbia, December 8, 2021 - K92 Mining Inc. (“K92” or the “Company”) (TSX: KNT; OTCQX: KNTNF) is pleased to announce results from the ongoing underground diamond drilling of the Kora deposit at the Kainantu gold mine in Papua New Guinea.

The results for the latest 50 diamond drill holes completed from underground into the Kora deposit are summarized in Table 1 below. The results continue to demonstrate the high-grade and

continuity of Kora, with intersections largely focused on increasing drill density up-dip, down-dip and to the south to upgrade resources for the upcoming Kora resource update which will then be integrated into the Stage 3 Expansion Definitive Feasibility Study. Results also include step out drilling to the south and north outside of the existing resource envelope. From the drilling results, all drill holes intersected mineralization, with 10 intersections exceeding 20 g/t AuEq, 25 intersections exceeding 10 g/t AuEq and 53 intersections exceeding 5 g/t AuEq.

The results are highlighted by holes KMDD0415 recording multiple intersections including 7.51 m at 192.50 g/t Au, 8 g/t Ag and 0.22% Cu (192.92 g/t AuEq, 4.11 m true width) from the K1 Vein; KMDD0312 recording multiple intersections including 7.60 m at 41.02 g/t Au, 24 g/t Ag and 0.41% Cu (41.91 g/t AuEq, 4.96 m true width) from the K1 Vein; KMDD0441 recording multiple intersections including 12.65 m at 25.97 g/t Au, 94 g/t Ag and 6.60% Cu (36.54 g/t AuEq, 8.16 m true width) from the K2 Vein, and; KMDD0471 recording multiple intersections including 8.00 m at 17.78 g/t Au, 39 g/t Ag and 2.03% Cu (21.16 g/t AuEq, 5.26 m true width) from the K1 Vein. Holes KMDD0415, KMDD0441 and KMDD0471 extended high-grade mineralization up-dip, and hole KMDD0312 delivered higher grades than nearby holes.

Drilling to the south continued to record high-grade intersections. Highlights include: KMDD0443 recording multiple intersections including 16.90 m at 3.03 g/t Au, 283 g/t Ag and 4.30% Cu (12.83 g/t AuEq, 10.42 m true width) from the K2 Vein, and; KMDD0453 recording multiple intersections including 8.20 m at 5.52 g/t Au, 97 g/t Ag and 6.35% Cu (15.77 g/t AuEq, 4.88 m true width) from the K2 Vein, both located outside the current resource. Additionally, KMDD0427 recorded multiple intersections including 12.00 m at 12.57 g/t Au, 194 g/t Ag and 8.46% Cu (27.08 g/t AuEq, 8.15 m true width) from the K2 Vein, and; KMDD0459 recorded multiple intersections including 6.20 m at 5.65 g/t Au, 166 g/t Ag and 8.74% Cu (20.19 g/t AuEq, 4.12 m true width) from the K2 Vein, both extending a known high-grade area towards the south, within the resource envelope.

Step-out drilling to the north also encountered high-grade intersections, demonstrating the potential for higher-grade mineralization to extend to the north, which was previously not an exploration focus. Highlights include: KMDD0312 recording multiple intersections including 7.60 m at 41.02 g/t Au, 24 g/t Ag and 0.41% Cu (41.91 g/t AuEq, 4.96 m true width) from the K1 Vein; KMDD0342 recording multiple intersections including 5.36 m at 29.28 g/t Au, 4 g/t Ag and 0.11% Cu (29.50 g/t AuEq, 4.30 m true width) from the K1 Vein and 5.60 m at 13.77 g/t Au, 153 g/t Ag and 1.49% Cu (17.90 g/t AuEq, 3.93 m true width) from the K2 Vein, and; KMDD0332 recording multiple intersections including 1.65 m at 21.41 g/t Au, 2 g/t Ag and 0.07% Cu (21.53 g/t AuEq, 1.07 m true width) from the K1 Vein. As the twin incline development advances towards the Kora Resource, there will be increased capability to target Kora Deeps and a potential northern strike extension to depth in the second half of 2022.

Other high-grade intersections include: KMDD0401 recording multiple intersections including 5.53 m at 16.73 g/t Au, 6 g/t Ag and 0.75% Cu (17.87 g/t AuEq, 3.40 m true width); KMDD0322 recording multiple intersections including 6.20 m at 16.91 g/t Au, 3 g/t Ag and 0.19% Cu (17.22 g/t AuEq, 5.01 m true width), and; KMDD0328 recording multiple intersections including 4.80 m at 16.31 g/t Au, 2 g/t Ag and 0.07% Cu (16.44 g/t AuEq, 4.34 m true width), all three intersections

from the K1 Vein. On the K2 Vein, KMDD0437 recorded multiple intersections including 2.15 m at 19.27 g/t Au, 10 g/t Ag and 1.12% Cu (20.99 g/t AuEq, 1.64 m true width).

Long sections of K1 and K2 showing the location of the latest drill holes are provided in figures 1 and 2, respectively. A long section showing Kora drilling to date is provided in figure 3. A core photograph of drill hole KMDD0415 is provided in figure 4 and a core photograph of drill hole KMDD0427 is provided in figure 5.

John Lewins, K92 Chief Executive Officer and Director, stated, “*The latest drilling results at Kora continue to deliver very high grades, solid thickness while also expanding known and delineating new high-grade areas. Of the 50 holes drilled, all intersected mineralization, 10 intersections exceeded 20 g/t AuEq and 25 intersections exceeded 10 g/t AuEq. The results also featured one of our higher-grade holes reported to date, KMDD0415 at 7.51 m at 192.92 g/t gold equivalent from the K1 Vein.*

In addition to high-grade step-outs to the south, the results were also highlighted by high-grade step-outs to the north. Until recently, northern strike extension drilling has not been a focus and we are very encouraged by the high-grade drilling results, which included KMDD0312 recording 7.60 m at 41.91 g/t AuEq from the K1 vein; KMDD0342 recording 5.36 m at 29.50 g/t AuEq from the K1 Vein, and; 5.60 m at 17.90 g/t AuEq from the K2 Vein. As the twin incline advances to the south towards the resource at Kora, in the second half of 2022, we plan to utilize this infrastructure to explore not only Kora Deeps but also potential northern extensions to Kora.

I would also like to note that this set of results at Kora will be our final set ahead of our upcoming Kora resource update. Over the past 18 months, drilling at Kora has largely been infill and we are pleased to highlight that we have recently commenced a major pivot to resource growth focused drilling. At Judd, there now four drill rigs operating from underground; the majority of our underground drill rigs. At Kora South, drilling has recently commenced for the first time from surface and plans are in place to add a second drill rig. Step-out drilling at Kora will also progress from underground. Deeper targeted drilling at the Blue Lake porphyry is well underway, in addition to multiple holes awaiting core logging and assay. We have eliminated our core logging and assay backlog at Kora and Judd. We are certainly excited about our exploration activities for 2022.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Kora Diamond Drilling

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0312	40.10	47.70	7.60	4.96	41.02	24	0.41	41.91	K1
including	40.10	40.82	0.72	0.47	204.00	4	0.14	204.25	
including	40.82	41.22	0.40	0.26	11.61	2	0.03	11.68	
including	41.22	41.93	0.71	0.46	1.44	1	0.03	1.50	
including	41.93	42.46	0.53	0.35	1.42	1	0.04	1.49	
including	42.46	43.15	0.69	0.45	0.50	1	0.18	0.77	
including	43.15	44.15	1.00	0.65	0.23	2	0.06	0.34	
including	44.15	44.70	0.55	0.36	0.19	2	0.08	0.33	
including	44.70	45.45	0.75	0.49	0.49	1	0.02	0.54	
including	45.45	46.16	0.71	0.46	86.00	66	0.65	87.79	
including	46.16	46.87	0.71	0.46	132.50	168	2.69	138.51	
including	46.87	47.13	0.26	0.17	1.25	7	0.35	1.84	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
including	47.13	47.70	0.57	0.37	3.43	8	0.42	4.12	
KMDD0312	50.76	51.10	0.34	0.22	1.07	1	0.06	1.16	
KMDD0312	124.30	124.54	0.24	0.11	2.60	7	0.22	3.00	
KMDD0312	138.35	140.65	2.30	1.09	1.71	17	0.14	2.13	K2
including	138.35	139.32	0.97	0.46	1.37	30	0.26	2.13	
including	139.32	140.29	0.97	0.46	0.26	2	0.05	0.36	
including	140.29	140.65	0.36	0.17	6.54	21	0.06	6.90	
KMDD0312	146.68	147.80	1.12	0.53	0.86	8	0.24	1.31	K2HW
including	146.68	147.38	0.70	0.33	1.00	10	0.26	1.50	
including	147.38	147.80	0.42	0.20	0.64	5	0.20	0.99	
KMDD0312	152.48	153.38	0.90	0.42	1.16	19	0.75	2.47	K3
including	152.48	153.38	0.90	0.42	1.16	19	0.75	2.47	
KMDD0322	32.10	38.30	6.20	5.01	16.91	3	0.19	17.22	K1
including	32.10	32.30	0.20	0.16	58.20	4	0.21	58.56	
including	32.30	32.68	0.38	0.31	4.49	1	0.02	4.53	
including	32.68	33.15	0.47	0.38	167.00	9	0.26	167.49	
including	33.15	33.90	0.75	0.61	3.45	1	0.03	3.50	
including	33.90	34.67	0.77	0.62	0.57	2	0.04	0.65	
including	34.67	35.20	0.53	0.43	0.31	2	0.04	0.39	
including	35.20	35.80	0.60	0.48	1.94	5	0.62	2.88	
including	35.80	37.20	1.40	1.13	0.39	4	0.31	0.87	
including	37.20	38.30	1.10	0.89	7.38	2	0.13	7.58	
KMDD0322	50.10	50.30	0.20	0.16	1.02	17	1.24	3.00	
KMDD0322	107.35	111.50	4.15	3.16	1.20	19	0.78	2.56	K2
including	107.35	107.55	0.20	0.15	2.82	42	4.28	9.42	
including	107.55	108.15	0.60	0.46	0.22	5	0.75	1.34	
including	108.15	108.80	0.65	0.49	2.00	4	0.55	2.83	
including	108.80	110.00	1.20	0.91	0.34	2	0.21	0.66	
including	110.00	110.40	0.40	0.30	4.25	105	0.61	6.50	
including	110.40	111.00	0.60	0.46	1.03	24	1.05	2.84	
including	111.00	111.50	0.50	0.38	0.55	15	0.89	2.00	
KMDD0322	126.70	126.90	0.20	0.15	1.66	13	2.61	5.52	K2HW
including	126.70	126.90	0.20	0.15	1.66	13	2.61	5.52	
KMDD0322	135.00	136.30	1.30	0.99	1.28	10	3.62	6.53	K3
including	135.00	135.25	0.25	0.19	1.72	13	4.62	8.42	
including	135.25	135.45	0.20	0.15	1.52	22	14.31	22.05	
including	135.45	135.70	0.25	0.19	2.56	11	1.32	4.58	
including	135.70	136.30	0.60	0.46	0.49	5	0.59	1.39	
KMDD0328	28.90	33.70	4.80	4.34	16.31	2	0.07	16.44	K1
including	28.90	29.80	0.90	0.81	58.07	2	0.12	58.27	
including	29.80	30.50	0.70	0.63	12.99	1	0.02	13.04	
including	30.50	31.10	0.60	0.54	1.07	1	0.02	1.11	
including	31.10	31.55	0.45	0.41	18.18	4	0.04	18.29	
including	31.55	32.46	0.91	0.82	1.01	1	0.02	1.06	
including	32.46	33.70	1.24	1.12	5.81	3	0.15	6.05	
KMDD0328	86.70	95.00	8.30	6.75	2.47	12	0.91	3.91	K2
including	86.70	87.27	0.57	0.46	11.73	2	0.04	11.82	
including	87.27	87.84	0.57	0.46	0.24	4	0.50	1.00	
including	87.84	89.00	1.16	0.94	0.33	12	1.19	2.17	
including	89.00	89.50	0.50	0.41	0.16	7	0.74	1.30	
including	89.50	90.00	0.50	0.41	0.17	1	0.01	0.20	
including	90.00	91.10	1.10	0.89	7.94	6	0.68	8.98	
including	91.10	92.40	1.30	1.06	1.39	6	0.59	2.31	
including	92.40	93.00	0.60	0.49	0.95	1	0.02	0.99	
including	93.00	93.44	0.44	0.36	1.42	2	0.10	1.59	
including	93.44	94.12	0.68	0.55	1.18	5	0.41	1.82	
including	94.12	95.00	0.88	0.72	0.64	65	4.14	7.35	
KMDD0328	153.30	153.67	0.37	0.30	1.60	6	0.12	1.85	
KMDD0330	34.85	39.60	4.75	3.30	6.75	4	0.05	6.89	K1
including	34.85	35.45	0.60	0.42	22.03	15	0.15	22.44	
including	35.45	36.00	0.55	0.38	5.33	2	0.07	5.45	
including	36.00	36.55	0.55	0.38	0.23	8	0.05	0.41	
including	36.55	36.82	0.27	0.19	0.37	2	0.11	0.55	
including	36.82	37.35	0.53	0.37	0.28	1	0.01	0.30	
including	37.35	37.85	0.50	0.35	18.17	2	0.02	18.22	
including	37.85	38.10	0.25	0.17	12.59	4	0.08	12.76	
including	38.10	39.10	1.00	0.69	2.62	1	0.02	2.67	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	39.10	39.60	0.50	0.35	1.41	2	0.03	1.48	
KMDD0330	124.00	128.30	4.30	2.80	6.73	43	3.74	12.58	K2
including	124.00	124.85	0.85	0.55	1.99	12	0.32	2.60	
including	124.85	126.00	1.15	0.75	21.60	144	13.58	42.70	
including	126.00	126.50	0.50	0.33	0.86	4	0.19	1.19	
including	126.50	127.00	0.50	0.33	0.78	3	0.05	0.89	
including	127.00	128.30	1.30	0.85	1.21	3	0.05	1.33	
KMDD0330	152.00	152.80	0.80	0.54	2.17	1	0.01	2.20	K3
including	152.00	152.80	0.80	0.54	2.17	1	0.01	2.20	
KMDD0332	39.75	41.40	1.65	1.07	21.41	2	0.07	21.53	K1
including	39.75	40.27	0.52	0.34	8.27	3	0.14	8.51	
including	40.27	41.10	0.83	0.54	29.40	1	0.04	29.46	
including	41.10	41.40	0.30	0.19	22.10	1	0.02	22.13	
KMDD0332	128.55	129.00	0.45	0.35	3.97	18	3.65	9.37	
including	128.55	129.00	0.45	0.35	3.97	18	3.65	9.37	
KMDD0332	150.00	153.00	3.00	2.31	7.40	5	0.44	8.07	K2
including	150.00	151.00	1.00	0.77	1.38	6	0.83	2.63	
including	151.00	152.00	1.00	0.77	20.00	5	0.39	20.62	
including	152.00	153.00	1.00	0.77	0.81	3	0.09	0.97	
KMDD0334	46.00	56.47	10.47	5.30	3.11	8	0.07	3.31	K1
including	46.00	46.75	0.75	0.38	14.60	10	0.34	15.21	
including	46.75	47.27	0.52	0.26	5.81	4	0.05	5.93	
including	47.27	48.70	1.43	0.72	2.58	1	0.02	2.62	
including	48.70	49.10	0.40	0.20	10.70	18	0.02	10.96	
including	49.10	50.00	0.90	0.46	0.78	1	0.01	0.81	
including	50.00	50.80	0.80	0.40	0.23	2	0.10	0.39	
including	50.80	51.80	1.00	0.51	0.10	1	0.02	0.14	
including	51.80	52.10	0.30	0.15	0.06	1	0.01	0.08	
including	52.10	53.70	1.60	0.81	0.04	1	0.01	0.06	
including	53.70	54.30	0.60	0.30	2.22	10	0.12	2.53	
including	54.30	54.50	0.20	0.10	14.00	5	0.03	14.11	
including	54.50	55.15	0.65	0.33	1.14	9	0.12	1.42	
including	55.15	55.60	0.45	0.23	1.15	7	0.11	1.40	
including	55.60	56.47	0.87	0.44	4.78	47	0.14	5.59	
KMDD0336	42.70	44.00	1.30	0.70	2.29	1	0.01	2.31	
including	42.70	44.00	1.30	0.70	2.29	1	0.01	2.31	
KMDD0336	48.40	58.75	10.35	5.54	4.43	11	0.13	4.77	K1
including	48.40	49.00	0.60	0.32	1.42	9	0.13	1.72	
including	49.00	49.70	0.70	0.37	5.55	6	0.03	5.68	
including	49.70	50.68	0.98	0.52	0.99	1	0.03	1.04	
including	50.68	51.20	0.52	0.28	34.10	67	0.04	35.04	
including	51.20	52.00	0.80	0.43	0.05	1	0.01	0.06	
including	52.00	52.35	0.35	0.19	0.02	1	0.00	0.03	
including	52.35	52.85	0.50	0.27	0.05	1	0.00	0.06	
including	52.85	53.10	0.25	0.13	0.18	2	0.01	0.23	
including	53.10	53.27	0.17	0.09	0.21	1	0.01	0.23	
including	53.27	53.80	0.53	0.28	0.05	1	0.01	0.07	
including	53.80	54.40	0.60	0.32	0.26	1	0.01	0.28	
including	54.40	54.90	0.50	0.27	0.35	2	0.08	0.49	
including	54.90	55.70	0.80	0.43	11.10	9	0.04	11.27	
including	55.70	56.40	0.70	0.37	4.33	44	0.02	4.94	
including	56.40	56.60	0.20	0.11	1.50	7	0.02	1.61	
including	56.60	57.20	0.60	0.32	12.20	22	0.23	12.82	
including	57.20	57.70	0.50	0.27	0.34	6	0.02	0.45	
including	57.70	58.60	0.90	0.48	1.96	12	1.02	3.55	
including	58.60	58.75	0.15	0.08	3.15	13	0.12	3.49	
KMDD0336	77.31	78.00	0.69	0.41	2.84	1	0.01	2.87	
including	77.31	78.00	0.69	0.41	2.84	1	0.01	2.87	
KMDD0336	88.82	90.70	1.88	1.13	1.37	1	0.01	1.39	
including	88.82	90.70	1.88	1.13	1.37	1	0.01	1.39	
KMDD0336	94.80	96.10	1.30	0.78	1.99	1	0.01	2.01	
including	94.80	95.40	0.60	0.36	2.81	1	0.01	2.83	
including	95.40	95.61	0.21	0.13	0.35	1	0.01	0.37	
including	95.61	96.10	0.49	0.29	1.68	1	0.01	1.71	
KMDD0336	178.00	185.82	7.82	4.69	1.54	3	0.21	1.89	K2
including	178.00	179.20	1.20	0.72	4.15	1	0.01	4.18	
including	179.20	179.72	0.52	0.31	0.12	2	0.03	0.19	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	179.72	180.50	0.78	0.47	1.69	1	0.03	1.74	
including	180.50	181.88	1.38	0.83	0.08	1	0.01	0.10	
including	181.88	183.36	1.48	0.89	0.57	1	0.04	0.64	
including	183.36	184.00	0.64	0.38	0.44	8	0.45	1.18	
including	184.00	185.82	1.82	1.09	2.46	8	0.69	3.54	
KMDD0336	188.00	188.63	0.63	0.38	2.96	2	0.13	3.17	
including	188.00	188.63	0.63	0.38	2.96	2	0.13	3.17	
KMDD0338	43.90	48.50	4.60	2.36	14.91	4	0.05	15.02	K1
including	43.90	44.18	0.28	0.14	45.50	4	0.06	45.64	
including	44.18	44.70	0.52	0.27	100.20	3	0.04	100.29	
including	44.70	45.00	0.30	0.15	3.03	1	0.01	3.06	
including	45.00	45.92	0.92	0.47	0.59	1	0.02	0.63	
including	45.92	46.70	0.78	0.40	1.27	5	0.05	1.40	
including	46.70	47.45	0.75	0.38	0.22	1	0.02	0.26	
including	47.45	48.20	0.75	0.38	0.37	1	0.02	0.41	
including	48.20	48.50	0.30	0.15	2.79	23	0.33	3.56	
including	184.80	185.00	0.20	0.08	0.76	24	2.10	4.05	
KMDD0338	52.20	53.00	0.80	0.41	1.57	41	0.06	2.19	
KMDD0338	158.60	161.30	2.70	1.43	1.25	1	0.01	1.28	KL
including	158.60	159.46	0.86	0.46	1.51	1	0.01	1.53	
including	159.46	160.60	1.14	0.60	1.38	1	0.01	1.40	
including	160.60	161.30	0.70	0.37	0.72	2	0.03	0.79	
KMDD0338	166.70	167.80	1.10	0.58	3.08	1	0.01	3.11	
KMDD0338	172.24	173.20	0.96	0.35	3.17	48	8.76	16.19	K2
including	172.24	172.50	0.26	0.09	11.60	85	17.30	37.18	
including	172.50	173.20	0.70	0.26	0.04	34	5.59	8.39	
KMDD0338	184.80	185.00	0.20	0.08	0.76	24	2.10	4.05	K3
KMDD0340	38.10	45.50	7.40	4.94	10.66	5	0.11	10.87	K1
including	38.10	39.40	1.30	0.87	3.35	3	0.04	3.45	
including	39.40	40.75	1.35	0.90	46.61	5	0.08	46.79	
including	40.75	41.85	1.10	0.73	4.39	2	0.07	4.52	
including	41.85	42.25	0.40	0.27	4.03	2	0.04	4.11	
including	42.25	43.45	1.20	0.80	0.46	7	0.35	1.05	
including	43.45	43.75	0.30	0.20	9.40	4	0.08	9.56	
including	43.75	44.70	0.95	0.63	0.55	1	0.02	0.59	
including	44.70	45.50	0.80	0.53	1.60	13	0.07	1.87	
KMDD0340	137.00	138.85	1.85	1.37	1.66	10	0.41	2.38	
including	137.00	137.55	0.55	0.41	0.80	16	0.98	2.40	
including	137.55	138.85	1.30	0.97	2.02	8	0.17	2.37	
KMDD0340	142.00	143.90	1.90	1.41	14.63	41	0.84	16.36	K2
including	142.00	142.65	0.65	0.48	8.33	39	0.34	9.32	
including	142.65	143.90	1.25	0.93	17.90	42	1.11	20.02	
KMDD0340	152.50	153.50	1.00	0.74	3.09	13	0.12	3.44	
including	152.50	153.50	1.00	0.74	3.09	13	0.12	3.44	
KMDD0340	161.50	162.80	1.30	0.97	1.35	17	0.25	1.93	
including	161.50	162.80	1.30	0.97	1.35	17	0.25	1.93	
KMDD0342	37.69	43.05	5.36	4.30	29.28	4	0.11	29.50	K1
including	37.69	38.19	0.50	0.35	73.02	2	0.05	73.11	
including	38.19	38.80	0.61	0.43	94.00	10	0.25	94.48	
including	38.80	39.20	0.40	0.28	0.85	1	0.01	0.87	
including	39.20	40.10	0.90	0.63	1.40	1	0.02	1.44	
including	40.10	41.10	1.00	0.70	23.98	2	0.04	24.07	
including	41.10	41.90	0.80	0.56	3.65	1	0.01	3.67	
including	41.90	42.80	0.90	0.63	1.61	1	0.09	1.75	
including	42.80	43.05	0.25	0.18	0.79	1	0.06	0.89	
including	43.05	43.80	0.75	0.53	73.21	19	0.48	74.14	
KMDD0342	124.50	130.10	5.60	3.93	13.77	153	1.49	17.90	K2
including	124.50	125.46	0.96	0.67	2.11	29	1.10	4.05	
including	125.46	126.20	0.74	0.52	0.47	6	0.53	1.30	
including	126.20	127.20	1.00	0.70	58.30	530	3.19	69.77	
including	127.20	127.90	0.70	0.49	6.25	176	1.36	10.48	
including	127.90	128.40	0.50	0.35	8.60	65	1.47	11.54	
including	128.40	129.10	0.70	0.49	7.75	87	1.06	10.38	
including	129.10	130.10	1.00	0.70	2.36	79	1.29	5.23	
KMDD0342	138.30	138.90	0.60	0.42	2.01	13	0.51	2.90	
including	138.30	138.90	0.60	0.42	2.01	13	0.51	2.90	
KMDD0342	146.20	146.85	0.65	0.46	19.48	122	0.27	21.46	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
including	146.20	146.55	0.35	0.25	0.95	11	0.29	1.50	
including	146.55	146.85	0.30	0.21	41.09	251	0.25	44.74	
KMDD0346	47.10	51.00	3.90	1.95	5.68	5	0.06	5.83	K1
including	47.10	47.75	0.65	0.33	16.90	2	0.03	16.97	
including	47.75	48.50	0.75	0.38	10.60	10	0.08	10.85	
including	48.50	49.20	0.70	0.35	0.91	6	0.16	1.22	
including	49.20	50.00	0.80	0.40	0.63	4	0.06	0.76	
including	50.00	51.00	1.00	0.50	2.07	2	0.01	2.12	
KMDD0346	56.40	57.00	0.60	0.30	1.29	6	0.24	1.70	
KMDD0346	129.60	130.20	0.60	0.34	92.80	33	0.02	93.26	
KMDD0346	130.20	131.00	0.80	0.46	50.91	16	0.02	51.14	
KMDD0346	133.00	134.00	1.00	0.57	1.23	1	0.02	1.27	
KMDD0352	96.10	107.00	10.90	7.02	6.24	16	1.29	8.26	K1
including	96.10	97.00	0.90	0.58	1.56	6	0.42	2.23	
including	97.00	98.00	1.00	0.64	1.77	2	0.22	2.11	
including	98.00	99.00	1.00	0.64	0.62	3	0.47	1.32	
including	99.00	100.10	1.10	0.71	1.40	15	0.70	2.59	
including	100.10	101.00	0.90	0.58	7.38	40	2.35	11.23	
including	101.00	101.65	0.65	0.42	1.21	42	2.72	5.61	
including	101.65	102.85	1.20	0.77	9.48	42	4.64	16.59	
including	102.85	103.25	0.40	0.26	0.47	6	0.94	1.88	
including	103.25	104.50	1.25	0.80	8.85	17	1.37	11.01	
including	104.50	105.50	1.00	0.64	0.03	3	0.21	0.36	
including	105.50	107.00	1.50	0.97	21.70	3	0.28	22.14	
KMDD0352	117.90	119.45	1.55	1.00	2.74	10	0.89	4.13	K2
including	117.90	119.00	1.10	0.71	1.05	11	0.97	2.56	
including	119.00	119.45	0.45	0.29	6.87	7	0.72	7.98	
KMDD0352	145.00	146.00	1.00	0.64	1.35	1	0.01	1.38	
KMDD0358	168.45	169.15	0.70	0.38	2.02	25	0.47	3.02	K2
KMDD0360	81.15	81.50	0.35	0.25	2.32	12	4.39	8.69	
KMDD0360	84.50	84.90	0.40	0.29	0.81	16	1.27	2.82	K1
including	84.50	84.90	0.40	0.29	0.81	16	1.27	2.82	
including	84.90	85.90	1.00	0.72	0.02	4	0.06	0.16	
including	85.90	86.80	0.90	0.64	0.01	2	0.02	0.06	
including	86.80	87.90	1.10	0.79	0.55	4	0.62	1.47	
including	87.90	88.50	0.60	0.43	26.53	114	16.34	51.14	
including	88.50	89.60	1.10	0.79	17.74	74	3.22	23.27	
including	89.60	90.30	0.70	0.50	3.16	4	0.62	4.09	
including	90.30	90.60	0.30	0.21	0.93	2	0.53	1.71	
including	90.60	91.75	1.15	0.82	3.31	18	2.65	7.29	
including	91.75	92.80	1.05	0.75	0.67	3	0.80	1.84	
including	92.80	93.05	0.25	0.18	3.87	6	1.35	5.86	
KMDD0360	127.50	128.00	0.50	0.36	1.27	14	0.74	2.50	
KMDD0360	135.30	136.40	1.10	0.79	4.06	7	1.59	6.40	K3
KMDD0366	52.50	53.17	0.67	0.39	1.48	11	0.39	2.18	
KMDD0366	136.05	140.50	4.45	2.61	6.08	2	0.20	6.40	K1
including	136.05	137.00	0.95	0.56	12.72	4	0.50	13.47	
including	137.00	138.00	1.00	0.59	1.61	1	0.04	1.68	
including	138.00	138.55	0.55	0.32	18.18	6	0.05	18.33	
including	138.55	139.00	0.45	0.26	1.02	1	0.01	1.05	
including	139.00	139.94	0.94	0.55	0.11	1	0.37	0.65	
including	139.94	140.11	0.17	0.10	0.10	1	0.03	0.15	
including	140.11	140.50	0.39	0.23	7.14	1	0.03	7.19	
including	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	
including	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	
including	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	
KMDD0366	149.00	155.00	6.00	3.52	1.68	7	0.82	2.93	KL
including	149.00	149.52	0.52	0.31	2.33	34	1.12	4.37	
including	149.52	150.00	0.48	0.28	0.20	4	0.55	1.03	
including	150.00	150.60	0.60	0.35	0.07	1	0.09	0.21	
including	150.60	151.10	0.50	0.29	0.24	8	3.66	5.52	
including	151.10	151.70	0.60	0.35	0.11	1	0.39	0.68	
including	151.70	151.83	0.13	0.08	0.29	5	4.48	6.69	
including	151.83	152.40	0.57	0.33	0.23	1	0.23	0.57	
including	152.40	153.06	0.66	0.39	0.22	7	0.37	0.83	
including	153.06	153.70	0.64	0.38	10.60	8	0.50	11.41	
including	153.70	154.30	0.60	0.35	0.14	3	0.25	0.53	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
including	154.30	155.00	0.70	0.41	1.94	4	0.79	3.10	
KMDD0366	160.08	177.00	16.92	10.00	3.28	11	0.32	3.87	K2
including	160.08	160.70	0.62	0.37	10.68	5	0.09	10.87	
including	160.70	161.40	0.70	0.41	1.07	2	0.03	1.13	
including	161.40	162.10	0.70	0.41	8.29	5	0.04	8.41	
including	162.10	163.00	0.90	0.53	0.71	3	0.01	0.77	
including	163.00	164.00	1.00	0.59	13.85	4	0.02	13.93	
including	164.00	165.00	1.00	0.59	1.14	2	0.07	1.26	
including	165.00	165.90	0.90	0.53	0.14	3	0.14	0.38	
including	165.90	166.60	0.70	0.41	0.28	1	0.30	0.72	
including	166.60	167.45	0.85	0.50	0.05	2	0.00	0.08	
including	167.45	168.00	0.55	0.32	0.29	3	0.65	1.25	
including	168.00	169.00	1.00	0.59	1.06	2	0.35	1.58	
including	169.00	169.78	0.78	0.46	0.36	1	0.01	0.38	
including	169.78	170.00	0.22	0.13	0.54	8	1.12	2.23	
including	170.00	170.46	0.46	0.27	0.37	6	0.67	1.39	
including	170.46	171.40	0.94	0.56	0.54	8	0.59	1.48	
including	171.40	172.40	1.00	0.59	0.51	13	0.54	1.45	
including	172.40	173.40	1.00	0.59	0.12	9	0.39	0.79	
including	173.40	174.40	1.00	0.59	0.15	13	0.25	0.67	
including	174.40	174.90	0.50	0.30	2.67	80	2.02	6.58	
including	174.90	175.20	0.30	0.18	0.13	6	0.20	0.49	
including	175.20	175.57	0.37	0.22	1.97	86	0.94	4.42	
including	175.57	175.90	0.33	0.19	2.00	55	0.47	3.39	
including	175.90	176.40	0.50	0.30	0.76	26	0.22	1.41	
including	176.40	177.00	0.60	0.35	33.53	18	0.23	34.10	
KMDD0366	190.94	191.40	0.46	0.27	1.09	41	4.03	7.33	
KMDD0366	191.40	192.07	0.67	0.40	1.30	44	5.42	9.54	
KMDD0368	112.80	118.00	5.20	3.20	0.43	22	1.22	2.51	K2
including	112.80	113.30	0.50	0.31	0.02	14	1.37	2.14	
including	113.30	114.00	0.70	0.43	0.15	4	0.40	0.77	
including	114.00	114.50	0.50	0.31	2.06	70	3.21	7.52	
including	114.50	115.10	0.60	0.37	0.16	3	0.29	0.61	
including	115.10	115.60	0.50	0.31	0.08	4	0.22	0.45	
including	115.60	116.30	0.70	0.43	0.32	22	1.27	2.40	
including	116.30	117.20	0.90	0.55	0.21	34	2.05	3.56	
including	117.20	117.80	0.60	0.37	0.85	29	0.97	2.61	
including	117.80	118.00	0.20	0.12	0.14	13	0.89	1.56	
KMDD0372	107.85	119.10	11.25	8.83	6.35	7	0.14	6.65	K1
including	107.85	108.55	0.70	0.55	53.90	5	0.11	54.12	
including	108.55	109.60	1.05	0.82	3.12	5	0.13	3.37	
including	109.60	110.58	0.98	0.77	0.63	2	0.12	0.82	
including	110.58	111.40	0.82	0.64	0.81	2	0.04	0.89	
including	111.40	111.60	0.20	0.16	22.20	16	0.06	22.49	
including	111.60	113.00	1.40	1.10	2.05	2	0.24	2.41	
including	113.00	114.00	1.00	0.79	4.08	4	0.18	4.39	
including	114.00	114.60	0.60	0.47	1.77	5	0.06	1.92	
including	114.60	116.10	1.50	1.18	0.69	4	0.10	0.88	
including	116.10	119.10	3.00	2.36	5.22	17	0.19	5.71	
KMDD0372	125.10	135.80	10.70	8.35	7.68	30	1.42	10.08	K2
including	125.10	128.10	3.00	2.34	6.96	28	1.07	8.84	
including	128.10	129.60	1.50	1.17	21.40	41	0.22	22.25	
including	129.60	131.10	1.50	1.17	2.89	3	0.10	3.07	
including	131.10	134.10	3.00	2.34	2.61	20	2.31	6.14	
including	134.10	135.20	1.10	0.86	10.30	64	3.07	15.48	
including	135.20	135.80	0.60	0.47	9.49	68	2.02	13.24	
KMDD0377	191.40	205.80	14.40	8.26	5.61	30	2.18	9.20	K2
including	191.40	193.20	1.80	1.03	4.01	61	1.87	7.50	
including	193.20	193.90	0.70	0.40	1.61	29	1.05	3.51	
including	193.90	194.50	0.60	0.34	10.30	69	5.42	19.19	
including	194.50	195.10	0.60	0.34	2.39	18	1.43	4.73	
including	195.10	195.70	0.60	0.34	0.10	11	0.65	1.19	
including	195.70	196.25	0.55	0.32	0.03	5	0.58	0.95	
including	196.25	196.60	0.35	0.20	0.37	7	1.16	2.18	
including	196.60	197.00	0.40	0.23	0.04	4	0.65	1.06	
including	197.00	198.30	1.30	0.75	1.66	18	2.75	5.97	
including	198.30	199.10	0.80	0.46	2.15	21	3.27	7.28	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	199.10	199.80	0.70	0.40	1.24	7	0.34	1.83	
including	199.80	200.80	1.00	0.57	0.31	4	0.75	1.47	
including	200.80	201.80	1.00	0.57	15.80	41	1.84	19.02	
including	201.80	202.80	1.00	0.57	7.31	23	2.13	10.76	
including	202.80	203.80	1.00	0.57	15.40	41	3.96	21.79	
including	203.80	204.80	1.00	0.57	6.68	42	3.16	11.88	
including	204.80	205.80	1.00	0.57	14.30	42	3.48	19.98	
KMDD0377	208.60	214.90	6.30	3.61	3.79	23	2.48	7.76	K2HW
including	208.60	209.60	1.00	0.57	22.80	119	6.81	34.34	
including	209.60	210.60	1.00	0.57	0.24	5	0.59	1.18	
including	210.60	211.40	0.80	0.46	0.20	2	1.25	2.09	
including	211.40	212.40	1.00	0.57	0.26	5	1.65	2.79	
including	212.40	213.40	1.00	0.57	0.21	7	1.67	2.79	
including	213.40	214.30	0.90	0.52	0.16	4	1.59	2.58	
including	214.30	214.90	0.60	0.34	0.11	8	4.09	6.31	
KMDD0377	223.90	229.40	5.50	3.16	0.82	3	0.16	1.09	K3
including	223.90	224.90	1.00	0.57	1.14	5	0.21	1.51	
including	224.90	225.90	1.00	0.57	0.27	7	0.51	1.10	
including	225.90	226.30	0.40	0.23	0.29	4	0.22	0.67	
including	226.30	227.30	1.00	0.57	0.38	2	0.03	0.44	
including	227.30	228.30	1.00	0.57	0.25	1	0.01	0.27	
including	228.30	228.50	0.20	0.11	1.95	3	0.04	2.04	
including	228.50	229.40	0.90	0.52	2.19	1	0.02	2.23	
KMDD0397	48.00	49.70	1.70	0.74	5.10	4	0.02	5.18	
KMDD0397	129.15	136.30	7.15	3.12	4.65	10	0.57	5.58	K1
including	129.15	130.00	0.85	0.37	18.58	9	0.62	19.57	
including	130.00	131.80	1.80	0.79	0.22	2	0.05	0.32	
including	131.80	133.00	1.20	0.52	12.43	3	0.16	12.70	
including	133.00	134.60	1.60	0.70	0.33	3	0.16	0.60	
including	134.60	135.10	0.50	0.22	0.63	13	0.62	1.68	
including	135.10	136.30	1.20	0.52	1.08	38	2.23	4.73	
KMDD0397	146.00	149.80	3.80	1.69	1.00	19	0.92	2.55	K2
including	146.00	147.00	1.00	0.44	0.59	11	0.52	1.47	
including	147.00	149.80	2.80	1.25	1.15	22	1.06	2.94	
KMDD0401	103.70	109.23	5.53	3.40	16.73	6	0.75	17.87	K1
including	103.70	104.70	1.00	0.61	2.98	6	0.38	3.60	
including	104.70	105.57	0.87	0.53	8.11	4	1.61	10.44	
including	105.57	106.17	0.60	0.37	8.10	2	0.06	8.21	
including	106.17	107.00	0.83	0.51	62.30	6	0.18	62.63	
including	107.00	107.30	0.30	0.18	63.20	5	0.38	63.80	
including	107.30	108.12	0.82	0.50	6.16	12	1.14	7.93	
including	108.12	108.50	0.38	0.23	0.45	2	0.38	1.01	
including	108.50	108.86	0.36	0.22	2.31	13	1.86	5.11	
including	108.86	109.23	0.37	0.23	2.37	3	0.92	3.71	
KMDD0401	113.72	114.07	0.35	0.22	1.00	3	0.45	1.67	
KMDD0401	118.90	129.40	10.50	6.35	5.19	16	0.12	5.57	K2
including	118.90	119.18	0.28	0.17	133.00	12	0.33	133.62	
including	119.18	119.85	0.67	0.41	0.77	2	0.09	0.93	
including	119.85	120.45	0.60	0.36	1.32	10	0.19	1.73	
including	120.45	121.40	0.95	0.57	0.16	1	0.06	0.26	
including	121.40	122.50	1.10	0.67	0.21	1	0.04	0.28	
including	122.50	122.90	0.40	0.24	0.28	4	0.09	0.46	
including	122.90	124.10	1.20	0.73	7.85	93	0.05	9.13	
including	124.10	125.00	0.90	0.54	1.89	12	0.09	2.17	
including	125.00	126.00	1.00	0.60	2.01	11	0.02	2.19	
including	126.00	126.80	0.80	0.48	0.25	2	0.03	0.31	
including	126.80	127.26	0.46	0.28	0.16	3	0.08	0.31	
including	127.26	127.90	0.64	0.39	0.62	4	0.09	0.80	
including	127.90	128.50	0.60	0.36	0.57	4	0.25	0.98	
including	128.50	129.20	0.70	0.42	0.48	6	0.24	0.90	
including	129.20	129.40	0.20	0.12	5.05	36	1.34	7.42	
KMDD0401	139.00	140.20	1.20	0.73	0.84	12	0.85	2.19	K2HW
including	139.00	139.60	0.60	0.36	0.42	5	0.67	1.43	
including	139.60	140.20	0.60	0.36	1.26	19	1.02	2.96	
KMDD0403	50.60	50.90	0.30	0.16	15.50	4	0.05	15.62	
KMDD0403	133.70	134.55	0.85	0.45	0.13	4	0.42	0.78	K1
including	133.70	134.55	0.85	0.45	0.13	4	0.42	0.78	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	134.55	135.30	0.75	0.39	0.06	2	0.28	0.48	
KMDD0405	126.35	131.60	5.25	2.95	0.77	25	2.93	5.24	K2
including	126.35	127.40	1.05	0.59	1.05	47	4.61	8.19	
including	127.40	128.00	0.60	0.34	0.41	9	1.48	2.62	
including	128.00	129.00	1.00	0.56	0.39	18	3.39	5.42	
including	129.00	131.60	2.60	1.46	0.88	22	2.41	4.58	
KMDD0407	49.00	49.50	0.50	0.27	6.32	4	0.03	6.41	
KMDD0411	143.80	152.00	8.20	5.21	3.81	68	2.41	8.11	K2
including	143.80	144.60	0.80	0.51	3.07	208	3.68	11.00	
including	144.60	145.50	0.90	0.57	1.39	126	2.92	7.17	
including	145.50	146.50	1.00	0.64	3.46	99	5.64	12.74	
including	146.50	147.80	1.30	0.83	1.46	25	1.27	3.58	
including	147.80	149.10	1.30	0.83	0.59	11	0.55	1.51	
including	149.10	151.00	1.90	1.21	10.60	63	3.17	15.91	
including	151.00	152.00	1.00	0.64	1.28	13	0.15	1.67	
KMDD0413	116.50	127.95	11.45	6.43	9.66	16	0.55	10.65	K1
including	116.50	117.50	1.00	0.56	1.03	6	0.93	2.42	
including	117.50	117.70	0.20	0.11	19.10	84	9.55	33.71	
including	117.70	118.60	0.90	0.51	8.83	101	1.21	11.86	
including	118.60	119.10	0.50	0.28	12.80	11	0.24	13.29	
including	119.10	120.30	1.20	0.67	40.10	18	0.12	40.51	
including	120.30	120.80	0.50	0.28	13.40	3	0.02	13.47	
including	120.80	121.20	0.40	0.22	0.49	2	0.01	0.53	
including	121.20	121.80	0.60	0.34	0.41	2	0.02	0.47	
including	121.80	122.40	0.60	0.34	0.25	2	0.08	0.39	
including	122.40	123.25	0.85	0.48	0.22	3	0.17	0.50	
including	123.25	124.10	0.85	0.48	3.37	24	1.54	5.86	
including	124.10	124.80	0.70	0.39	26.63	14	0.57	27.62	
including	124.80	125.10	0.30	0.17	0.67	4	0.04	0.77	
including	125.10	125.50	0.40	0.22	11.16	3	0.15	11.41	
including	125.50	126.25	0.75	0.42	7.40	2	0.05	7.50	
including	126.25	127.40	1.15	0.65	0.47	1	0.04	0.54	
including	127.40	127.65	0.25	0.14	7.20	3	0.03	7.28	
including	127.65	127.95	0.30	0.17	5.81	4	0.07	5.97	
KMDD0413	132.20	139.80	7.60	4.75	7.10	6	0.40	7.73	K2
including	132.20	132.80	0.60	0.45	51.01	4	0.17	51.31	
including	132.80	133.25	0.45	0.33	8.64	2	0.18	8.92	
including	133.25	134.30	1.05	0.78	5.58	9	1.30	7.53	
including	134.30	135.50	1.20	0.89	0.24	4	0.20	0.58	
including	135.50	136.10	0.60	0.45	0.22	10	0.82	1.52	
including	136.10	137.30	1.20	0.89	2.67	6	0.20	3.04	
including	138.50	139.80	1.30	0.96	1.12	4	0.01	1.19	
KMDD0415	126.59	134.10	7.51	4.11	192.50	8	0.22	192.92	K1
including	126.59	126.90	0.31	0.17	5.23	2	0.03	5.30	
including	126.90	128.07	1.17	0.64	1.64	5	0.10	1.85	
including	128.07	128.32	0.25	0.14	0.47	1	0.02	0.51	
including	128.32	129.32	1.00	0.55	1427.00	24	0.28	1427.70	
including	129.32	130.00	0.68	0.37	6.97	7	0.47	7.72	
including	130.00	131.16	1.16	0.63	3.42	3	0.17	3.70	
including	131.16	132.40	1.24	0.68	3.53	11	0.29	4.09	
including	132.40	133.00	0.60	0.33	1.16	4	0.29	1.63	
including	133.00	134.10	1.10	0.60	1.14	2	0.19	1.44	
KMDD0415	143.40	144.00	0.60	0.33	1.24	6	0.18	1.57	
KMDD0419	119.00	148.00	29.00	2.19	0.74	26	1.61	3.36	K2
including	119.00	119.70	0.70	0.43	0.46	17	0.84	1.87	
including	119.70	120.30	0.60	0.37	0.47	64	4.62	7.84	
including	120.30	121.00	0.70	0.43	0.15	12	1.25	2.07	
including	121.00	122.00	1.00	0.62	0.22	32	1.47	2.72	
KMDD0419	147.45	148.00	0.55	0.34	3.09	1	0.02	3.14	
KMDD0421	139.20	142.40	3.20	1.86	0.33	22	0.98	1.99	K2
including	139.20	140.20	1.00	0.58	0.33	13	0.31	0.94	
including	140.20	141.00	0.80	0.47	0.15	50	2.48	4.31	
including	141.00	142.06	1.06	0.62	0.50	10	0.32	1.09	
including	142.06	142.40	0.34	0.20	0.21	18	1.44	2.48	
KMDD0425	78.80	79.20	0.40	0.30	0.52	22	3.23	5.38	
including	78.80	79.20	0.40	0.30	0.52	22	3.23	5.38	
KMDD0425	88.10	88.43	0.33	0.25	1.89	16	2.41	5.51	K1

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	88.10	88.43	0.33	0.25	1.89	16	2.41	5.51	
KMDD0425	101.50	102.30	0.80	0.65	2.43	5	1.03	3.95	K2
including	101.50	102.30	0.80	0.65	2.43	5	1.03	3.95	
KMDD0427	109.00	121.00	12.00	8.15	12.57	194	8.46	27.08	K2
including	109.00	109.90	0.90	0.61	1.68	19	1.79	4.46	
including	109.90	110.10	0.20	0.14	0.43	11	0.78	1.68	
including	110.10	111.30	1.20	0.82	1.94	16	1.47	4.22	
including	111.30	111.95	0.65	0.44	0.57	52	4.85	8.11	
including	111.95	112.45	0.50	0.34	0.21	7	0.93	1.61	
including	112.45	113.10	0.65	0.44	0.19	5	0.71	1.26	
including	113.10	114.00	0.90	0.61	0.33	4	0.68	1.34	
including	114.00	114.80	0.80	0.54	0.96	16	1.54	3.34	
including	114.80	115.20	0.40	0.27	45.80	480	14.81	73.05	
including	115.20	115.77	0.57	0.39	39.70	102	23.70	74.56	
including	115.77	116.40	0.63	0.43	31.60	74	15.31	54.22	
including	116.40	116.80	0.40	0.27	51.25	296	22.40	86.82	
including	116.80	117.10	0.30	0.20	18.99	890	37.70	83.99	
including	117.10	118.10	1.00	0.68	37.80	650	21.00	76.03	
including	118.10	119.00	0.90	0.61	14.91	157	10.92	32.41	
including	119.00	119.60	0.60	0.41	9.30	1210	16.20	48.09	
including	119.60	119.95	0.35	0.24	3.47	32	1.38	5.83	
including	119.95	120.45	0.50	0.34	0.17	13	0.90	1.61	
including	120.45	121.00	0.55	0.37	0.23	21	2.28	3.73	
KMDD0427	122.60	124.50	1.90	1.29	0.85	26	0.53	1.94	K2HW
including	122.60	123.20	0.60	0.41	1.08	26	0.54	2.18	
including	123.20	123.80	0.60	0.41	0.71	44	0.73	2.33	
including	123.80	124.50	0.70	0.48	0.78	10	0.36	1.41	
KMDD0429	64.40	74.30	9.90	8.96	2.01	10	0.44	2.77	K1
including	64.40	65.50	1.10	1.00	5.56	12	0.30	6.14	
including	65.50	66.10	0.60	0.54	0.41	2	0.03	0.48	
including	66.10	66.30	0.20	0.18	0.25	8	0.21	0.65	
including	66.30	66.45	0.15	0.14	0.37	4	0.36	0.93	
including	66.45	67.25	0.80	0.72	2.83	15	1.33	4.90	
including	67.25	67.80	0.55	0.50	2.31	5	0.62	3.25	
including	67.80	68.40	0.60	0.54	0.08	2	0.06	0.19	
including	68.40	68.60	0.20	0.18	1.72	16	1.57	4.15	
including	68.60	69.20	0.60	0.54	0.18	18	0.25	0.76	
including	69.20	70.28	1.08	0.98	0.62	2	0.01	0.66	
including	70.28	71.10	0.82	0.74	0.10	14	0.01	0.30	
including	71.10	71.60	0.50	0.45	0.11	17	0.47	1.00	
including	71.60	72.80	1.20	1.09	0.06	1	0.02	0.10	
including	72.80	73.40	0.60	0.54	0.13	16	0.25	0.69	
including	73.40	73.70	0.30	0.27	13.00	32	2.69	17.22	
including	73.70	74.30	0.60	0.54	7.60	18	1.33	9.72	
KMDD0429	91.10	96.20	5.10	4.69	1.24	38	0.41	2.33	K2
including	91.10	92.10	1.00	0.92	1.16	6	0.12	1.41	
including	92.10	93.20	1.10	1.01	0.18	2	0.04	0.27	
including	93.20	94.10	0.90	0.83	1.14	4	0.03	1.23	
including	94.10	94.60	0.50	0.46	1.90	13	0.08	2.18	
including	94.60	95.60	1.00	0.92	2.41	140	1.11	5.82	
including	95.60	96.20	0.60	0.55	1.00	60	1.26	3.58	
KMDD0431	110.14	118.70	8.56	5.78	1.46	57	3.40	7.02	K2
including	110.14	110.70	0.56	0.38	0.48	34	1.00	2.34	
including	110.70	111.50	0.80	0.54	1.21	25	0.19	1.80	
including	111.50	111.90	0.40	0.27	1.14	22	1.00	2.84	
including	111.90	112.90	1.00	0.68	0.24	36	1.10	2.26	
including	112.90	113.40	0.50	0.34	0.24	19	0.76	1.57	
including	113.40	114.80	1.40	0.95	0.04	7	0.38	0.68	
including	114.80	115.80	1.00	0.68	0.15	12	0.67	1.25	
including	115.80	116.20	0.40	0.27	0.19	23	0.21	0.79	
including	116.20	117.00	0.80	0.54	0.68	99	5.43	9.66	
including	117.00	118.00	1.00	0.68	8.85	208	16.19	34.48	
including	118.00	118.70	0.70	0.47	1.13	115	6.68	12.09	
KMDD0431	138.70	140.40	1.70	1.15	1.43	1	0.01	1.46	K3
including	138.40	138.70	0.30	0.20	10.20	1	0.01	10.23	
including	138.70	139.30	0.60	0.41	0.23	1	0.01	0.26	
including	139.30	140.40	1.10	0.74	2.09	1	0.01	2.12	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0433	44.50	45.50	1.00	0.73	1.06	1	0.01	1.09	
KMDD0433	104.50	110.90	6.40	4.66	0.86	8	1.54	3.15	K2
including	104.50	105.80	1.30	0.95	0.56	6	1.92	3.35	
including	105.80	106.50	0.70	0.51	1.06	11	2.79	5.15	
including	106.50	107.50	1.00	0.73	0.33	3	0.13	0.55	
including	107.50	108.80	1.30	0.95	1.12	9	0.81	2.38	
including	108.80	109.80	1.00	0.73	1.01	11	2.83	5.16	
including	109.80	110.90	1.10	0.80	1.13	11	1.27	3.07	
KMDD0433	118.20	119.60	1.40	1.02	2.71	13	1.75	5.37	K2HW
including	118.20	118.70	0.50	0.36	0.54	35	4.89	7.92	
including	118.70	119.60	0.90	0.66	3.92	1	0.01	3.95	
KMDD0433	126.80	127.80	1.00	0.73	4.52	11	0.17	4.90	K3
including	126.80	127.80	1.00	0.73	4.52	11	0.17	4.90	
KMDD0435	108.80	115.25	6.45	4.36	4.12	9	0.45	4.87	K1
including	108.80	109.50	0.70	0.47	2.84	10	0.49	3.66	
including	109.50	110.00	0.50	0.34	1.41	14	0.83	2.77	
including	110.00	111.00	1.00	0.68	2.43	10	0.68	3.53	
including	111.00	112.00	1.00	0.68	0.60	6	0.82	1.84	
including	112.00	113.00	1.00	0.68	0.18	3	0.17	0.46	
including	113.00	113.47	0.47	0.32	0.22	6	0.10	0.45	
including	113.47	113.88	0.41	0.28	2.68	9	0.18	3.05	
including	113.88	114.44	0.56	0.38	0.17	1	0.04	0.25	
including	114.44	115.25	0.81	0.55	23.90	22	0.37	24.72	
KMDD0435	127.60	138.00	10.40	6.32	6.44	21	2.14	9.74	K2
including	127.60	128.35	0.75	0.46	15.50	52	4.36	22.35	
including	128.35	129.00	0.65	0.40	0.27	8	1.25	2.14	
including	129.00	129.35	0.35	0.21	80.70	90	4.31	87.98	
including	129.35	129.80	0.45	0.27	27.70	132	13.67	48.77	
including	129.80	130.26	0.46	0.28	0.43	4	1.25	2.25	
including	130.26	130.50	0.24	0.15	21.40	81	6.06	31.03	
including	130.50	131.30	0.80	0.49	2.84	19	4.17	8.99	
including	131.30	132.10	0.80	0.49	0.69	4	0.75	1.80	
including	132.10	132.90	0.80	0.49	1.48	10	1.59	3.85	
including	132.90	134.00	1.10	0.67	1.40	7	0.70	2.48	
including	134.00	135.00	1.00	0.61	0.23	7	1.04	1.80	
including	135.00	135.90	0.90	0.55	0.25	14	0.44	1.06	
including	135.90	136.50	0.60	0.36	0.09	2	0.21	0.42	
including	136.50	137.21	0.71	0.43	2.98	2	0.42	3.60	
including	137.21	137.70	0.49	0.30	0.01	5	0.81	1.22	
including	137.70	138.00	0.30	0.18	3.18	4	0.82	4.39	
KMDD0435	140.12	140.70	0.58	0.35	1.09	9	0.64	2.11	
KMDD0437	87.50	88.20	0.70	0.48	0.49	14	2.14	3.70	
including	87.50	88.20	0.70	0.48	0.49	14	2.14	3.70	
KMDD0437	96.25	102.40	6.15	4.23	5.12	26	0.38	6.01	K1
including	96.25	96.95	0.70	0.48	5.41	149	0.07	7.47	
including	96.95	97.15	0.20	0.14	0.16	1	0.01	0.18	
including	97.15	98.00	0.85	0.59	1.39	8	0.02	1.52	
including	98.00	98.95	0.95	0.65	0.24	2	0.17	0.50	
including	98.95	99.20	0.25	0.17	0.14	1	0.02	0.18	
including	99.20	100.00	0.80	0.55	5.78	3	1.20	7.52	
including	100.00	100.50	0.50	0.34	0.30	40	0.90	2.10	
including	100.50	101.20	0.70	0.48	0.50	3	0.55	1.32	
including	101.20	102.40	1.20	0.83	17.60	19	0.26	18.22	
KMDD0437	106.00	112.05	6.05	4.21	1.70	4	0.25	2.10	KL
including	106.00	107.00	1.00	0.70	3.91	1	0.02	3.95	
including	107.00	108.70	1.70	1.18	1.54	10	0.84	2.86	
including	108.70	109.25	0.55	0.38	0.12	1	0.02	0.16	
including	109.25	112.05	2.80	1.95	1.32	2	0.02	1.37	
KMDD0437	116.10	118.25	2.15	1.64	19.27	10	1.12	20.99	K2
including	116.10	116.40	0.30	0.23	24.50	1	0.74	25.55	
including	116.40	117.30	0.90	0.69	32.30	16	1.95	35.27	
including	117.30	117.50	0.20	0.15	14.20	13	0.20	14.65	
including	117.50	118.25	0.75	0.57	2.88	7	0.54	3.73	
KMDD0439	2.00	3.40	1.40	0.82	3.36	1	0.01	3.38	
including	2.00	2.60	0.60	0.35	1.54	1	0.01	1.57	
including	2.60	3.40	0.80	0.47	4.72	1	0.01	4.74	
KMDD0439	7.60	8.30	0.70	0.41	1.33	22	0.44	2.24	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	7.60	8.30	0.70	0.41	1.33	22	0.44	2.24	
KMDD0439	67.00	67.30	0.30	0.18	0.69	37	3.43	6.03	
including	67.00	67.30	0.30	0.18	0.69	37	3.43	6.03	
KMDD0439	161.30	167.00	5.70	3.33	0.90	7	0.17	1.23	K2
including	161.30	162.60	1.30	0.76	1.06	8	0.29	1.57	
including	162.60	163.30	0.70	0.41	0.74	14	0.47	1.59	
including	163.30	163.80	0.50	0.29	1.04	8	0.17	1.38	
including	163.80	164.70	0.90	0.53	0.47	6	0.07	0.64	
including	164.70	165.00	0.30	0.18	1.07	5	0.06	1.23	
including	165.00	166.00	1.00	0.58	0.66	3	0.05	0.77	
including	166.00	167.00	1.00	0.58	1.32	4	0.07	1.46	
KMDD0441	112.80	118.30	5.50	3.72	4.43	7	0.56	5.32	K1
including	112.80	113.25	0.45	0.30	2.06	3	0.91	3.38	
including	113.25	114.35	1.10	0.74	4.88	5	0.56	5.73	
including	114.35	115.00	0.65	0.44	9.25	14	1.09	10.98	
including	115.00	115.60	0.60	0.41	8.02	12	0.57	8.99	
including	115.60	116.50	0.90	0.61	2.00	2	0.07	2.13	
including	116.50	117.36	0.86	0.58	1.11	4	0.13	1.34	
including	117.36	118.30	0.94	0.64	4.78	10	0.91	6.19	
KMDD0441	126.00	138.65	12.65	8.16	25.97	94	6.60	36.54	K2
including	126.00	127.00	1.00	0.65	80.00	1	0.14	80.21	
including	127.00	128.00	1.00	0.65	0.71	1	0.63	1.62	
including	128.00	129.00	1.00	0.65	0.15	1	0.14	0.35	
including	129.00	129.80	0.80	0.52	0.16	1	0.14	0.38	
including	129.80	130.25	0.45	0.29	0.11	1	0.39	0.67	
including	130.25	131.05	0.80	0.52	0.22	2	3.42	5.08	
including	131.05	132.00	0.95	0.61	33.10	192	14.89	56.68	
including	132.00	133.00	1.00	0.65	12.40	157	10.09	28.73	
including	133.00	134.00	1.00	0.65	5.74	43	10.36	20.96	
including	134.00	135.00	1.00	0.65	70.90	318	13.89	94.72	
including	135.00	136.00	1.00	0.65	78.30	440	13.33	102.93	
including	136.00	137.00	1.00	0.65	16.20	25	6.96	26.37	
including	137.00	137.65	0.65	0.42	42.60	23	10.45	57.68	
including	137.65	138.65	1.00	0.65	4.59	8	3.99	10.34	
KMDD0441	143.40	146.70	3.30	2.14	1.19	4	0.29	1.65	K2HW
including	143.40	144.60	1.20	0.78	1.01	9	0.49	1.82	
including	144.60	145.64	1.04	0.67	2.08	1	0.33	2.55	
including	145.64	146.70	1.06	0.69	0.52	1	0.03	0.57	
KMDD0441	160.00	164.50	4.50	2.92	1.51	21	1.30	3.61	K3
including	160.00	161.00	1.00	0.65	1.51	26	1.29	3.68	
including	161.00	161.50	0.50	0.32	1.01	11	0.36	1.67	
including	161.50	162.00	0.50	0.32	0.52	14	0.55	1.48	
including	162.00	162.80	0.80	0.52	0.08	2	0.07	0.20	
including	162.80	164.50	1.70	1.10	2.62	31	2.37	6.38	
KMDD0441	172.60	173.50	0.90	0.58	1.89	1	0.02	1.93	
KMDD0443	99.25	99.46	0.21	0.14	0.80	47	8.61	13.59	K1
including	99.25	99.46	0.21	0.14	0.80	47	8.61	13.59	
KMDD0443	115.26	132.16	16.90	10.42	3.03	283	4.30	12.83	K2
including	115.26	116.15	0.89	0.55	0.50	25	3.09	5.20	
including	116.15	117.00	0.85	0.52	1.25	4	0.13	1.49	
including	117.00	118.00	1.00	0.62	0.27	4	0.10	0.47	
including	118.00	119.00	1.00	0.62	1.63	2	0.03	1.70	
including	119.00	120.00	1.00	0.62	0.34	1	0.01	0.37	
including	120.00	121.07	1.07	0.66	0.03	3	0.06	0.15	
including	121.07	122.06	0.99	0.61	14.10	65	6.25	23.79	
including	122.06	123.00	0.94	0.58	0.66	25	1.59	3.23	
including	123.00	123.70	0.70	0.43	0.22	8	0.67	1.27	
including	123.70	124.10	0.40	0.25	1.21	127	6.28	11.76	
including	124.10	124.45	0.35	0.22	0.23	4	0.18	0.54	
including	124.45	125.00	0.55	0.34	0.05	6	0.32	0.58	
including	125.00	125.45	0.45	0.28	0.07	4	0.27	0.50	
including	125.45	125.75	0.30	0.18	0.12	4	0.28	0.57	
including	125.75	126.60	0.85	0.52	0.08	10	0.80	1.34	
including	126.60	127.60	1.00	0.62	0.19	6	0.79	1.39	
including	127.60	128.10	0.50	0.31	0.08	9	1.03	1.66	
including	128.10	128.65	0.55	0.34	0.62	35	8.16	12.62	
including	128.65	129.10	0.45	0.28	0.14	20	2.34	3.71	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Code
including	129.10	130.00	0.90	0.55	6.65	1470	2.51	29.49	
including	130.00	131.00	1.00	0.62	4.66	1540	22.20	56.27	
including	131.00	132.16	1.16	0.72	17.80	1450	22.90	69.22	
KMDD0443	142.30	143.10	0.80	0.51	0.52	188	3.16	7.46	K2HW
including	142.30	143.10	0.80	0.51	0.52	188	3.16	7.46	
KMDD0443	149.60	150.67	1.07	0.80	0.26	39	1.38	2.73	K3
including	149.40	149.60	0.20	0.15	0.40	25	0.78	1.84	
including	149.60	150.25	0.65	0.49	0.16	2	0.04	0.25	
including	150.25	150.67	0.42	0.31	0.41	96	3.46	6.56	
KMDD0445	82.20	82.45	0.25	0.21	7.15	18	2.68	11.18	
KMDD0445	87.70	95.30	7.60	6.30	3.33	11	0.23	3.80	K1
including	87.70	88.15	0.45	0.37	1.61	43	0.86	3.39	
including	88.15	88.50	0.35	0.29	0.45	1	0.09	0.60	
including	88.50	89.50	1.00	0.83	6.05	15	0.19	6.51	
including	89.50	90.50	1.00	0.83	9.05	21	0.21	9.62	
including	90.50	91.60	1.10	0.91	5.24	13	0.13	5.59	
including	91.60	92.60	1.00	0.83	1.01	3	0.13	1.23	
including	92.60	93.60	1.00	0.83	0.61	4	0.25	1.01	
including	93.60	94.60	1.00	0.83	0.34	4	0.24	0.74	
including	94.60	95.30	0.70	0.58	2.27	7	0.22	2.68	
KMDD0445	98.00	99.50	1.50	1.26	2.91	11	0.22	3.37	K2
including	98.00	98.30	0.30	0.25	1.75	9	0.00	1.87	
including	98.30	98.80	0.50	0.42	6.96	16	0.00	7.17	
including	98.80	99.20	0.40	0.34	0.41	6	0.31	0.93	
including	99.20	99.50	0.30	0.25	0.65	11	0.69	1.77	
KMDD0449	6.40	7.22	0.82	0.47	2.42	11	0.02	2.59	
KMDD0449	60.75	61.20	0.45	0.26	0.36	25	3.92	6.23	K1FW
KMDD0449	144.00	147.70	3.70	2.20	1.63	12	0.61	2.66	K2
including	144.00	145.00	1.00	0.59	3.30	25	0.82	4.79	
including	145.00	146.00	1.00	0.59	0.85	11	0.34	1.48	
including	146.00	147.70	1.70	1.01	1.11	6	0.65	2.11	
KMDD0453	75.58	76.60	1.02	0.61	2.44	1	0.01	2.46	
including	75.58	76.60	1.02	0.61	2.44	1	0.01	2.46	
KMDD0453	148.05	149.30	1.25	0.74	2.73	18	4.98	10.01	
including	148.05	149.00	0.95	0.57	0.43	21	5.22	8.09	
including	149.00	149.30	0.30	0.18	10.00	10	4.23	16.11	
KMDD0453	153.00	161.20	8.20	4.88	5.52	97	6.35	15.77	K2
including	153.00	153.76	0.76	0.45	18.00	6	0.55	18.86	
including	153.76	154.80	1.04	0.62	2.54	56	2.64	7.01	
including	154.80	155.80	1.00	0.60	1.98	27	6.66	11.75	
including	155.80	156.80	1.00	0.60	16.40	611	25.17	60.02	
including	156.80	157.90	1.10	0.65	1.24	41	7.61	12.54	
including	157.90	158.90	1.00	0.60	0.28	5	1.13	1.94	
including	158.90	159.60	0.70	0.42	0.20	4	0.69	1.22	
including	159.60	160.55	0.95	0.57	1.27	14	2.03	4.32	
including	160.55	161.20	0.65	0.39	11.60	41	7.95	23.38	
KMDD0455	145.30	148.75	3.45	1.84	0.49	8	0.87	1.83	K2
including	145.30	145.70	0.40	0.21	0.15	11	3.05	4.60	
including	145.70	146.32	0.62	0.33	0.01	2	0.29	0.44	
including	146.32	147.20	0.88	0.47	0.05	1	0.07	0.16	
including	147.20	147.75	0.55	0.29	2.52	28	2.18	5.97	
including	147.75	148.75	1.00	0.53	0.21	4	0.35	0.76	
KMDD0457	97.10	97.60	0.50	0.32	2.23	10	0.44	2.98	
KMDD0457	114.00	116.75	2.75	1.76	4.06	19	0.08	4.42	K1
including	114.00	114.80	0.80	0.51	4.56	24	0.11	5.03	
including	114.80	115.30	0.50	0.32	0.31	3	0.02	0.38	
including	115.30	116.75	1.45	0.93	5.07	22	0.09	5.48	
KMDD0457	123.60	126.50	2.90	1.61	4.49	14	1.02	6.12	K2
including	123.60	125.10	1.50	0.83	7.37	26	1.96	10.48	
including	125.10	126.50	1.40	0.78	1.41	1	0.01	1.44	
KMDD0457	167.80	168.80	1.00	0.55	0.76	24	1.30	2.91	K3
KMDD0459	133.30	139.50	6.20	4.12	5.65	166	8.74	20.19	K2
including	133.30	134.50	1.20	0.80	3.23	149	7.22	15.40	
including	134.50	135.50	1.00	0.66	5.25	248	7.23	18.73	
including	135.50	136.40	0.90	0.60	7.85	119	7.84	20.50	
including	136.40	137.80	1.40	0.93	10.14	239	18.20	39.02	
including	137.80	138.70	0.90	0.60	4.60	168	5.48	14.56	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
including	138.70	139.50	0.80	0.53	0.65	10	1.05	2.27	
KMDD0461	98.84	99.20	0.36	0.23	17.06	64	2.59	21.56	K1
KMDD0461	116.70	117.87	1.17	0.74	1.56	8	0.25	2.02	
KMDD0461	130.80	132.80	2.00	1.08	4.38	22	0.45	5.31	K2
including	130.80	132.00	1.20	0.65	2.45	25	0.33	3.25	
including	132.00	132.80	0.80	0.43	7.28	18	0.63	8.41	
KMDD0461	171.20	173.00	1.80	0.97	2.29	11	0.44	3.06	K3
including	171.20	172.00	0.80	0.43	0.93	6	0.22	1.32	
including	172.00	173.00	1.00	0.54	3.38	15	0.61	4.45	
KMDD0463	128.10	129.40	1.30	0.75	0.14	22	2.48	3.94	K2
KMDD0465	94.60	94.90	0.30	0.23	1.38	4	0.50	2.14	
KMDD0465	118.00	119.10	1.10	0.85	1.40	2	0.11	1.59	K1
KMDD0465	126.35	128.00	1.65	1.28	1.72	21	0.64	2.90	
KMDD0467	122.20	135.90	13.70	9.17	2.08	62	3.05	7.20	K2
including	122.20	123.40	1.20	0.80	1.08	28	0.98	2.83	
including	123.40	124.50	1.10	0.74	0.33	10	0.42	1.06	
including	124.50	125.60	1.10	0.74	3.13	139	4.58	11.43	
including	125.60	127.10	1.50	1.00	0.99	142	2.96	7.04	
including	127.10	128.60	1.50	1.00	1.06	40	1.83	4.17	
including	128.60	130.10	1.50	1.00	0.13	6	0.16	0.43	
including	130.10	131.60	1.50	1.00	1.84	34	2.96	6.47	
including	131.60	133.10	1.50	1.00	10.62	133	10.22	26.82	
including	133.10	134.20	1.10	0.74	0.65	68	4.63	8.09	
including	134.20	135.40	1.20	0.80	0.16	12	0.32	0.76	
including	135.40	135.90	0.50	0.33	1.04	49	4.95	8.68	
KMDD0469	21.30	22.30	1.00	0.36	11.04	1	0.02	11.09	
KMDD0469	67.30	68.60	1.30	0.47	1.54	3	0.45	2.21	
KMDD0469	71.00	71.60	0.60	0.22	2.52	6	0.58	3.42	
KMDD0469	71.60	72.50	0.90	0.32	2.29	6	2.18	5.45	
KMDD0469	92.10	96.60	4.50	1.62	3.58	5	0.56	4.43	K1
including	92.10	93.60	1.50	0.54	2.30	6	0.29	2.78	
including	93.60	95.10	1.50	0.54	0.41	1	0.14	0.62	
including	95.10	96.60	1.50	0.54	8.03	7	1.24	9.88	
KMDD0469	99.30	108.30	9.00	4.09	7.20	11	1.89	10.02	K2
including	99.30	100.60	1.30	0.59	4.47	10	3.06	8.93	
including	100.60	101.60	1.00	0.45	19.50	18	1.52	21.88	
including	101.60	102.60	1.00	0.45	11.40	18	2.49	15.16	
including	102.60	103.25	0.65	0.30	3.28	10	2.75	7.30	
including	103.25	104.75	1.50	0.68	0.09	1	0.44	0.73	
including	104.75	106.20	1.45	0.66	4.53	25	2.86	8.90	
including	106.20	107.60	1.40	0.64	0.34	1	0.27	0.73	
including	107.60	108.30	0.70	0.32	26.80	10	2.96	31.12	
KMDD0471	66.00	66.40	0.40	0.26	7.89	61	0.82	9.85	
KMDD0471	90.90	98.90	8.00	5.26	17.78	39	2.03	21.16	K1
including	90.90	91.40	0.50	0.33	1.01	9	5.31	8.64	
including	91.40	92.90	1.50	0.99	0.86	7	1.23	2.68	
including	92.90	94.00	1.10	0.72	0.09	3	0.08	0.25	
including	94.00	94.90	0.90	0.59	1.28	2	0.80	2.44	
including	94.90	95.80	0.90	0.59	0.89	17	1.84	3.72	
including	95.80	96.20	0.40	0.26	2.44	12	0.69	3.58	
including	96.20	97.50	1.30	0.85	1.33	28	2.42	5.12	
including	97.50	98.90	1.40	0.92	96.90	169	4.18	105.03	
KMDD0471	108.05	113.45	5.40	3.54	5.19	11	0.61	6.21	K2
including	108.05	108.60	0.55	0.36	40.63	3	0.09	40.80	
including	108.60	109.60	1.00	0.65	0.29	2	0.17	0.55	
including	109.60	110.60	1.00	0.65	0.21	1	0.03	0.27	
including	110.60	111.40	0.80	0.52	1.32	9	0.20	1.71	
including	111.40	112.00	0.60	0.39	1.75	35	1.43	4.23	
including	112.00	113.45	1.45	0.95	2.12	19	1.42	4.37	
KMDD0471	143.00	145.30	2.30	1.51	0.93	53	0.62	2.51	K3
including	143.00	143.80	0.80	0.52	1.44	129	1.36	5.05	
including	143.80	145.30	1.50	0.98	0.66	13	0.22	1.15	

Table 2 - Kainantu Gold Mine – Collar Locations for Kora Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
KMDD0312	59106.50	29891.39	1151.55	-32.30	235.32	154.70	Kora
KMDD0322	59128.64	29895.58	1152.52	-33.90	265.98	154.10	Kora
KMDD0328	59128.93	29895.56	1152.97	-21.40	280.25	167.70	Kora
KMDD0330	59129.24	29895.76	1152.61	-33.77	302.18	161.10	Kora
KMDD0332	59129.40	29895.46	1152.04	-42.24	303.15	166.50	Kora
KMDD0334	59129.34	29895.64	1151.90	-48.92	303.55	185.80	Kora
KMDD0336	59129.45	29895.67	1151.86	-45.26	314.33	202.40	Kora
KMDD0338	59129.64	29895.57	1152.02	-37.86	315.10	194.80	Kora
KMDD0340	59129.56	29895.60	1152.48	-29.55	314.52	180.70	Kora
KMDD0342	59129.54	29895.74	1152.91	-19.17	317.40	158.50	Kora
KMDD0346	59129.95	29895.62	1152.34	-32.20	323.03	201.40	Kora
KMDD0352	58760.39	29885.38	1288.63	46.50	236.50	172.00	Kora
KMDD0358	58529.44	29853.07	1215.29	-34.38	221.55	223.50	Kora
KMDD0360	58760.47	29883.98	1289.07	45.06	246.60	160.90	Kora
KMDD0366	58819.27	29895.00	1139.93	-52.27	277.13	200.20	Kora
KMDD0368	58419.91	29847.01	1217.85	-9.40	223.03	118.00	Kora
KMDD0372	58819.84	29895.01	1140.56	-33.52	287.98	135.80	Kora
KMDD0377	58423.48	29846.35	1216.05	-59.79	298.28	296.40	Kora
KMDD0397	59029.73	29913.77	1259.23	46.69	222.74	170.80	Kora
KMDD0401	59029.59	29913.49	1259.03	38.77	228.51	152.40	Kora
KMDD0403	58530.56	29852.11	1214.50	-48.68	248.28	136.20	Kora
KMDD0405	58420.09	29846.44	1216.88	-36.24	234.16	239.90	Kora
KMDD0407	58530.49	29852.05	1214.67	-41.10	247.31	179.40	Kora
KMDD0411	58420.14	29846.47	1216.69	-43.10	233.20	212.80	Kora
KMDD0413	59029.42	29916.04	1258.51	24.77	218.87	188.50	Kora
KMDD0415	59029.59	29916.00	1258.75	32.34	218.74	160.50	Kora
KMDD0419	58419.95	29846.35	1216.92	-31.35	232.19	212.40	Kora
KMDD0421	58530.00	29852.25	1214.83	-37.83	233.43	170.30	Kora
KMDD0425	59041.19	29917.31	1259.64	39.25	252.21	138.80	Kora
KMDD0427	58530.18	29852.18	1215.42	-21.43	238.51	164.50	Kora
KMDD0429	58762.64	29879.84	1287.60	29.96	264.97	115.10	Kora
KMDD0431	58420.05	29846.50	1217.26	-21.15	232.29	147.60	Kora
KMDD0433	58419.63	29846.41	1218.70	16.81	226.63	148.30	Kora
KMDD0435	58760.25	29885.87	1287.89	37.71	223.79	144.30	Kora
KMDD0437	59041.08	29917.38	1260.02	47.97	252.59	149.10	Kora
KMDD0439	58529.76	29852.27	1214.59	-39.01	228.30	195.90	Kora

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
KMDD0441	58760.33	29885.74	1288.59	46.48	224.29	173.50	Kora
KMDD0443	58419.51	29846.56	1219.97	40.31	224.36	166.90	Kora
KMDD0445	59041.42	29917.52	1259.56	46.84	271.37	146.60	Kora
KMDD0449	58529.31	29852.42	1214.87	-33.47	229.92	190.50	Kora
KMDD0453	58419.40	29846.44	1216.74	-41.51	224.21	165.90	Kora
KMDD0455	58419.16	29846.34	1216.79	-34.85	222.53	223.20	Kora
KMDD0457	59042.86	29917.63	1259.67	43.46	320.39	182.10	Kora
KMDD0459	58529.26	29852.37	1215.09	-27.09	229.84	175.80	Kora
KMDD0461	59043.08	29917.76	1259.03	36.58	322.80	185.50	Kora
KMDD0463	58419.31	29846.45	1217.20	-26.52	222.43	252.30	Kora
KMDD0465	58819.28	29895.30	1140.13	-39.00	272.20	132.70	Kora
KMDD0467	58529.33	29852.51	1215.44	-19.32	228.73	154.70	Kora
KMDD0469	58591.55	29841.74	1258.58	43.17	332.16	121.00	Kora
KMDD0471	58760.34	29885.13	1288.36	38.93	236.39	155.50	Kora

Table 3 – Global Kora Mineral Resource Estimate (Effective Date April 2, 2020)

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
Measured	0.66	13.34	0.28	11.6	0.25	0.51	3.4	14.14	0.3
Indicated	2.47	8.44	0.67	16.3	1.29	0.63	15.6	9.46	0.8
Total M&I	3.13	9.47	0.95	15.3	1.54	0.61	19	10.45	1.1
Inferred	12.67	7.32	2.98	19.9	8.11	1.1	139.4	9.01	3.7

- Mineral Resource Estimate is included in a technical report titled, “Revised Independent Technical Report, Mineral Resource Estimate Update and Preliminary Economic Assessment for Expansion of the Kainantu Mine to Treat 1 Mtpa from the Kora Gold Deposit, Kainantu Project, Papua New Guinea” with an effective date of April 2, 2020.
- The Independent and Qualified Person responsible for the Mineral Resource Estimate is Simon Tear, P.Geo. of H & S Consultants Pty. Ltd., Sydney, Australia.
- Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability.
- Resources were compiled at 1,2,3,4,5,6,7,8,9 and 10 g/t gold cut-off grades.
- Density (t/m^3) is on a per zone basis, K1 and Kora Link: 2.84 t/m^3 ; K2: 2.93 t/m^3 ; Waste: 2.8 t/m^3 .
- Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate.
- Minor variations may occur during the addition of rounded numbers.
- Calculations used metric units (metres, tonnes and g/t)

- *Gold equivalents are calculated as $AuEq = Au \text{ g/t} + ((0.923 \times Cu\%)*1.38) + ((0.77 \times Ag \text{ g/t})*0.0115)$. Gold price US\$1,400/oz; Silver US\$16.05/oz; Copper US\$3.05/lb. Metal payabilities and recoveries are incorporated into the AuEq formula. Recoveries of 92.3% for copper and 77% for silver.*

Key Assumptions and Parameters – Kora Deposit

The Kora Deposit comprises two parallel, steeply west dipping, north-south striking quartz-sulphide vein systems, K1 and K2, within an encompassing dilatant structural zone hosted by phyllite. An additional structure, the Kora Link, has also been defined between K1 and K2. There are five Kora Link structures identified, of which three are included in the resource estimate.

The current resource estimate area covers an area of approximately 1,250 metres along strike by 1,050 to 1,150 metres vertically representing ~75% of the drill target area. K92 plans to continue to drill the area not yet drilled. The resource estimate includes results from 266 diamond drill holes in addition to face samples taken from horizontal development and from cut and fill faces along the K1 and K2 veins.

Underground drilling consists of diamond core for a range of core sizes depending on the length of hole and expected ground conditions. Sampling is sawn half core under geological control and generally ranges between 0.5 m to 1.0 m. Underground face sampling is completed for every fired round and is to industry standard. QAQC data indicated no significant issues with the sampling or the accuracy of the on-site analysis. Current core recovery of the mineral zone is +95%, with initial drilling around the 90% mark.

Geological logging is consistent and is based on a full set of logging codes covering lithology, alteration, and mineralization.

The geological interpretation of the vein systems is represented as 3D wireframe solids snapped to a combination of diamond drillhole data and underground face sampling. Definition of the wireframes is based on identified gold mineralization in drill core nominally at a 0.1-0.2g/t Au gold-off in conjunction with geological control/sense and current mining widths.

The wireframes were used to extract 1-metre composites (minimum of 0.5m) from the drillhole and sampling database for gold, copper and silver. A gold top cut of 1,000 g/t was applied to K2 composites and a 150 g/t top cut for the Kora Link #2. No top cuts were applied to silver or copper. Variography was generally poor, as would likely be expected, although K1 indicated better along strike grade continuity.

Grade interpolation of the composite data was completed using Ordinary Kriging with a block size of 1 m x 5 m x 5 m. A larger block size check model indicated no evidence of over-smoothing of gold grade with the smaller block size.

Default average density values have been applied to the different lodes. The defaults are based on limited core measurements using the Archimedes Method (weight in air/weight in water). Density (t/m^3) is on a per zone basis, with K1 and Kora Link: 2.84 t/m^3 ; K2: 2.93 t/m^3 ; Waste: 2.8 t/m^3 .

A three-pass search strategy was applied to the grade interpolation. Search ellipse parameters are listed below. Search ellipse orientations generally reflected the subtle changes in dip and strike of the vein systems, with up to 8 search domains used for each lode.

Drill Hole Sampling Methodology, QA/QC and Qualified Person

Diamond drill hole is first logged to determine the sampling intervals, which range from a minimum of 0.1 metres to generally 1 metre. The drill core is sawn half core cut along a reference line, with the remainder of the core returned to the core tray. Core samples are then placed in numbered calico and plastic bags, with a numbered sample ticket for dispatch to the assay laboratory. Samples are separately assayed for gold, copper and silver. K92's procedure includes the insertion standards, blanks and duplicates. Gold assays are by the fire assay method. Copper and silver assays are by three-acid-digestion method (nitric, perchloric & hydrochloric mix).

K92 maintains an industry-standard analytical quality assurance and quality control (QA/QC) and data verification program to monitor laboratory performance and ensure high quality assays. Results from this program confirm reliability of the assay results. All sampling and analytical work for the mine exploration program is performed by Intertek Testing Services (PNG) LTD, an independent accredited laboratory that is located on site. External check assays for QA/QC purposes are performed at SGS Australia Pty Ltd in Townsville, Queensland, Australia.

The analytical QA/QC program is currently overseen by Andrew Kohler, PGeo, Mine Geology Manager and Mine Exploration Manager for K92. Andrew Kohler, a qualified person under the meaning of Canadian National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver from the Kora deposit at the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018 and is in a strong financial position.

The Company commenced an expansion of the mine based on an updated Preliminary Economic Assessment on the property which was published in January 2019 and updated in July 2020. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

On Behalf of the Company,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA at +1-604-687-7130.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding the realization of the preliminary economic analysis for the Kainantu Mine, expectations of future cash flows, the planned plant expansion, production results, cost of sales, sales of production, potential expansion of resources and the generation of further drilling results which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things, the market price of the Company’s securities, metal prices, exchange rates, taxation, the estimation, timing and amount of future exploration and development, capital and operating costs, the availability of financing, the receipt of regulatory approvals, environmental risks, title disputes, failure of plant, equipment or processes to operate as anticipated, accidents, labour disputes, claims and limitations on insurance coverage and other risks of the mining industry, changes in national and local government regulation of mining operations in PNG, mitigation of the Covid-19 pandemic, continuation of the lifted state of emergency, and regulations and other matters. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 - K1 Vein Long Section




Figure 2 – K2 Vein Long Section




Figure 3 – Kora-Irumafimpa Mine Section




Figure 4 – KMDD0415 Core Photograph, 125.10 – 129.63m; within intersection of 7.51 m at 192.92 g/t gold AuEq or 192.50 g/t Au, 8 g/t Ag and 0.22% Cu from the K1 Vein.




Figure 5– KMDD0427 Core Photograph, 117.03 – 120.78m; within intersection of 12.00 m at 27.08 g/t AuEq or 12.57 g/t Au, 194 g/t Ag and 8.46% Cu from the K2 Vein

