

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE SURFACE AND UNDERGROUND DRILL RESULTS AT KORA, INCLUDING 6.45 M AT 106.95 G/T AUEQ, 5.30 M AT 96.85 G/T AUEQ AND 6.35 M AT 75.72 G/T AUEQ

- **Underground drill hole KMDD0383 records multiple intersections including 6.45 m at 106.95 g/t gold equivalent (“AuEq”)⁽¹⁾ or 105.96 g/t Au, 11 g/t Ag and 0.60% Cu from the K1 Vein.**
- **Underground drill hole KMDD0373 records multiple intersections including 5.30 m at 96.85 g/t AuEq or 93.18 g/t Au, 52 g/t Ag and 2.11% Cu from the K1 Vein and 17.76 m at 14.40 g/t AuEq or 14.03 g/t Au, 11 g/t Ag and 0.16% Cu from the K2 Vein.**
- **Surface drill hole KODD0015 records multiple intersections including 6.35 m at 75.72 g/t AuEq or 60.25 g/t Au, 321 g/t Ag and 7.96% Cu from the K1 Vein, 6.10 m at 14.03 g/t AuEq or 7.53 g/t Au, 78 g/t Ag and 3.87% Cu from the K2 Vein and 8.46 m at 58.56 g/t AuEq or 57.46 g/t Au, 49 g/t Ag and 0.32% Cu from the K2 Hangingwall Vein.**
- **Underground drill hole KMDD0316 records multiple intersections including 9.40 m at 48.69 g/t AuEq or 48.11 g/t Au, 5 g/t Ag and 0.37% Cu from the K1 Vein.**
- **Surface drill hole KODD0010 records multiple intersections including 9.80 m at 22.45 g/t AuEq or 21.75 g/t Au, 12 g/t Ag and 0.38% Cu from the K2 Vein.**
- **Underground drill hole KMDD0310 records multiple intersections including 2.50 m at 48.39 g/t AuEq or 37.42 g/t Au, 72 g/t Ag and 7.09% Cu from the K2 Vein.**

Note (1): Gold equivalent (AuEq) exploration results are calculated using longer term commodity prices with a copper price of US\$3.30/lb, a silver price of US\$21/oz and a gold price of US\$1,600/oz.

Vancouver, British Columbia, September 7, 2021 - K92 Mining Inc. (“K92” or the “Company”) (TSX: KNT; OTCQX: KNTNF) is pleased to announce results from the ongoing diamond drilling of the Kora deposit at the Kainantu gold mine in Papua New Guinea.

The results for the latest 32 diamond drill holes completed from underground and surface into the Kora deposit are summarized in Table 1 below. The results continue to demonstrate the high-grade

and continuity of Kora, with intersections largely focused on increasing drill density up-dip, down-dip, to the south and near surface to upgrade resources for the Stage 3 Expansion Feasibility Study. Results also include step out drilling to the south outside of the existing resource envelope. From the drilling results, all drill holes intersected mineralization, with 8 intersections exceeding 20 g/t AuEq, 24 intersections exceeding 10 g/t AuEq and 41 intersections exceeding 5 g/t AuEq.

The results are highlighted by holes KMDD0383 recording multiple intersections including 6.45 m at 105.96 g/t Au, 11 g/t Ag and 0.60% Cu (106.95 g/t AuEq, 4.06 m true width) from the K1 Vein; KMDD0373 recording multiple intersections including 5.30 m at 93.18 g/t Au, 52 g/t Ag and 2.11% Cu (96.85 g/t AuEq, 2.69 m true width) from the K1 Vein and 17.76 m at 14.03 g/t Au, 11 g/t Ag and 0.16% Cu (14.40 g/t AuEq, 8.86 m true width) from the K2 Vein; and KMDD0389 recording multiple intersections including 5.83 m at 23.33 g/t Au, 10 g/t Ag and 0.43% Cu (24.06 g/t AuEq, 3.12 m true width) from the K1 Vein. KMDD0383, KMDD0373 and KMDD0389 extended a known high-grade area approximately 75 metres up-dip.

Surface drilling delivered very strong results, including higher grades than nearby historic drilling in several areas. Highlights include: KMDD0015 recording 6.35 m at 60.25 g/t Au, 321 g/t Ag and 7.96% Cu (75.72 g/t AuEq, 5.59 m true width) from the K1 Vein, 6.10 m at 7.53 g/t Au, 78 g/t Ag and 3.87% Cu (14.03 g/t AuEq, 3.05 m true width) from the K2 Vein and 8.46 m at 57.46 g/t Au, 49 g/t Ag and 0.32% Cu (58.56 g/t AuEq, 4.23 m true width) from the K2 Hangingwall Vein. Also on the K2 Vein, KODD0010 recorded 9.80 m at 21.75 g/t Au, 12 g/t Ag and 0.38% Cu (22.45 g/t AuEq, 6.60 m true width), KODD0012 recorded 10.90 m at 18.44 g/t Au, 17 g/t Ag and 0.40% Cu (19.24 g/t AuEq, 4.30 m true width) and KODD0007 recorded 10.60 m at 13.56 g/t Au, 26 g/t Ag and 0.39% Cu (14.46 g/t AuEq, 4.10 m true width).

Drilling to the south also continued to record high-grade intersections. Highlights include: KMDD0417 recording multiple intersections including 2.15 m at 7.73 g/t Au, 196 g/t Ag and 4.95% Cu (17.31 g/t AuEq, 1.65 m true width) from the K2 Vein, and located outside the current resource, KMDD0395 recorded multiple intersections including 6.06 m at 6.88 g/t Au, 65 g/t Ag and 4.50% Cu (14.11 g/t AuEq, 5.18 m true width) from the K2 Vein.

Other high-grade intersections include: KMDD0316 recording multiple intersections including 9.40 m at 48.11 g/t Au, 5 g/t Ag and 0.37% Cu (48.69 g/t AuEq, 5.90 m true width) from the K1 Vein, approximately 50 metres up-dip, KMDD0318 recorded multiple intersections including 10.90 m at 15.71 g/t Au, 13 g/t Ag and 0.35% Cu (16.36 g/t AuEq, 5.81 m true width) from the K1 Vein. On the K2 Vein, KMDD0310 recorded multiple intersections including 2.50 m at 37.42 g/t Au, 72 g/t Ag and 7.09% Cu (48.39 g/t AuEq, 1.49 m true width) and KMDD0320 recorded multiple recorded intersections including 8.70 m at 18.88 g/t Au, 10 g/t Ag and 0.55% Cu (19.78 g/t AuEq, 4.66 m true width).

Long sections of K1 and K2 showing the location of the latest drill holes are provided in figures 1 and 2, respectively. A long section showing Kora drilling to date is provided in figure 3. A core photograph of drill hole KMDD0383 is provided in figure 4 and a core photograph of drill hole KMDD0373 is provided in figure 5.

John Lewins, K92 Chief Executive Officer and Director, stated, “We believe the drilling results at Kora are some of the strongest announced to date.

Firstly, the results delivered very high grades and expanded known high-grade areas. Of the 32 holes drilled, there were 6 intersections exceeding 40 g/t AuEq and 13 intersections exceeding 15 g/t AuEq. The results also featured some of the higher-grade holes reported to date, including KMDD0383 at 6.45 m at 106.95 g/t gold equivalent and KMDD0373 recording 5.30 m at 96.85 g/t AuEq. Downdip from KMDD0383 and KMDD0373, KMDD0389 recorded 5.83 m at 24.06 g/t AuEq, and approximately 50 m to the south, KMDD0316 recorded 9.40m at 48.69 g/t AuEq, highlighting the significant frequency of high grades and its potential continuity.

Secondly, the results include the first set of surface infill drilling, delivering not only high grades but also higher grade in several areas compared to broadly spaced historical drill holes. Highlights include KODD0015 recording 6.35m at 75.72 g/t AuEq on the K1 Vein, 6.10m at 14.03 g/t AuEq on the K2 Vein and 8.46m at 58.56 g/t AuEq on the K2 Hangingwall Vein, in addition to KODD0010 recording 9.80m at 22.45 g/t AuEq on the K2 Vein. We see the potential to delineate high-grade areas near surface as drill density increases.

The team on site has made considerable progress working through the inventory of holes to core log and assay in addition to receiving results from our ongoing drilling. The combination of strong results and the current rate of reporting has well positioned the Company for a resource update in late-2021. With drilling underway at Kora, Kora South, Judd and Blue Lake we look forward to providing more updates.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Kora Diamond Drilling

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	110.05	110.83	0.78	0.51	7.31	5	0.45	8.01	
including	110.83	111.35	0.52	0.34	0.29	3	0.13	0.51	
including	111.35	111.80	0.45	0.29	2.91	4	0.72	3.98	
including	111.80	112.40	0.60	0.39	4.54	1	0.03	4.60	
including	112.40	113.30	0.90	0.59	22.10	3	0.07	22.24	
including	113.30	114.00	0.70	0.46	5.72	2	0.05	5.81	
including	114.00	114.70	0.70	0.46	5.17	3	0.24	5.54	
including	114.70	115.20	0.50	0.33	0.24	4	0.26	0.66	
including	115.20	116.00	0.80	0.52	1.16	2	0.03	1.22	
including	116.00	116.60	0.60	0.39	25.30	8	0.80	26.53	
including	116.60	116.83	0.23	0.15	0.02	7	0.95	1.46	
including	116.83	117.00	0.17	0.11	0.79	19	2.99	5.27	
including	117.00	117.44	0.44	0.29	0.70	5	0.09	0.89	
including	117.44	118.00	0.56	0.37	0.24	3	0.04	0.33	
including	118.00	119.00	1.00	0.65	27.00	85	4.42	34.37	
including	119.00	119.20	0.20	0.13	13.32	34	2.59	17.43	
KMDD0308	134.50	135.40	0.90	0.59	2.81	6	0.47	3.56	KL
including	134.50	134.80	0.30	0.20	1.02	16	1.39	3.19	
including	134.80	135.40	0.60	0.39	3.71	1	0.01	3.74	
KMDD0308	159.35	159.50	0.15	0.10	0.58	21	1.88	3.51	KL
including	159.35	159.50	0.15	0.10	0.58	21	1.88	3.51	
KMDD0308	200.50	200.90	0.40	0.28	0.78	1	0.01	0.80	K2
including	200.50	200.90	0.40	0.28	0.78	1	0.01	0.80	
KMDD0308	218.90	219.45	0.55	0.38	3.17	1	3.65	8.34	
including	218.90	219.45	0.55	0.38	3.17	1	3.65	8.34	
KMDD0308	229.85	230.65	0.80	0.56	0.34	7	2.05	3.33	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	229.85	230.20	0.35	0.24	0.68	1	3.24	5.27	
including	230.20	230.65	0.45	0.31	0.07	1	1.13	1.67	
KMDD0310	37.07	42.60	5.53	3.95	12.67	4	0.16	12.93	K1
including	37.07	37.78	0.71	0.51	15.50	3	0.06	15.63	
including	37.78	38.05	0.27	0.19	8.31	8	0.61	9.27	
including	38.05	38.39	0.34	0.24	0.41	5	0.19	0.75	
including	38.39	39.00	0.61	0.44	0.18	2	0.04	0.26	
including	39.00	40.00	1.00	0.71	0.33	2	0.11	0.51	
including	40.00	40.51	0.51	0.36	1.04	1	0.04	1.11	
including	40.51	40.90	0.39	0.28	117.80	16	0.08	118.12	
including	40.90	41.09	0.19	0.14	1.46	2	0.05	1.55	
including	41.09	41.28	0.19	0.14	42.26	10	0.12	42.56	
including	41.28	42.22	0.94	0.67	1.04	2	0.27	1.45	
including	42.22	42.60	0.38	0.27	1.20	2	0.31	1.66	
KMDD0310	124.38	126.88	2.50	1.49	37.42	72	7.09	48.39	K2
including	124.38	125.35	0.97	0.58	0.48	16	1.28	2.51	
including	125.35	126.15	0.80	0.48	112.30	201	20.28	143.62	
including	126.15	126.88	0.73	0.44	4.44	4	0.36	5.00	
KMDD0314	32.44	38.00	5.56	4.26	6.91	18	0.31	7.58	K1
including	32.44	32.90	0.46	0.35	1.82	1	0.07	1.94	
including	32.90	34.00	1.10	0.84	23.80	5	0.14	24.07	
including	34.00	34.25	0.25	0.19	0.76	8	0.18	1.11	
including	34.25	35.00	0.75	0.57	0.16	4	0.10	0.36	
including	35.00	36.06	1.06	0.81	1.24	4	0.13	1.47	
including	36.06	36.43	0.37	0.28	2.62	1	0.06	2.72	
including	36.43	37.18	0.75	0.57	3.04	10	1.17	4.83	
including	37.18	37.85	0.67	0.51	7.34	112	0.43	9.42	
including	37.85	38.00	0.15	0.11	10.80	10	0.46	11.58	
KMDD0314	110.30	114.60	4.30	2.71	3.57	23	0.97	5.24	K2
including	110.30	110.88	0.58	0.37	1.17	6	0.20	1.54	
including	110.88	112.10	1.22	0.77	2.13	13	0.41	2.88	
including	112.10	112.40	0.30	0.19	0.31	15	1.05	1.99	
including	112.40	113.50	1.10	0.69	9.29	44	2.25	13.05	
including	113.50	114.30	0.80	0.50	1.60	27	0.84	3.15	
including	114.30	114.60	0.30	0.19	1.55	14	0.30	2.15	
KMDD0316	122.20	131.60	9.40	5.90	48.11	5	0.37	48.69	K1
including	122.20	123.20	1.00	0.63	0.61	2	0.36	1.14	
including	123.20	123.55	0.35	0.22	10.26	8	0.48	11.05	
including	123.55	123.90	0.35	0.22	8.78	2	0.57	9.61	
including	123.90	124.40	0.50	0.31	16.91	12	0.76	18.15	
including	124.40	124.65	0.25	0.16	74.77	11	0.24	75.25	
including	124.65	125.30	0.65	0.41	30.69	9	0.47	31.48	
including	125.30	125.50	0.20	0.13	10.52	6	1.03	12.05	
including	125.50	125.70	0.20	0.13	37.16	19	2.29	40.65	
including	125.70	126.40	0.70	0.44	3.69	3	0.64	4.64	
including	126.40	126.70	0.30	0.19	17.04	24	0.28	17.75	
including	126.70	127.70	1.00	0.63	134.20	3	0.47	134.91	
including	127.70	128.70	1.00	0.63	186.20	2	0.05	186.30	
including	128.70	129.50	0.80	0.50	71.73	2	0.03	71.80	
including	129.50	130.50	1.00	0.63	0.52	1	0.09	0.66	
including	130.50	131.60	1.10	0.69	2.14	3	0.13	2.37	
KMDD0316	137.35	140.00	2.65	1.76	1.94	13	0.31	2.54	K2
including	137.35	137.80	0.45	0.30	1.22	25	0.69	2.52	
including	137.80	138.80	1.00	0.66	3.30	8	0.14	3.60	
including	138.80	140.00	1.20	0.80	1.07	12	0.31	1.67	
KMDD0318	122.55	133.45	10.90	5.81	15.71	13	0.35	16.36	K1
including	122.55	123.00	0.45	0.24	12.14	9	2.19	15.36	
including	123.00	123.25	0.25	0.13	0.01	1	0.09	0.15	
including	123.25	124.30	1.05	0.56	0.07	2	0.16	0.33	
including	124.30	125.35	1.05	0.56	1.00	1	0.05	1.09	
including	125.35	126.65	1.30	0.69	1.14	1	0.05	1.23	
including	126.65	127.45	0.80	0.43	151.00	8	0.24	151.45	
including	127.45	128.10	0.65	0.35	1.06	1	0.03	1.11	
including	128.10	129.00	0.90	0.48	12.52	10	0.75	13.71	
including	129.00	129.30	0.30	0.16	1.67	12	0.91	3.12	
including	129.30	129.65	0.35	0.19	7.61	15	0.97	9.18	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	129.65	130.00	0.35	0.19	32.43	20	0.78	33.79	
including	130.00	130.70	0.70	0.37	2.36	7	0.60	3.30	
including	130.70	131.35	0.65	0.35	0.86	3	0.06	0.98	
including	131.35	131.95	0.60	0.32	0.50	2	0.04	0.58	
including	131.95	132.40	0.45	0.24	8.51	196	0.34	11.56	
including	132.40	133.45	1.05	0.56	9.10	1	0.05	9.18	
KMDD0318	135.50	136.00	0.50	0.27	1.32	1	0.02	1.36	
KMDD0318	167.80	168.40	0.60	0.33	16.50	75	1.15	19.12	K2
including	167.80	168.40	0.60	0.33	16.50	75	1.15	19.12	
KMDD0320	39.10	42.40	3.30	2.01	2.88	1	0.01	2.92	K1
including	39.10	40.05	0.95	0.58	2.89	1	0.01	2.92	
including	40.05	40.65	0.60	0.37	5.70	1	0.01	5.73	
including	40.65	41.05	0.40	0.24	0.95	1	0.01	0.97	
including	41.05	41.35	0.30	0.18	7.61	3	0.02	7.68	
including	41.35	41.75	0.40	0.24	0.48	1	0.01	0.50	
including	41.75	42.05	0.30	0.18	0.96	1	0.01	0.99	
including	42.05	42.40	0.35	0.21	0.58	1	0.01	0.61	
KMDD0320	47.35	48.90	1.55	0.94	1.51	6	1.51	3.72	
KMDD0320	53.10	53.80	0.70	0.43	4.41	1	0.01	4.44	
KMDD0320	62.20	62.85	0.65	0.40	1.17	5	0.23	1.56	
KMDD0320	64.95	65.20	0.25	0.15	1.22	2	0.01	1.27	
KMDD0320	106.00	106.35	0.35	0.19	2.51	1	0.10	2.67	
KMDD0320	113.25	113.45	0.20	0.11	4.65	8	0.14	4.95	
KMDD0320	143.50	152.20	8.70	4.66	18.88	10	0.55	19.78	K2
including	143.50	144.00	0.50	0.27	7.81	9	0.50	8.64	
including	144.00	144.20	0.20	0.11	0.29	3	0.07	0.43	
including	144.20	144.65	0.45	0.24	4.76	4	0.38	5.35	
including	144.65	145.25	0.60	0.32	0.15	2	0.15	0.39	
including	145.25	145.85	0.60	0.32	0.16	2	0.05	0.26	
including	145.85	146.30	0.45	0.24	0.16	4	0.33	0.67	
including	146.30	147.00	0.70	0.37	0.25	4	0.32	0.76	
including	147.00	147.55	0.55	0.29	0.70	7	0.32	1.24	
including	147.55	148.00	0.45	0.24	0.91	33	5.43	9.02	
including	148.00	148.90	0.90	0.48	88.15	16	0.17	88.60	
including	148.90	149.55	0.65	0.35	101.50	21	0.13	101.96	
including	149.55	150.15	0.60	0.32	12.10	3	0.37	12.66	
including	150.15	150.70	0.55	0.29	1.09	5	0.14	1.36	
including	150.70	151.70	1.00	0.54	3.01	14	0.45	3.82	
including	151.70	152.20	0.50	0.27	1.41	13	0.46	2.24	
KMDD0324	41.15	51.00	9.85	5.96	1.68	6	0.19	2.02	K1
including	41.15	41.60	0.45	0.27	8.31	1	0.02	8.35	
including	41.60	42.45	0.85	0.51	0.64	1	0.01	0.66	
including	42.45	42.80	0.35	0.21	1.61	1	0.03	1.66	
including	42.80	43.85	1.05	0.64	1.23	1	0.04	1.30	
including	43.85	45.00	1.15	0.70	0.11	1	0.04	0.18	
including	45.00	45.70	0.70	0.42	0.08	2	0.12	0.28	
including	45.70	46.00	0.30	0.18	0.68	1	0.04	0.75	
including	46.00	46.75	0.75	0.45	0.72	5	0.07	0.89	
including	46.75	48.00	1.25	0.76	0.78	3	0.09	0.94	
including	48.00	49.00	1.00	0.61	1.66	9	0.32	2.23	
including	49.00	50.00	1.00	0.61	1.33	12	0.78	2.59	
including	50.00	51.00	1.00	0.61	5.47	27	0.36	6.33	
KMDD0324	160.05	162.10	2.05	1.04	1.61	19	3.45	6.75	K2
including	160.05	160.45	0.40	0.20	2.05	4	0.10	2.24	
including	160.45	161.00	0.55	0.28	3.12	39	6.68	13.08	
including	161.00	161.50	0.50	0.25	0.96	28	5.85	9.60	
including	161.50	162.10	0.60	0.30	0.49	4	0.73	1.57	
KMDD0326	31.70	38.00	6.30	5.17	7.88	2	0.06	8.00	K1
including	31.70	31.92	0.22	0.18	116.90	6	0.17	117.22	
including	31.92	32.39	0.47	0.39	1.69	2	0.01	1.73	
including	32.39	32.87	0.48	0.39	7.97	2	0.02	8.02	
including	32.87	33.58	0.71	0.58	0.19	3	0.01	0.25	
including	33.58	34.25	0.67	0.55	0.37	3	0.04	0.46	
including	34.25	34.63	0.38	0.31	14.60	4	0.36	15.16	
including	34.63	35.20	0.57	0.47	0.28	2	0.03	0.35	
including	35.20	35.60	0.40	0.33	13.40	3	0.09	13.56	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	35.60	36.07	0.47	0.39	10.10	3	0.04	10.20	
including	36.07	36.60	0.53	0.43	0.72	2	0.02	0.77	
including	36.60	37.20	0.60	0.49	0.73	2	0.09	0.89	
including	37.20	38.00	0.80	0.66	2.86	1	0.02	2.90	
KMDD0326	101.46	101.92	0.46	0.39	3.40	32	4.47	10.14	KL
including	101.46	101.92	0.46	0.39	3.40	32	4.47	10.14	
KMDD0326	108.57	111.68	3.11	2.62	9.16	36	2.83	13.63	K2
including	108.57	109.00	0.43	0.36	0.87	24	0.79	2.30	
including	109.00	109.75	0.75	0.63	32.00	102	6.24	42.16	
including	109.75	110.15	0.40	0.34	6.64	34	3.04	11.39	
including	110.15	111.00	0.85	0.71	1.23	7	1.08	2.85	
including	111.00	111.48	0.48	0.40	0.25	5	0.83	1.50	
including	111.48	111.68	0.20	0.17	1.48	13	6.23	10.46	
KMDD0326	129.90	130.13	0.23	0.19	1.90	10	2.08	4.97	
KMDD0373	140.70	146.00	5.30	2.69	93.18	52	2.11	96.85	K1
including	140.70	141.38	0.68	0.35	502.00	47	3.18	507.11	
including	141.38	142.47	1.09	0.55	115.00	191	7.79	128.52	
including	142.47	143.40	0.93	0.47	1.12	2	0.03	1.19	
including	143.40	144.38	0.98	0.50	6.82	3	0.11	7.01	
including	144.38	145.00	0.62	0.31	29.50	42	0.14	30.25	
including	145.00	146.00	1.00	0.51	1.15	2	0.32	1.63	
KMDD0373	153.24	171.00	17.76	8.86	14.03	11	0.16	14.40	K2
including	153.24	153.90	0.66	0.33	20.10	41	0.27	21.02	
including	153.90	155.70	1.80	0.90	2.61	8	0.45	3.34	
including	155.70	157.90	2.20	1.10	1.78	2	0.23	2.13	
including	157.90	159.12	1.22	0.61	0.55	1	0.16	0.79	
including	159.12	162.70	3.58	1.79	0.37	4	0.19	0.69	
including	162.70	163.70	1.00	0.50	0.40	7	0.17	0.73	
including	163.70	164.70	1.00	0.50	0.85	5	0.06	1.00	
including	164.70	165.70	1.00	0.50	0.80	6	0.06	0.96	
including	165.70	166.70	1.00	0.50	0.04	1	0.01	0.06	
including	166.70	167.70	1.00	0.50	1.07	2	0.01	1.11	
including	167.70	169.00	1.30	0.65	30.40	9	0.02	30.54	
including	169.00	170.00	1.00	0.50	179.00	43	0.03	179.60	
including	170.00	171.00	1.00	0.50	3.69	61	0.06	4.58	
KMDD0373	197.40	198.40	1.00	0.51	4.60	73	3.14	10.00	K3
including	197.40	198.40	1.00	0.51	4.60	73	3.14	10.00	
KMDD0375	137.00	137.40	0.40	0.29	0.22	19	2.26	3.67	K2
including	137.00	137.40	0.40	0.29	0.22	19	2.26	3.67	
KMDD0375	160.75	162.70	1.95	1.01	0.18	6	1.62	2.55	KL
including	160.75	162.20	1.45	0.75	0.21	1	0.67	1.17	
including	162.20	162.70	0.50	0.26	0.11	21	4.37	6.57	
KMDD0375	190.90	200.25	9.35	4.77	4.01	19	2.44	7.72	K2
including	190.90	191.10	0.20	0.10	3.62	2	0.65	4.56	
including	191.10	192.10	1.00	0.51	0.72	2	0.87	1.98	
including	192.10	192.45	0.35	0.18	2.01	2	0.87	3.27	
including	192.45	192.93	0.48	0.24	2.21	16	3.34	7.14	
including	192.93	193.70	0.77	0.39	1.55	8	1.49	3.76	
including	193.70	194.00	0.30	0.15	2.84	11	1.67	5.35	
including	194.00	195.00	1.00	0.51	5.35	13	2.48	9.03	
including	195.00	196.00	1.00	0.51	13.37	25	3.14	18.14	
including	196.00	197.00	1.00	0.51	3.04	29	2.29	6.66	
including	197.00	198.00	1.00	0.51	2.19	51	3.63	7.99	
including	198.00	198.60	0.60	0.31	11.11	46	5.04	18.84	
including	198.60	198.80	0.20	0.10	1.95	9	1.52	4.21	
including	198.80	200.25	1.45	0.74	0.85	10	2.34	4.29	
KMDD0375	203.05	204.10	1.05	0.54	0.12	6	1.29	2.03	
including	203.05	204.10	1.05	0.54	0.12	6	1.29	2.03	
KMDD0375	206.60	207.00	0.40	0.20	0.12	7	1.14	1.83	
including	206.60	207.00	0.40	0.20	0.12	7	1.14	1.83	
KMDD0375	222.00	223.10	1.10	0.69	2.12	7	0.28	2.60	K3
including	222.00	222.50	0.50	0.32	0.42	12	0.53	1.32	
including	222.50	223.10	0.60	0.38	3.54	3	0.07	3.67	
KMDD0379	138.50	139.00	0.50	0.25	3.22	64	3.25	8.66	K1
including	138.50	139.00	0.50	0.25	3.22	64	3.25	8.66	
KMDD0379	144.60	150.00	5.40	3.05	1.34	23	1.47	3.71	K2

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	144.60	145.00	0.40	0.23	0.72	1	0.63	1.63	
including	145.00	146.00	1.00	0.56	0.01	42	2.04	3.45	
including	146.00	146.40	0.40	0.23	1.01	21	1.23	3.03	
including	146.40	147.50	1.10	0.62	2.01	31	2.61	6.11	
including	147.50	147.80	0.30	0.17	3.01	36	1.50	5.60	
including	147.80	148.80	1.00	0.56	0.47	23	1.19	2.45	
including	148.80	150.00	1.20	0.68	0.43	2	0.54	1.22	
KMDD0381	114.30	121.00	6.70	4.18	2.55	14	1.15	4.36	K2
including	114.30	115.10	0.80	0.50	0.62	21	2.26	4.09	
including	115.10	116.05	0.95	0.59	0.63	24	2.69	4.75	
including	116.05	116.65	0.60	0.37	0.75	50	4.04	7.12	
including	116.65	117.40	0.75	0.47	0.02	3	0.36	0.57	
including	117.40	118.00	0.60	0.37	0.01	2	0.03	0.08	
including	118.00	119.00	1.00	0.62	0.01	1	0.01	0.04	
including	119.00	120.00	1.00	0.62	0.01	1	0.01	0.04	
including	120.00	121.00	1.00	0.62	15.52	16	0.60	16.58	
KMDD0383	117.15	123.60	6.45	4.06	105.96	11	0.60	106.95	K1
including	117.15	117.35	0.20	0.13	1.10	2	0.23	1.46	
including	117.35	117.75	0.40	0.25	0.68	2	0.10	0.85	
including	117.75	118.15	0.40	0.25	246.60	10	0.43	247.35	
including	118.15	119.00	0.85	0.54	2.11	2	0.07	2.24	
including	119.00	119.60	0.60	0.38	1.48	1	0.04	1.54	
including	119.60	119.84	0.24	0.15	70.92	6	0.42	71.60	
including	119.84	120.17	0.33	0.21	0.69	1	0.02	0.74	
including	120.17	120.80	0.63	0.40	838.00	40	1.38	840.48	
including	120.80	121.58	0.78	0.49	22.44	17	0.29	23.07	
including	121.58	122.25	0.67	0.42	25.75	16	1.04	27.43	
including	122.25	123.60	1.35	0.85	1.27	8	1.18	3.05	
KMDD0383	126.30	132.00	5.70	3.04	2.09	6	0.32	2.61	KL
including	126.30	127.12	0.82	0.44	8.32	28	0.52	9.43	
including	127.12	128.00	0.88	0.47	0.95	5	0.44	1.63	
including	128.00	129.00	1.00	0.53	2.41	1	0.10	2.56	
including	129.00	130.00	1.00	0.53	0.86	2	0.19	1.15	
including	130.00	130.90	0.90	0.48	0.51	3	0.47	1.21	
including	130.90	131.10	0.20	0.11	1.20	3	0.18	1.50	
including	131.10	132.00	0.90	0.48	0.29	2	0.28	0.71	
KMDD0383	133.20	134.10	0.90	0.53	3.30	5	0.40	3.93	
KMDD0383	137.21	137.68	0.47	0.82	7.99	61	1.84	11.39	K2
including	137.21	137.68	0.47	0.28	0.52	3	0.11	0.72	
including	137.68	138.60	0.92	0.54	11.80	91	2.72	16.84	
KMDD0383	159.40	160.10	0.70	0.42	2.40	12	0.25	2.91	K3
including	159.40	160.10	0.70	0.42	2.40	12	0.25	2.91	
KMDD0387	86.90	103.60	16.70	12.60	3.49	70	3.14	8.85	K2
including	86.90	89.00	2.10	1.58	0.39	21	1.30	2.50	
including	89.00	92.00	3.00	2.26	16.90	54	2.65	21.36	
including	92.00	93.30	1.30	0.98	0.37	17	1.57	2.81	
including	93.30	95.30	2.00	1.51	0.21	7	0.32	0.76	
including	95.30	96.63	1.33	1.00	0.10	15	0.78	1.40	
including	96.63	98.10	1.47	1.11	0.37	40	2.74	4.77	
including	98.10	99.10	1.00	0.75	1.55	80	3.59	7.68	
including	99.10	100.28	1.18	0.89	0.29	43	1.58	3.09	
including	100.28	101.00	0.72	0.54	2.23	460	12.05	25.31	
including	101.00	101.62	0.62	0.47	0.93	278	10.68	19.68	
including	101.62	102.67	1.05	0.79	0.84	174	10.83	18.44	
including	102.67	103.60	0.93	0.70	0.29	38	2.01	3.63	
KMDD0389	120.17	126.00	5.83	3.12	23.33	10	0.43	24.06	K1
including	120.17	121.30	1.13	0.60	4.71	12	0.13	5.05	
including	121.30	121.75	0.45	0.24	1.20	5	0.06	1.36	
including	121.75	122.00	0.25	0.13	251.00	16	0.28	251.60	
including	122.00	123.30	1.30	0.70	42.60	15	0.16	43.02	
including	123.30	124.35	1.05	0.56	10.44	12	1.42	12.60	
including	124.35	125.00	0.65	0.35	0.60	3	0.45	1.28	
including	125.00	126.00	1.00	0.54	0.68	2	0.27	1.08	
KMDD0389	128.86	129.50	0.64	0.34	1.41	3	0.06	1.53	
KMDD0389	132.10	142.40	10.30	5.20	1.88	11	0.29	2.43	K2
including	132.10	132.85	0.75	0.38	8.25	3	0.12	8.45	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	132.85	133.50	0.65	0.33	0.03	1	0.08	0.15	
including	133.50	134.50	1.00	0.50	0.52	3	0.72	1.58	
including	134.50	135.00	0.50	0.25	2.03	5	0.84	3.29	
including	135.00	136.00	1.00	0.50	0.17	2	0.07	0.29	
including	136.00	137.22	1.22	0.62	0.14	3	0.22	0.49	
including	137.22	139.00	1.78	0.90	0.08	1	0.02	0.12	
including	139.00	140.00	1.00	0.50	0.61	3	0.17	0.89	
including	140.00	141.40	1.40	0.71	6.81	64	0.77	8.73	
including	140.00	141.40	1.40	0.71	6.81	64	0.77	8.73	
KMDD0391	68.24	69.00	0.76	0.64	0.21	10	1.00	1.75	K1
KMDD0391	92.85	97.00	4.15	3.29	2.61	50	3.44	8.13	K2
including	92.85	93.35	0.50	0.40	0.49	1	2.46	3.98	
including	93.35	94.00	0.65	0.52	0.01	78	5.74	9.15	
including	94.00	95.00	1.00	0.79	6.97	82	6.06	16.62	
including	95.00	96.00	1.00	0.79	1.35	51	2.74	5.89	
including	96.00	97.00	1.00	0.79	0.54	16	0.50	1.45	
KMDD0393	41.90	42.20	0.30	0.21	1.24	31	6.71	11.14	
KMDD0393	99.20	108.15	8.95	6.19	2.58	19	1.53	5.00	K2
including	99.20	100.30	1.10	0.76	2.53	11	0.52	3.41	
including	100.30	100.90	0.60	0.42	2.24	30	1.17	4.29	
including	100.90	101.40	0.50	0.35	5.58	21	1.91	8.56	
including	101.40	101.85	0.45	0.31	16.70	87	8.26	29.52	
including	101.85	103.10	1.25	0.87	1.45	18	1.01	3.12	
including	103.10	104.10	1.00	0.69	3.67	23	2.08	6.91	
including	104.10	104.60	0.50	0.35	0.31	7	0.64	1.31	
including	104.60	105.30	0.70	0.48	0.06	3	0.18	0.35	
including	105.30	106.00	0.70	0.48	0.29	4	0.39	0.90	
including	106.00	107.00	1.00	0.69	2.36	12	1.16	4.15	
including	107.00	108.15	1.15	0.80	0.38	24	2.17	3.76	
KMDD0393	110.40	112.00	1.60	1.26	1.42	4	0.05	1.54	K2HW
including	110.40	111.00	0.60	0.47	1.73	8	0.07	1.94	
including	111.00	112.00	1.00	0.79	1.24	2	0.03	1.31	
KMDD0395	75.90	79.90	4.00	3.28	0.26	28	3.14	5.06	K1
including	75.90	76.24	0.34	0.28	1.08	94	17.40	26.92	
including	76.24	76.87	0.63	0.52	0.26	46	6.96	10.71	
including	76.87	77.90	1.03	0.84	0.03	3	0.24	0.41	
including	77.90	78.90	1.00	0.82	0.14	24	1.06	1.95	
including	78.90	79.90	1.00	0.82	0.32	22	0.96	1.96	
KMDD0395	102.24	108.30	6.06	5.18	6.88	65	4.50	14.11	K2
including	102.24	104.00	1.76	1.50	9.64	44	7.11	20.27	
including	104.00	104.90	0.90	0.77	6.65	257	7.28	20.32	
including	104.90	105.90	1.00	0.85	0.70	16	2.06	3.82	
including	105.90	106.75	0.85	0.73	0.10	3	0.76	1.21	
including	106.75	108.30	1.55	1.32	11.60	44	3.56	17.21	
KMDD0395	110.70	115.30	4.60	3.98	2.02	10	0.70	3.13	K2HW
including	110.70	112.50	1.80	1.56	0.79	11	1.30	2.78	
including	112.50	113.95	1.45	1.25	2.97	11	0.46	3.77	
including	113.95	114.40	0.45	0.39	3.13	6	0.10	3.35	
including	114.40	115.30	0.90	0.78	2.40	6	0.17	2.72	
KMDD0399	74.80	75.25	0.45	0.36	0.29	4	0.63	1.24	K1
including	74.80	75.25	0.45	0.36	0.29	4	0.63	1.24	
KMDD0399	102.10	112.25	10.15	7.59	1.86	69	4.48	9.11	K2
including	102.10	102.75	0.65	0.49	1.03	1	0.02	1.06	
including	102.75	104.00	1.25	0.93	0.01	15	1.79	2.74	
including	104.00	105.00	1.00	0.75	1.29	12	1.55	3.64	
including	105.00	106.00	1.00	0.75	5.78	149	14.43	28.14	
including	106.00	107.70	1.70	1.27	3.97	281	12.56	25.42	
including	107.70	108.10	0.40	0.30	0.20	6	0.28	0.68	
including	108.10	109.80	1.70	1.27	0.18	13	1.38	2.30	
including	109.80	111.00	1.20	0.90	0.15	4	0.83	1.37	
including	111.00	112.25	1.25	0.93	3.06	14	1.96	6.02	
KMDD0409	83.91	101.40	17.49	13.55	2.09	10	0.67	3.16	K1
including	83.91	84.35	0.44	0.34	1.86	10	0.61	2.86	
including	84.35	84.95	0.60	0.46	0.96	12	0.56	1.91	
including	84.95	85.54	0.59	0.46	3.17	24	4.84	10.33	
including	85.54	86.10	0.56	0.43	0.35	3	0.74	1.43	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	86.10	86.40	0.30	0.23	0.46	6	0.91	1.82	
including	86.40	87.35	0.95	0.73	0.18	1	0.00	0.19	
including	87.35	87.85	0.50	0.39	1.15	2	0.03	1.22	
including	87.85	88.75	0.90	0.69	0.45	3	0.05	0.56	
including	88.75	89.52	0.77	0.59	0.54	3	0.03	0.62	
including	89.52	90.00	0.48	0.37	0.74	4	0.39	1.34	
including	90.00	90.63	0.63	0.49	0.40	6	0.43	1.09	
including	90.63	91.48	0.85	0.66	4.49	25	0.08	4.94	
including	91.48	92.10	0.62	0.48	0.12	2	0.03	0.19	
including	92.10	92.40	0.30	0.23	12.20	49	0.04	12.89	
including	92.40	93.34	0.94	0.73	0.15	2	0.07	0.27	
including	93.34	94.00	0.66	0.51	16.90	6	0.30	17.40	
including	94.00	94.74	0.74	0.57	0.17	3	0.18	0.47	
including	94.74	95.30	0.56	0.43	2.16	7	1.15	3.88	
including	95.30	95.82	0.52	0.40	0.31	4	0.21	0.66	
including	95.82	96.15	0.33	0.25	1.41	14	0.44	2.22	
including	96.15	97.12	0.97	0.76	0.49	8	0.26	0.97	
including	97.12	97.50	0.38	0.30	0.37	4	0.27	0.80	
including	97.50	98.60	1.10	0.86	4.51	17	0.15	4.95	
including	98.60	99.21	0.61	0.48	0.91	12	0.70	2.06	
including	99.21	99.80	0.59	0.46	2.68	22	2.38	6.33	
including	99.80	100.63	0.83	0.65	1.87	14	2.06	4.97	
including	100.63	101.40	0.77	0.60	0.83	14	1.95	3.77	
KMDD0409	110.60	113.60	3.00	2.35	6.76	8	0.72	7.88	K2
including	110.60	110.90	0.30	0.23	1.05	6	0.87	2.36	
including	110.90	111.50	0.60	0.47	17.40	18	1.60	19.90	
including	111.50	112.00	0.50	0.39	7.29	12	0.67	8.40	
including	112.00	112.60	0.60	0.47	0.99	4	0.51	1.77	
including	112.60	113.60	1.00	0.78	5.28	3	0.29	5.73	
KMDD0417	118.45	120.60	2.15	1.65	7.73	196	4.95	17.31	K2
including	118.45	119.00	0.55	0.42	7.64	214	5.09	17.65	
including	119.00	119.80	0.80	0.61	8.06	332	7.23	22.64	
including	119.80	120.00	0.20	0.15	0.76	84	2.84	5.88	
including	120.00	120.60	0.60	0.46	9.71	36	2.49	13.70	
KMDD0423	119.60	133.40	13.80	8.23	3.78	61	4.47	10.89	K2
including	119.60	120.80	1.20	0.72	1.45	6	0.21	1.83	
including	120.80	121.30	0.50	0.30	0.50	56	1.53	3.40	
including	121.30	122.60	1.30	0.78	0.96	33	1.61	3.67	
including	122.60	123.20	0.60	0.36	0.18	4	0.24	0.57	
including	123.20	123.65	0.45	0.27	0.24	23	1.44	2.58	
including	123.65	124.10	0.45	0.27	8.87	39	15.16	30.82	
including	124.10	124.40	0.30	0.18	1.00	105	10.03	16.56	
including	124.40	125.40	1.00	0.60	0.23	17	0.90	1.72	
including	125.40	126.40	1.00	0.60	0.12	12	0.70	1.26	
including	126.40	127.40	1.00	0.60	5.02	38	2.91	9.63	
including	127.40	127.90	0.50	0.30	3.36	48	6.02	12.50	
including	127.90	128.60	0.70	0.42	1.44	30	4.24	7.83	
including	128.60	129.10	0.50	0.30	0.64	14	1.36	2.74	
including	129.10	130.10	1.00	0.60	4.95	181	8.64	19.55	
including	130.10	130.85	0.75	0.45	18.20	175	12.76	38.54	
including	130.85	131.85	1.00	0.60	16.10	178	13.62	37.70	
including	131.85	132.24	0.39	0.23	2.62	211	10.07	19.63	
including	132.24	132.60	0.36	0.21	0.36	25	1.46	2.75	
including	132.60	133.20	0.60	0.36	0.13	4	0.36	0.70	
including	133.20	133.40	0.20	0.12	0.29	7	1.09	1.92	
KODD0002⁽²⁾	78.00	99.00	21.00	7.14	8.23	14	1.15	10.05	K1
Including	78.00	79.00	1.00	0.34	0.12	8	0.63	1.11	
Including	79.00	80.00	1.00	0.34	0.11	3	0.39	0.70	
Including	80.00	81.00	1.00	0.34	0.12	3	0.91	1.44	
Including	81.00	82.00	1.00	0.34	0.24	13	3.23	4.98	
Including	82.00	83.00	1.00	0.34	0.01	3	0.17	0.29	
Including	83.00	84.00	1.00	0.34	0.04	1	0.07	0.15	
Including	84.00	85.00	1.00	0.34	0.02	4	0.57	0.87	
Including	85.00	86.00	1.00	0.34	0.01	4	0.10	0.21	
Including	86.00	87.50	1.50	0.51	0.01	3	0.18	0.31	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
Including	87.50	88.50	1.00	0.34	0.07	2	2.62	3.80	
Including	88.50	89.50	1.00	0.34	0.04	4	0.62	0.96	
Including	89.50	90.50	1.00	0.34	0.05	4	0.54	0.86	
Including	90.50	91.50	1.00	0.34	169.10	207	9.32	185.00	
Including	91.50	92.14	0.64	0.22	2.58	23	4.64	9.44	
Including	92.14	93.00	0.86	0.29	0.30	2	0.21	0.62	
Including	93.00	94.00	1.00	0.34	0.39	2	0.12	0.59	
Including	94.00	94.55	0.55	0.19	0.51	2	0.29	0.95	
Including	94.55	96.00	1.45	0.49	0.21	3	0.73	1.28	
Including	96.00	97.00	1.00	0.34	0.02	1	0.08	0.15	
Including	97.00	98.00	1.00	0.34	0.02	3	0.06	0.14	
Including	98.00	99.00	1.00	0.34	0.01	4	0.16	0.28	
KODD0002⁽²⁾	125.20	147.00	21.80	8.55	0.69	7	0.39	1.33	K2
Including	125.20	126.00	0.80	0.31	1.14	1	0.03	1.19	
Including	126.00	127.00	1.00	0.39	2.35	38	0.58	3.67	
Including	127.00	128.00	1.00	0.39	1.69	17	0.36	2.43	
Including	128.00	129.00	1.00	0.39	2.12	19	0.67	3.31	
Including	129.00	130.00	1.00	0.39	4.11	8	0.06	4.30	
Including	130.00	131.00	1.00	0.39	0.11	15	0.35	0.80	
Including	131.00	132.00	1.00	0.39	0.07	3	0.24	0.45	
Including	132.00	133.00	1.00	0.39	0.12	1	0.01	0.15	
Including	133.00	134.00	1.00	0.39	0.18	1	0.01	0.21	
Including	134.00	135.00	1.00	0.39	0.08	1	0.01	0.11	
Including	135.00	136.00	1.00	0.39	0.11	2	0.09	0.26	
Including	136.00	137.00	1.00	0.39	0.48	2	0.16	0.74	
Including	137.00	138.00	1.00	0.39	0.09	1	0.03	0.14	
Including	138.00	139.00	1.00	0.39	0.62	1	0.03	0.67	
Including	139.00	140.00	1.00	0.39	0.17	1	0.01	0.20	
Including	140.00	141.00	1.00	0.39	0.02	1	0.01	0.05	
Including	141.00	142.00	1.00	0.39	0.12	1	0.01	0.15	
Including	142.00	143.14	1.14	0.45	0.04	1	0.01	0.07	
Including	143.14	144.00	0.86	0.34	0.34	12	0.39	1.05	
Including	144.00	145.25	1.25	0.49	0.67	23	3.06	5.30	
Including	145.25	146.00	0.75	0.29	0.51	12	1.98	3.47	
Including	146.00	147.00	1.00	0.39	0.08	1	0.08	0.20	
KODD0003⁽²⁾	137.00	163.00	26.00	10.43	1.06	28	2.29	4.66	K1
Including	137.00	138.00	1.00	0.40	0.11	3	0.25	0.50	
Including	138.00	139.00	1.00	0.40	0.02	6	1.08	1.63	
Including	139.00	139.90	0.90	0.36	0.01	4	0.14	0.26	
Including	139.90	141.50	1.60	0.64	0.92	18	3.78	6.50	
Including	141.50	142.40	0.90	0.36	0.23	20	1.83	3.08	
Including	142.40	143.00	0.60	0.24	0.79	34	3.69	6.45	
Including	143.00	143.60	0.60	0.24	22.23	249	34.30	74.01	
Including	143.60	144.60	1.00	0.40	1.03	217	7.21	14.08	
Including	144.60	145.00	0.40	0.16	0.15	12	3.06	4.64	
Including	145.00	146.00	1.00	0.40	0.66	43	3.31	5.91	
Including	146.00	147.00	1.00	0.40	0.09	6	0.48	0.84	
Including	147.00	147.80	0.80	0.32	0.01	3	0.21	0.34	
Including	147.80	148.70	0.90	0.36	8.95	119	6.77	20.09	
Including	148.70	149.00	0.30	0.12	0.88	171	5.72	11.21	
Including	149.00	150.00	1.00	0.40	0.02	3	0.20	0.34	
Including	150.00	151.00	1.00	0.40	0.14	5	0.60	1.05	
Including	151.00	152.00	1.00	0.40	0.20	4	0.53	1.00	
Including	152.00	152.70	0.70	0.28	0.12	10	3.82	5.65	
Including	152.70	153.00	0.30	0.12	0.26	4	0.79	1.43	
Including	153.00	154.00	1.00	0.40	0.24	5	0.72	1.32	
Including	154.00	155.00	1.00	0.40	0.28	3	0.30	0.75	
Including	155.00	156.00	1.00	0.40	0.01	2	0.11	0.20	
Including	156.00	157.00	1.00	0.40	0.01	2	0.08	0.16	
Including	157.00	158.00	1.00	0.40	0.07	3	0.18	0.36	
Including	158.00	159.00	1.00	0.40	0.01	2	0.06	0.12	
Including	159.00	160.00	1.00	0.40	0.01	1	0.03	0.06	
Including	160.00	161.00	1.00	0.40	0.12	3	0.15	0.37	
Including	161.00	162.00	1.00	0.40	0.10	5	0.33	0.63	
Including	162.00	163.00	1.00	0.40	0.32	16	1.16	2.16	
KODD0003⁽²⁾	169.00	177.00	8.00	3.19	0.12	3	0.22	0.47	KL

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
Including	169.00	170.00	1.00	0.40	0.13	4	0.55	0.96	
Including	170.00	171.00	1.00	0.40	0.03	2	0.10	0.19	
Including	171.00	172.00	1.00	0.40	0.29	3	0.21	0.63	
Including	172.00	173.00	1.00	0.40	0.08	4	0.24	0.47	
Including	173.00	174.00	1.00	0.40	0.13	3	0.19	0.43	
Including	174.00	175.00	1.00	0.40	0.11	5	0.29	0.59	
Including	175.00	176.00	1.00	0.40	0.09	1	0.08	0.21	
Including	176.00	177.00	1.00	0.40	0.08	3	0.13	0.31	
KODD0003⁽²⁾	177.20	189.50	12.30	4.91	0.63	14	0.59	1.64	K2
Including	177.20	178.00	0.80	0.32	1.06	6	0.87	2.36	
Including	178.00	179.00	1.00	0.40	0.33	34	0.21	1.07	
Including	179.00	180.00	1.00	0.40	0.27	4	0.21	0.61	
Including	180.00	181.00	1.00	0.40	0.45	12	0.48	1.28	
Including	181.00	181.30	0.30	0.12	1.01	13	0.69	2.16	
Including	181.30	182.00	0.70	0.28	0.80	4	0.15	1.07	
Including	182.00	183.30	1.30	0.52	0.45	1	0.09	0.60	
Including	183.30	184.00	0.70	0.28	0.36	9	0.49	1.16	
Including	184.00	185.00	1.00	0.40	0.32	42	2.44	4.32	
Including	185.00	185.50	0.50	0.20	0.07	16	2.12	3.28	
Including	185.50	186.00	0.50	0.20	0.44	21	0.76	1.79	
Including	186.00	187.00	1.00	0.40	2.04	20	0.16	2.52	
Including	187.00	188.00	1.00	0.40	0.70	8	0.29	1.21	
Including	188.00	189.50	1.50	0.60	0.56	9	0.36	1.18	
KODD0003⁽²⁾	203.00	205.30	2.30	0.92	0.75	9	1.42	2.88	K2HW
Including	203.00	203.80	0.80	0.32	0.01	2	0.08	0.15	
Including	203.80	205.30	1.50	0.60	1.15	12	2.14	4.33	
KODD0004	68.90	73.35	4.45	2.02	0.07	3	0.09	0.23	K2HW
Including	68.90	69.60	0.70	0.32	0.08	1	0.08	0.20	
Including	69.60	70.00	0.40	0.18	0.10	8	0.46	0.85	
Including	70.00	72.00	2.00	0.91	0.05	1	0.05	0.13	
Including	72.00	73.35	1.35	0.61	0.09	4	0.05	0.22	
KODD0004	117.40	118.50	1.10	0.50	0.30	4	0.13	0.54	K2
KODD0004	132.00	133.00	1.00	0.64	0.10	4	0.08	0.27	
KODD0004	135.00	149.20	14.20	5.81	0.69	8	0.50	1.49	K1
Including	135.00	135.85	0.85	0.35	1.68	24	3.16	6.46	
Including	135.85	136.50	0.65	0.27	0.23	11	0.17	0.62	
Including	136.50	137.20	0.70	0.29	1.73	8	0.43	2.44	
Including	137.20	138.60	1.40	0.57	0.19	7	0.38	0.82	
Including	138.60	139.70	1.10	0.45	0.21	6	0.48	0.96	
Including	139.70	140.20	0.50	0.20	7.72	38	0.93	9.54	
Including	140.20	141.90	1.70	0.70	1.15	5	0.13	1.41	
Including	141.90	143.60	1.70	0.70	0.27	4	0.27	0.70	
Including	143.60	144.60	1.00	0.41	0.23	8	0.67	1.29	
Including	144.60	145.60	1.00	0.41	0.03	5	0.16	0.33	
Including	145.60	146.60	1.00	0.41	0.01	1	0.04	0.08	
Including	146.60	147.80	1.20	0.49	0.01	2	0.12	0.20	
Including	147.80	149.20	1.40	0.57	0.01	5	0.52	0.81	
KODD0007	188.50	190.50	2.00	0.77	0.45	26	0.31	1.22	K2HW
Including	188.50	189.50	1.00	0.39	0.50	28	0.37	1.38	
Including	189.50	190.50	1.00	0.39	0.40	24	0.25	1.07	
KODD0007	211.50	222.10	10.60	4.10	13.56	26	0.39	14.46	K2
Including	211.50	213.00	1.50	0.58	0.42	1	0.01	0.45	
Including	213.00	214.50	1.50	0.58	1.08	1	0.01	1.11	
Including	214.50	215.60	1.10	0.43	0.56	1	0.03	0.61	
Including	215.60	216.40	0.80	0.31	0.64	1	0.02	0.68	
Including	216.40	217.00	0.60	0.23	0.45	1	0.02	0.50	
Including	217.00	218.20	1.20	0.46	2.44	8	0.38	3.08	
Including	218.20	219.20	1.00	0.39	59.10	58	1.53	62.02	
Including	219.20	219.80	0.60	0.23	35.30	26	0.84	36.83	
Including	219.80	221.00	1.20	0.46	45.40	158	1.25	49.24	
Including	221.00	222.10	1.10	0.43	2.14	2	0.10	2.31	
KODD0007	252.60	262.20	9.60	3.72	0.32	11	0.44	1.09	KL
Including	3026223.00	252.60	253.20	0.23	1.14	10	1.78	3.79	
Including	3026224.00	253.20	255.00	0.70	0.19	1	0.08	0.32	
Including	3026225.00	255.00	256.00	0.39	0.19	2	0.14	0.41	
Including	3026226.00	256.00	257.00	0.39	0.30	4	0.68	1.31	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
Including	3026227.00	257.00	258.70	0.66	0.34	20	0.69	1.57	
Including	3026228.00	258.70	259.50	0.31	0.61	63	1.03	2.89	
Including	3026229.00	259.50	260.90	0.54	0.23	3	0.16	0.50	
Including	3026230.00	260.90	261.60	0.27	0.19	1	0.01	0.22	
Including	3026231.00	261.60	262.20	0.23	0.09	1	0.01	0.12	
KODD0007	281.40	293.10	11.70	3.84	0.23	11	1.56	2.58	K1
Including	281.40	282.70	1.30	0.47	0.09	1	0.10	0.24	
Including	282.70	283.70	1.00	0.36	0.19	12	1.45	2.40	
Including	283.70	284.70	1.00	0.36	0.58	12	2.09	3.69	
Including	284.70	285.90	1.20	0.43	0.41	24	6.06	9.30	
Including	285.90	287.00	1.10	0.40	0.17	2	0.18	0.44	
Including	288.00	289.00	1.00	0.36	0.09	2	0.11	0.28	
Including	289.00	290.00	1.00	0.36	0.08	8	0.64	1.09	
Including	290.00	290.90	0.90	0.32	0.28	35	3.75	6.04	
Including	290.90	291.90	1.00	0.36	0.21	2	0.08	0.35	
Including	291.90	293.10	1.20	0.43	0.20	11	1.15	1.97	
KODD0010⁽²⁾	28.21	31.40	3.19	2.15	0.02	1	0.05	0.10	K2HW
Including	28.21	29.90	1.69	1.14	0.03	1	0.05	0.11	
Including	29.90	31.40	1.50	1.01	0.01	1	0.05	0.09	
KODD0010⁽²⁾	36.20	46.00	9.80	6.60	21.75	12	0.38	22.45	K2
Including	36.20	37.27	1.07	0.72	5.64	7	0.52	6.47	
Including	37.27	38.00	0.73	0.49	268.20	68	0.14	269.29	
Including	38.00	39.80	1.80	1.21	1.45	5	0.67	2.46	
Including	39.80	41.15	1.35	0.91	0.14	3	0.26	0.54	
Including	41.15	43.40	2.25	1.51	0.12	12	0.18	0.54	
Including	43.40	44.90	1.50	1.01	3.93	10	0.53	4.82	
Including	44.90	46.00	1.10	0.74	2.16	8	0.25	2.62	
KODD0010⁽²⁾	59.70	63.90	4.20	2.28	0.36	15	2.59	4.24	K1
Including	59.70	61.40	1.70	0.92	0.68	6	0.32	1.21	
Including	61.40	62.50	1.10	0.60	0.19	27	5.37	8.14	
Including	62.50	63.00	0.50	0.27	0.19	39	7.62	11.48	
Including	63.00	63.90	0.90	0.49	0.08	6	0.70	1.15	
KODD0011	49.80	51.40	1.60	0.83	0.04	1	0.08	0.17	
KODD0011	65.60	70.40	4.80	2.48	1.01	16	1.31	3.07	K2HW
Including	65.60	66.00	0.40	0.21	0.15	6	1.27	2.03	
Including	66.00	67.80	1.80	0.93	0.24	3	0.27	0.66	
Including	67.80	69.40	1.60	0.83	2.67	42	3.04	7.52	
Including	69.40	70.40	1.00	0.52	0.08	2	0.43	0.71	
KODD0011	78.10	108.00	29.90	14.38	7.93	10	1.23	9.79	K2
Including	78.10	79.50	1.40	0.67	30.90	7	0.06	31.08	
Including	79.50	81.00	1.50	0.72	0.17	3	0.23	0.53	
Including	81.00	82.80	1.80	0.87	0.09	2	0.28	0.51	
Including	82.80	84.00	1.20	0.58	0.25	2	0.26	0.64	
Including	84.00	84.90	0.90	0.43	2.96	22	5.43	10.93	
Including	84.90	86.10	1.20	0.58	1.27	18	2.24	4.67	
Including	86.10	87.50	1.40	0.67	0.02	2	0.40	0.61	
Including	87.50	89.40	1.90	0.91	0.04	1	0.16	0.27	
Including	89.40	90.40	1.00	0.48	0.02	1	0.06	0.12	
Including	90.40	91.40	1.00	0.48	0.11	1	0.14	0.31	
Including	91.40	93.00	1.60	0.77	0.06	1	0.18	0.32	
Including	93.00	94.30	1.30	0.63	0.10	1	0.17	0.35	
Including	94.30	96.00	1.70	0.82	0.04	2	0.13	0.25	
Including	96.00	97.30	1.30	0.63	0.08	1	0.29	0.50	
Including	97.30	98.30	1.00	0.48	22.70	28	5.16	30.37	
Including	98.30	99.90	1.60	0.77	43.20	86	5.38	51.94	
Including	99.90	100.70	0.80	0.38	103.00	28	5.62	111.32	
Including	100.70	102.00	1.30	0.63	0.18	5	0.44	0.87	
Including	102.00	103.30	1.30	0.63	0.49	5	0.74	1.60	
Including	103.30	105.00	1.70	0.82	0.47	5	1.02	1.98	
Including	105.00	106.90	1.90	0.91	6.38	6	1.17	8.11	
Including	106.90	108.00	1.10	0.53	0.14	3	1.76	2.67	
KODD0011	115.80	120.00	4.20	2.02	0.02	1	0.12	0.20	K1
Including	115.80	117.10	1.30	0.63	0.01	1	0.07	0.12	
Including	117.10	118.80	1.70	0.82	0.01	2	0.17	0.28	
Including	118.80	120.00	1.20	0.58	0.03	1	0.10	0.19	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
KODD0012	159.00	169.90	10.90	4.30	18.44	17	0.40	19.24	K2
Including	159.00	159.65	0.65	0.26	72.70	18	0.20	73.21	
Including	159.65	161.10	1.45	0.57	2.23	5	0.40	2.86	
Including	161.10	162.25	1.15	0.45	33.90	27	0.88	35.50	
Including	162.25	163.00	0.75	0.30	15.80	13	0.27	16.35	
Including	163.00	164.90	1.90	0.75	0.62	12	0.63	1.67	
Including	164.90	165.85	0.95	0.37	0.80	13	0.67	1.91	
Including	165.85	167.20	1.35	0.53	1.41	18	0.28	2.05	
Including	167.20	168.10	0.90	0.35	102.00	55	0.15	102.94	
Including	168.10	168.90	0.80	0.32	0.96	5	0.12	1.19	
Including	168.90	169.90	1.00	0.39	3.27	14	0.02	3.49	
KODD0012	170.80	173.35	2.55	1.00	0.38	5	0.16	0.67	KL
Including	170.80	172.00	1.20	0.47	0.79	7	0.28	1.27	
Including	172.00	173.35	1.35	0.53	0.01	3	0.06	0.13	
KODD0012	196.00	199.50	3.50	1.61	0.15	33	2.95	4.77	K1
Including	196.00	196.35	0.35	0.16	0.21	10	0.53	1.09	
Including	196.35	197.60	1.25	0.58	0.01	2	0.06	0.12	
Including	197.60	198.45	0.85	0.39	0.18	10	1.22	2.04	
Including	198.45	199.50	1.05	0.48	0.28	97	8.61	13.73	
KODD0013	58.50	59.60	1.10	0.42	1.10	7	1.03	2.56	K2HW
KODD0013	68.45	76.00	7.55	2.92	6.18	31	1.23	8.33	K2
Including	68.45	69.49	1.04	0.40	24.03	24	0.49	25.03	
Including	69.49	70.00	0.51	0.20	9.32	72	0.93	11.58	
Including	70.00	71.00	1.00	0.39	1.06	51	0.70	2.72	
Including	71.00	72.00	1.00	0.39	1.69	31	1.76	4.59	
Including	72.00	73.00	1.00	0.39	8.01	43	1.41	10.56	
Including	73.00	74.00	1.00	0.39	4.96	24	2.24	8.44	
Including	74.00	75.00	1.00	0.39	0.21	11	0.67	1.30	
Including	75.00	76.00	1.00	0.39	0.98	14	1.53	3.32	
KODD0013	96.70	114.10	17.40	6.12	1.61	19	1.58	4.09	K1
Including	96.70	97.50	0.80	0.28	5.76	24	3.76	11.39	
Including	97.50	99.00	1.50	0.53	0.20	4	0.52	0.98	
Including	99.00	100.80	1.80	0.63	0.22	2	0.28	0.65	
Including	100.80	101.80	1.00	0.35	4.41	32	0.35	5.32	
Including	101.80	103.00	1.20	0.42	0.89	4	1.59	3.19	
Including	103.00	104.40	1.40	0.49	0.77	6	1.34	2.75	
Including	104.40	105.30	0.90	0.32	0.43	2	0.41	1.03	
Including	105.30	106.30	1.00	0.35	1.34	16	2.19	4.65	
Including	106.30	107.00	0.70	0.25	3.10	18	2.21	6.46	
Including	107.00	108.00	1.00	0.35	0.15	2	0.36	0.69	
Including	108.00	109.00	1.00	0.35	0.46	7	0.82	1.71	
Including	109.00	110.00	1.00	0.35	3.66	28	2.94	8.19	
Including	110.00	111.30	1.30	0.46	0.86	21	0.90	2.41	
Including	111.30	112.30	1.00	0.35	0.71	17	0.72	1.95	
Including	112.30	113.30	1.00	0.35	3.19	60	3.98	9.61	
Including	113.30	114.10	0.80	0.28	3.70	104	6.25	13.90	
KODD0015	55.84	64.30	8.46	4.23	57.46	49	0.32	58.56	K2HW
including	55.84	56.53	0.69	0.34	1.00	21	1.21	2.99	
including	56.53	58.00	1.47	0.73	1.74	1	0.05	1.82	
including	58.00	59.70	1.70	0.85	2.17	1	0.08	2.29	
including	59.70	61.07	1.37	0.68	0.20	1	0.02	0.24	
including	61.07	62.97	1.90	0.95	251.30	207	0.63	254.90	
including	62.97	64.30	1.33	0.66	1.05	3	0.36	1.60	
KODD0015	73.50	79.60	6.10	3.05	7.53	78	3.87	14.03	K2
including	73.50	74.45	0.95	0.48	0.19	8	0.73	1.33	
including	74.45	76.24	1.79	0.89	7.29	34	1.09	9.28	
including	76.24	76.84	0.60	0.30	6.52	19	1.21	8.48	
including	76.84	79.00	2.16	1.08	5.06	158	7.75	18.09	
including	79.00	79.60	0.60	0.30	29.80	91	5.85	39.27	
KODD0015	83.00	89.90	6.90	2.34	1.61	26	1.67	4.31	KL
including	83.00	84.20	1.20	0.51	0.83	34	2.29	4.51	
including	84.20	85.60	1.40	0.59	0.14	2	0.21	0.46	
including	85.60	86.00	0.40	0.23	2.15	74	4.52	9.51	
including	86.00	87.10	1.10	0.28	0.45	18	0.68	1.65	
including	87.10	87.70	0.60	0.16	0.86	14	1.27	2.83	
including	87.70	89.27	1.57	0.41	0.27	3	0.68	1.27	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent	Lode
KMDD0308	110.05	119.20	9.15	5.99	9.17	13	0.81	10.48	K1
including	89.27	89.90	0.63	0.16	14.66	101	5.68	24.02	
KODD0015	95.65	102.00	6.35	5.59	60.25	321	7.96	75.72	K1
including	95.65	96.92	1.27	1.19	0.91	18	2.25	4.33	
including	96.92	98.00	1.08	0.94	169.00	840	15.94	202.57	
including	98.00	99.10	1.10	0.95	178.40	980	22.50	223.08	
including	99.10	99.83	0.73	0.63	0.32	5	0.42	0.98	
including	99.83	100.10	0.27	0.23	0.62	11	0.83	1.94	
including	100.10	102.00	1.90	1.65	4.56	31	3.04	9.27	
KODD0016⁽²⁾	103.00	112.60	9.60	4.74	6.57	5	0.15	6.86	K2
including	103.00	104.60	1.60	0.80	0.66	4	0.16	0.94	
including	104.60	105.40	0.80	0.40	59.82	7	0.08	60.02	
including	105.40	106.42	1.02	0.51	4.10	3	0.18	4.39	
including	106.42	106.82	0.40	0.14	0.16	3	0.06	0.28	
including	106.82	108.08	1.26	0.63	1.25	5	0.20	1.60	
including	108.08	108.66	0.58	0.29	2.46	15	0.50	3.36	
including	108.66	109.00	0.34	0.17	4.03	13	0.43	4.80	
including	109.00	110.00	1.00	0.50	2.01	8	0.19	2.39	
including	110.00	111.40	1.40	0.70	1.48	2	0.02	1.53	
including	111.40	112.60	1.20	0.60	0.58	2	0.02	0.63	
KODD0016⁽²⁾	167.74	178.30	10.56	6.71	6.72	17	1.15	8.58	KL1
including	167.74	169.00	1.26	0.63	3.48	50	4.71	10.80	
including	169.00	170.50	1.50	0.75	3.44	26	1.42	5.79	
including	170.50	172.33	1.83	0.92	1.18	24	2.08	4.44	
including	172.33	172.85	0.52	0.26	1.75	73	0.42	3.30	
including	172.85	173.25	0.40	0.20	1.23	28	4.76	8.33	
including	173.25	174.40	1.15	0.58	0.54	13	0.89	1.97	
including	174.40	175.34	0.94	0.81	0.28	4	0.18	0.59	
including	175.34	176.00	0.66	0.57	0.10	1	0.01	0.13	
including	176.00	176.35	0.35	0.30	0.41	3	0.02	0.48	
including	176.35	177.30	0.95	0.82	13.01	2	0.01	13.05	
including	177.30	178.30	1.00	0.87	31.30	4	0.07	31.46	
KODD0016⁽²⁾	206.67	210.40	3.73	3.67	1.45	57	3.81	7.59	KL2
including	206.67	207.30	0.63	0.62	0.62	12	1.16	2.41	
including	207.30	208.10	0.80	0.79	1.19	24	3.33	6.21	
including	208.10	209.00	0.90	0.89	1.67	105	5.71	11.12	
including	209.00	210.00	1.00	0.98	2.17	78	4.61	9.71	
including	210.00	210.40	0.40	0.39	1.00	38	2.63	5.22	
KODD0016⁽²⁾	225.40	231.00	5.60	3.60	1.50	10	1.69	4.03	KL3
including	225.40	226.50	1.10	0.71	0.25	6	1.32	2.19	
including	226.50	226.90	0.40	0.26	2.69	29	4.16	8.95	
including	226.90	228.00	1.10	0.71	0.06	4	0.42	0.70	
including	228.00	229.20	1.20	0.77	4.76	21	4.20	10.98	
including	229.20	231.00	1.80	1.16	0.71	5	0.48	1.45	
KODD0016⁽²⁾	236.30	248.80	12.50	5.18	1.50	17	2.01	4.57	K1
including	236.30	237.30	1.00	0.26	6.28	5	1.88	9.00	
including	237.30	238.00	0.70	0.18	5.05	13	3.89	10.72	
including	238.00	239.00	1.00	0.26	2.74	14	4.09	8.71	
including	239.00	240.00	1.00	0.26	0.74	12	1.40	2.88	
including	240.00	241.00	1.00	0.26	1.40	10	2.27	4.74	
including	241.00	241.90	0.90	0.23	2.73	14	4.05	8.64	
including	241.90	242.80	0.90	0.45	0.17	4	0.60	1.07	
including	242.80	243.90	1.10	0.55	0.01	2	0.28	0.43	
including	243.90	245.40	1.50	0.75	0.10	6	0.60	1.03	
including	245.40	246.00	0.60	0.30	0.04	3	0.21	0.38	
including	246.00	246.80	0.80	0.40	0.43	12	0.21	0.88	
including	246.80	247.30	0.50	0.32	6.70	121	6.87	18.00	
including	247.30	248.20	0.90	0.58	0.49	21	1.84	3.37	
including	248.20	248.80	0.60	0.39	1.40	24	5.18	9.04	

Note (2): KODD0002, KODD0003, KODD0010, KODD0016 are twinned holes of previous drilling for QAQC purposes and indicate there is no bias between old drill data and K92 drill data.

Table 2 - Kainantu Gold Mine – Collar Locations for Kora Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
KMDD0308	58998.72	29927.56	1163.22	-29.70	320.60	237.30	Kora
KMDD0310	59106.39	29891.12	1151.81	-21.54	235.77	148.70	Kora
KMDD0314	59106.62	29891.13	1152.03	-21.92	245.79	128.10	Kora
KMDD0316	58765.71	29887.57	1285.49	1.30	335.00	170.30	Kora
KMDD0318	58766.52	29887.14	1286.42	17.88	334.11	178.40	Kora
KMDD0320	59128.67	29895.37	1151.77	-48.01	267.16	175.10	Kora
KMDD0324	59129.11	29895.40	1151.99	-48.48	287.76	172.70	Kora
KMDD0326	59129.10	29895.61	1152.74	-32.36	285.63	137.70	Kora
KMDD0373	59029.89	29915.14	1259.11	45.16	218.77	234.40	Kora
KMDD0375	58691.08	29856.21	1211.74	-44.63	218.81	246.60	Kora
KMDD0379	58531.92	29852.11	1214.96	-51.24	262.52	174.60	Kora
KMDD0381	58420.38	29846.36	1216.73	-34.45	240.77	176.50	Kora
KMDD0383	59029.89	29915.76	1259.17	41.18	221.47	173.20	Kora
KMDD0387	58420.42	29846.41	1217.43	-11.62	241.08	149.20	Kora
KMDD0389	59029.58	29915.91	1258.78	32.70	222.00	172.90	Kora
KMDD0391	58420.38	29846.42	1218.94	21.14	238.39	118.90	Kora
KMDD0393	58530.71	29851.85	1215.36	-24.33	251.42	128.30	Kora
KMDD0395	58420.09	29846.32	1219.77	34.57	235.55	126.40	Kora
KMDD0399	58530.84	29852.75	1217.85	36.98	248.39	122.00	Kora
KMDD0409	59029.85	29913.20	1259.34	41.70	244.60	144.00	Kora
KMDD0417	58530.47	29852.00	1214.94	-34.20	247.20	148.80	Kora
KMDD0423	58529.87	29852.10	1215.00	-29.90	233.12	145.70	Kora
KODD0002	58511.23	29854.68	1800.06	-65.71	267.77	170.60	Kora
KODD0003	58297.41	29871.81	1802.34	-70.00	270.00	212.20	Kora
KODD0004	58724.67	29744.21	1907.00	-50.00	90.00	234.65	Kora
KODD0007	58700.30	29726.20	1860.00	-60.00	110.00	393.90	Kora
KODD0010	58595.97	29776.00	1813.29	-45.00	90.00	90.00	Kora
KODD0011	58595.97	29776.00	1813.29	-58.00	135.00	211.70	Kora
KODD0012	58729.62	29744.91	1906.00	-55.00	88.00	241.10	Kora
KODD0013	58595.97	29776.00	1813.29	-65.00	88.00	633.00	Kora-Judd
KODD0015	58599.90	29776.41	1813.54	-60.00	52.00	180.50	Kora
KODD0016	58599.90	29776.41	1813.54	-75.20	92.00	283.20	Kora

Table 3 – Global Kora Mineral Resource Estimate (Effective Date April 2, 2020)

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
Measured	0.66	13.34	0.28	11.6	0.25	0.51	3.4	14.14	0.3
Indicated	2.47	8.44	0.67	16.3	1.29	0.63	15.6	9.46	0.8
Total M&I	3.13	9.47	0.95	15.3	1.54	0.61	19	10.45	1.1
Inferred	12.67	7.32	2.98	19.9	8.11	1.1	139.4	9.01	3.7

- *Mineral Resource Estimate is included in a technical report titled, “Revised Independent Technical Report, Mineral Resource Estimate Update and Preliminary Economic Assessment for Expansion of the Kainantu Mine to Treat 1 Mtpa from the Kora Gold Deposit, Kainantu Project, Papua New Guinea” with an effective date of April 2, 2020.*
- *The Independent and Qualified Person responsible for the Mineral Resource Estimate is Simon Tear, P.Geo. of H & S Consultants Pty. Ltd., Sydney, Australia.*
- *Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability.*
- *Resources were compiled at 1,2,3,4,5,6,7,8,9 and 10 g/t gold cut-off grades.*
- *Density (t/m³) is on a per zone basis, K1 and Kora Link: 2.84 t/m³; K2: 2.93 t/m³; Waste: 2.8 t/m³.*
- *Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate.*
- *Minor variations may occur during the addition of rounded numbers.*
- *Calculations used metric units (metres, tonnes and g/t)*
- *Gold equivalents are calculated as AuEq = Au g/t + ((0.923 x Cu%)*1.38)+ ((0.77 x Ag g/t*0.0115). Gold price US\$1,400/oz; Silver US\$16.05/oz; Copper US\$3.05/lb. Metal payabilities and recoveries are incorporated into the AuEq formula. Recoveries of 92.3% for copper and 77% for silver.*

Key Assumptions and Parameters – Kora Deposit

The Kora Deposit comprises two parallel, steeply west dipping, north-south striking quartz-sulphide vein systems, K1 and K2, within an encompassing dilatant structural zone hosted by phyllite. An additional structure, the Kora Link, has also been defined between K1 and K2. There are five Kora Link structures identified, of which three are included in the resource estimate.

The current resource estimate area covers an area of approximately 1,250 metres along strike by 1,050 to 1,150 metres vertically representing ~75% of the drill target area. K92 plans to continue to drill the area not yet drilled. The resource estimate includes results from 266 diamond drill holes in addition to face samples taken from horizontal development and from cut and fill faces along the K1 and K2 veins.

Underground drilling consists of diamond core for a range of core sizes depending on the length of hole and expected ground conditions. Sampling is sawn half core under geological control and generally ranges between 0.5 m to 1.0 m. Underground face sampling is completed for every fired round and is to industry standard. QAQC data indicated no significant issues with the sampling or

the accuracy of the on-site analysis. Current core recovery of the mineral zone is +95%, with initial drilling around the 90% mark.

Geological logging is consistent and is based on a full set of logging codes covering lithology, alteration, and mineralization.

The geological interpretation of the vein systems is represented as 3D wireframe solids snapped to a combination of diamond drillhole data and underground face sampling. Definition of the wireframes is based on identified gold mineralization in drill core nominally at a 0.1-0.2g/t Au gold-off in conjunction with geological control/sense and current mining widths.

The wireframes were used to extract 1-metre composites (minimum of 0.5m) from the drillhole and sampling database for gold, copper and silver. A gold top cut of 1,000 g/t was applied to K2 composites and a 150 g/t top cut for the Kora Link #2. No top cuts were applied to silver or copper. Variography was generally poor, as would likely be expected, although K1 indicated better along strike grade continuity.

Grade interpolation of the composite data was completed using Ordinary Kriging with a block size of 1 m x 5 m x 5 m. A larger block size check model indicated no evidence of over-smoothing of gold grade with the smaller block size.

Default average density values have been applied to the different lodes. The defaults are based on limited core measurements using the Archimedes Method (weight in air/weight in water). Density (t/m^3) is on a per zone basis, with K1 and Kora Link: 2.84 t/m^3 ; K2: 2.93 t/m^3 ; Waste: 2.8 t/m^3 .

A three-pass search strategy was applied to the grade interpolation. Search ellipse parameters are listed below. Search ellipse orientations generally reflected the subtle changes in dip and strike of the vein systems, with up to 8 search domains used for each lode.

Drill Hole Sampling Methodology, QA/QC and Qualified Person

Diamond drill hole is first logged to determine the sampling intervals, which range from a minimum of 0.1 metres to generally 1 metre. The drill core is sawn half core cut along a reference line, with the remainder of the core returned to the core tray. Core samples are then placed in numbered calico and plastic bags, with a numbered sample ticket for dispatch to the assay laboratory. Samples are separately assayed for gold, copper and silver. K92's procedure includes the insertion standards, blanks and duplicates. Gold assays are by the fire assay method. Copper and silver assays are by three-acid-digestion method (nitric, perchloric & hydrochloric mix).

K92 maintains an industry-standard analytical quality assurance and quality control (QA/QC) and data verification program to monitor laboratory performance and ensure high quality assays. Results from this program confirm reliability of the assay results. All sampling and analytical work for the mine exploration program is performed by Intertek Testing Services (PNG) LTD, an independent accredited laboratory that is located on site. External check assays for QA/QC purposes are performed at SGS Australia Pty Ltd in Townsville, Queensland, Australia.

The analytical QA/QC program is currently overseen by Andrew Kohler, PGeo, Mine Geology Manager and Mine Exploration Manager for K92. Andrew Kohler, a qualified person under the

meaning of Canadian National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver from the Kora deposit at the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018 and is in a strong financial position.

The Company commenced an expansion of the mine based on an updated Preliminary Economic Assessment on the property which was published in January 2019 and updated in July 2020. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

On Behalf of the Company,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA at +1-604-687-7130.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding the realization of the preliminary economic analysis for the Kainantu Mine, expectations of future cash flows, the planned plant expansion, production results, cost of sales, sales of production, potential expansion of resources and the generation of further drilling results which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things, the market price of the Company’s securities, metal prices, exchange rates, taxation, the estimation, timing and amount of future exploration and development, capital and operating costs, the availability of financing, the receipt of regulatory approvals, environmental risks, title disputes, failure of plant, equipment or processes to operate as anticipated, accidents, labour disputes, claims and limitations on insurance coverage and other risks of the mining industry, changes in national and local government regulation of mining operations in PNG, mitigation of the Covid-19 pandemic, continuation of the lifted state of emergency, and regulations and other matters. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation

to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 - K1 Vein Long Section




Figure 2 – K2 Vein Long Section




Figure 3 – Kora-Irumafimpa Mine Section




Figure 4 – KMDD0383 Core Photograph, 119.08 – 123.76m; within intersection of 6.45 m at 106.95 g/t AuEq or 105.96 g/t Au, 11 g/t Ag and 0.60% Cu from the K1 Vein



Figure 5– KMDD0373 Core Photograph, 142.67 – 147.20m; within intersection of 5.30 m at 96.85 g/t AuEq or 93.18 g/t Au, 52 g/t Ag and 2.11% Cu from the K1 Vein

