



Suite 488 - 1090 West Georgia Street
Vancouver, British Columbia
Canada V6E 3V7

Telephone: +1 (604) 416-4445
Facsimile: +1 (604) 608-9110
www.k92mining.com

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE UNDERGROUND AND SURFACE DRILL RESULTS AT KORA-KORA SOUTH, JUDD-JUDD SOUTH AND KORA NORTHERN DEEPS

- **Kora South underground drill hole KMDD0495 intersects potential dilatant zone, recording multiple intersections including 30.55 m at 12.82 g/t gold equivalent (“AuEq”)⁽¹⁾ or 4.15 g/t Au, 78 g/t Ag and 4.79% Cu from the K2 Vein. The hole ended in mineralization as it was terminated early due to ground conditions and is situated +400 metres down-dip from the previously reported hole KUDD0002, which intersected a dilatant zone, recording 35.90 m at 5.98 g/t AuEq.**
- **Judd South surface drill hole KUDD0017 intersects dilatant zone recording multiple intersections including 25.00 m at 20.89 g/t AuEq or 18.53 g/t Au, 27 g/t Ag and 0.64% Cu from the J1 Vein, located ~100 metres from previously reported hole KUDD0001, which intersected a dilatant zone, recording 66.55 m at 5.02 g/t AuEq.**
- **Kora South surface drill hole KUDD0003 records multiple intersections including 7.35 m at 10.41 g/t AuEq or 4.83 g/t Au, 155 g/t Ag and 2.27% Cu from the K2 Vein.**
- **Underground Kora drill hole KMDD0481 records multiple intersections including 6.23 m at 43.40 g/t AuEq or 43.12 g/t Au, 8 g/t Ag and 0.11% Cu from the K1 Vein and 3.27 m at 13.00 g/t AuEq or 10.42 g/t Au, 16 g/t Ag and 1.48% Cu from the K2 Vein.**
- **Underground Judd drill hole JDD0079 records multiple intersections including 6.18 m at 37.45 g/t AuEq or 35.12 g/t Au, 26 g/t Ag and 1.24% Cu from the J1 Vein.**
- **Underground drill hole KMDD0488 records multiple intersections including 18.00 m at 20.24 g/t AuEq or 15.45 g/t Au, 41 g/t Ag and 2.66% Cu from the K2 Vein.**
- **Second step-out underground hole drilled at Kora Northern Deeps, K92DD0002 records multiple intersections including 3.08 m at 7.18 g/t AuEq or 6.93 g/t Au, 6 g/t Ag and 0.11% Cu from the K1/M6 Vein, located ~700 m North of the Kora Resource and ~300 m below the Irumafimpa Resource.**

Note: Drill highlights presented above are core lengths (not true widths).

Note (1): Gold equivalent (AuEq) exploration results are calculated using longer-term commodity prices with a copper price of US\$3.75/lb, a silver price of US\$20/oz and a gold price of US\$1,600/oz.

Vancouver, British Columbia, October 18, 2022 - K92 Mining Inc. (“K92” or the “Company”) (TSX: KNT; OTCQX: KNTNF) is pleased to announce results from the ongoing surface and underground diamond drilling of the Kora, Kora South, Judd and Judd South deposits in addition to maiden results from the Kora Northern Deeps target at the Kainantu gold mine in Papua New Guinea.

The results for the latest 93 diamond drill holes completed from surface and underground are summarized in Table 1 and Table 2 below. The results continue to demonstrate the high-grade, continuity of the Kora-Kora South and Judd-Judd South vein systems, while also significantly extending the known drilled strike length by ~600 m to the South for both systems.

Surface drilling focused on southern strike extensions, while underground drilling focused on expanding the known Judd mineralization, increasing drill density up-dip, down-dip, as well as drilling to the north and to the south of the known Kora and Judd resources. Importantly, all drill holes at Kora-Kora South intersected mineralization, with 4 intersections exceeding 20 g/t AuEq, 16 intersections exceeding 10 g/t AuEq and 44 intersections exceeding 5 g/t AuEq. At Judd-Judd South, all drill holes intersected mineralization, with 5 intersections exceeding 15 g/t AuEq, 20 intersections exceeding 10 g/t AuEq and 45 intersections exceeding 5 g/t AuEq intersections.

Kora South Drilling Results

At Kora South, the results are highlighted by hole KMDD0495, our southern-most hole drilled at depth from underground, recording 30.55 m at 4.15 g/t Au, 78 g/t Ag and 4.79% Cu (12.82 g/t AuEq, 11.80 m true width) from the K2 Vein. The intersection featured massive chalcopyrite mineralization in addition to bornite and was terminated early in mineralization due to ground conditions. KMDD0495 is especially significant as it represents a potential +400 m dilatant zone vertical depth extension from previously reported hole KUDD0002, which recorded 35.90 m at 1.42 g/t Au, 47 g/t Ag and 2.48% Cu (5.98 g/t AuEq, 23.34 m estimated thickness; *see February 16, 2022 press release - K92 Mining Announces High Grades, Record Thicknesses From Maiden Surface Step-Out Drilling Results at Kora South and Judd South, Airborne Geophysics Defines Extensive New Targets*).

The latest surface step-out drilling at Kora South has also extended the known deposit strike by ~600m to the South with all holes intersecting mineralization and the structure. Since the latest Kora Resource (October 31, 2021 effective date) the drilled deposit strike length has increased by +60% to the South. Step-out drill highlights include KUDD0003 recording multiple intersections including 7.35m at 4.83 g/t Au, 2.27% Cu and 155 g/t Ag (10.41 g/t AuEq, 3.87 m true width) at the K2 Vein and KUDD0014 recording multiple intersections including 10.10 m at 3.56 g/t Au, 269 g/t Ag and 1.38% Cu (9.14 g/t AuEq, 3.16 m true width) from the K2 Vein. We note that within the existing Kora deposit, grade tenor is higher at depth, and plans are underway to target

this area through advancement of a drill drive to the south to test from underground plus deeper surface drilling.

Judd South Drilling Results

At Judd South, the results are highlighted by hole KUDD0017 recording multiple intersections and a dilatant zone, including 25.00 m at 18.53 g/t Au, 27 g/t Ag and 0.64% Cu (20.89 g/t AuEq, 17.69 m true width) from the J1 Vein. KUDD0017 is located ~100 m up-dip and to the South from hole KUDD0001, which also recorded a dilatant zone of 66.55 m at 3.65 g/t Au, 9 g/t Ag and 0.78% Cu (5.02 g/t AuEq, 43.26 m estimated thickness). Proximal to KUDD0017, KUDD0023 recorded multiple intersections including 4.60 m at 10.06 g/t Au, 53 g/t Ag and 1.13% Cu (12.54 g/t AuEq, 3.26 m true width) from the J1 Vein within a dilatant zone of 19.90 m at 2.69 g/t Au, 22 g/t Ag and 0.58% (3.89 g/t AuEq, 14.1 m true width).

The latest surface drill results at Judd South have also extended the known strike length by ~600 m to the South, with all holes intersecting mineralization and the structure. Drilling since the Judd resource estimate (December 31, 2021 effective date) has extended the known strike length of the Judd-Judd South Vein system by +130% or approximately 1 km. The system remains strong to the South recording solid thicknesses and 61% of Judd South J1 Vein surface holes have recorded grades exceeding 5 g/t AuEq to date.

Kora Drilling Results

At Kora, drilling towards the south and at depth are highlighted by holes KMDD0488 recording multiple intersections including 18.00 m at 15.45 g/t Au, 41 g/t Ag and 2.66% Cu (20.24 g/t AuEq, 8.05 m true width) from the K2 Vein, KMDD0462 recording multiple intersections including 1.50 m at 0.99 g/t Au, 178 g/t Ag and 17.53% Cu (31.39 g/t AuEq, 0.71 m true width) from the K2 vein and 6.50 m at 4.01 g/t Au, 52 g/t Ag and 4.42% Cu (11.76 g/t AuEq, 3.07 m true width) from the K1 Vein, and; KMDD0489 recording multiple intersections including 20.61 m at 6.34 g/t Au, 32 g/t Ag and 3.30% Cu (12.04 g/t AuEq, 6.72 m true width) from the K2 Vein.

These holes extended high-grade mineralization at depth and towards the south and notably, the holes continue to demonstrate increasing copper grade tenor towards those directions. This has also been observed in Kora South underground hole KMDD0495 recording multiple intersections including 30.55 m at 4.15 g/t Au, 78 g/t Ag and 4.79% Cu (12.82 g/t AuEq, 11.80 m true width) from the K2 Vein. Mineralization remains open at depth and along strike to the South, with a significant ramp-up in drilling at depth planned once the twin incline development progresses closer to the updated Kora resource estimate, targeting 2Q 2023.

The drilling results are also highlighted by the extension of multiple high-grade areas up-dip. Highlights include: KMDD0484 recording multiple intersections including 8.70 m at 14.11 g/t Au, 24 g/t Ag and 2.79% Cu (18.89 g/t AuEq, 4.13 m true width) from the K2 Vein; KMDD0472 recording multiple intersections including 11.50 m at 16.15 g/t Au, 57 g/t Ag and 0.27% Cu (17.30 g/t AuEq, 4.29 m true width) from the K1 Vein; KMDD0477 recording multiple intersections including 6.65 m at 8.33 g/t Au, 29 g/t Ag and 2.88% Cu (13.32 g/t AuEq, 3.42 m true width) from

the K2 Vein, and; KMDD0482 recording multiple intersections including 5.90 m at 8.27 g/t Au, 28 g/t Ag and 2.20% Cu (12.16 g/t AuEq, 2.81 m true width) from the K2 Vein.

Drilling to the North at Kora, continued to record high-grade intersections, highlighted by holes KMDD0481 recording multiple intersections including 6.23 m at 43.12 g/t Au, 8 g/t Ag and 0.11% Cu (43.40 g/t AuEq, 4.70 m true width) from the K1 Vein and 3.27 m at 10.42 g/t Au, 16 g/t Ag and 1.48% Cu (13.00 g/t AuEq, 1.67 m true width) from the K2 Vein, and; KMDD0444 recording multiple intersections including 5.10 m at 11.46 g/t Au, 13 g/t Ag and 0.12% Cu (11.82 g/t AuEq, 2.54 m true width) from the K1 Vein.

Judd Drilling Results

At Judd, drilling continues to demonstrate high-grade and expansion potential with the known deposit open along strike in both directions, up-dip and down-dip. To date, four known veins have been recorded at Judd, the J1 Vein the most productive, and similar vein orientation and quartz-sulphide Au-Cu-Ag mineralization as Kora. The vein system remains open at depth, to surface and along strike.

The results are highlighted by holes: JDD0079 recording multiple intersections including 6.18 m at 35.12 g/t Au, 26 g/t Ag and 1.24% Cu (37.45 g/t AuEq, 3.38 m true width) from the J1 Vein; JDD0104 recording multiple intersections including 3.23 m at 8.72 g/t Au, 20 g/t Ag and 0.75% Cu (10.18 g/t AuEq, 2.95 m true width) from the J1 Vein; JDD0120 recording multiple intersections including 0.80 m at 53.16 g/t Au, 135 g/t Ag and 2.34% Cu (58.61 g/t AuEq, 0.54 m true width) from the J1 Vein, and; JDD0128 recording multiple intersections including 0.46 m at 31.55 g/t Au, 49 g/t Ag and 7.61% Cu (44.39 g/t AuEq, 0.31 m true width) from the J2 Vein.

Other drill highlights include: JDD0126 recording multiple intersections including 1.94 m at 4.43 g/t Au, 876 g/t Ag and 0.55% Cu (16.26 g/t AuEq, 0.78 m true width) from the J1 Hanging Wall; JDD0097 recording multiple intersections including 2.00 m at 15.48 g/t Au, 19 g/t Ag and 0.28% Cu (16.17 g/t AuEq, 1.01 m true width) from the J1 Vein, and; JDD0110 recording multiple intersections including 0.94 m at 35.30 g/t Au, 11 g/t Ag and 0.18% Cu (35.73 g/t AuEq, 0.67 m true width) from the J2 Vein.

Northern Deeps Maiden Results

The Northern Deeps target is testing a potential northern extension to the Kora Vein System or the Irumafimpa Vein system as well as the Judd Vein system at depth to the north of the known Kora Resource. Drilling recently commenced from the twin incline, and on the second drill hole completed, K92DD0002 recorded multiple intersections interpreted as the Judd and Kora Vein systems, including 3.08 m at 6.93 g/t Au, 6 g/t Ag and 0.11% Cu (7.18 g/t AuEq, 2.15 m true width) from the K1/M6 Vein. The intersection is potentially significant as it occurred ~700 m North of the Kora Resource and ~300 m below the Irumafimpa Resource. Drilling is underway and will progress towards the Kora Resource as the twin incline advances South.

Figures

Long sections of K1, K2 and J1 showing the location of the latest drill holes are provided in figures 1, 2 and 3, respectively. A long section showing Kora drilling to date is provided in figure 4. A long section showing Judd drilling to date is provided in figure 5. Core photographs of drill hole KMDD0495 is provided in figure 6 and JDD0079 is provided in figure 7.

John Lewins, K92 Chief Executive Officer and Director, stated, *“The latest drilling results have highlighted the significant resource growth potential of the Kora-Kora South and Judd-Judd South Vein systems.*

Firstly, the results extended the known drilled deposit strike length of each of the Kora-Kora South and Judd-Judd South vein systems by ~600 metres to the south. At Kora-Kora South, since the latest resource estimate (October 31, 2021 effective date) the known drilled strike length has been extended by +60%, while at Judd-Judd South, since its maiden resource estimate (December 31, 2021 effective date) the known drilled strike length has extended +130%.

It is important to highlight that at Kora we have observed a higher grade tenor as we explore deeper, making the next phase of drilling at Kora South targeting deeper surface holes and underground drilling at depth particularly exciting. One of our first holes drilled at Kora South from our southernmost underground drill cuddy, hole KMDD0495 recorded multiple intersections including 30.55 m at 12.82 g/t AuEq from the K2 Vein, with the hole terminating early due to ground conditions. KMDD0495 is also significant, as it intersected a potential dilatant zone, possibly extending the dilatant zone observed in surface drill hole KUDD0002 to depth by +400 metres.

Drilling at Judd also intersected dilatant zone mineralization, highlighted by hole KUDD0017 recording 25.00 m at 20.89 g/t AuEq from the J1 Vein. KUDD0017 is located ~100 metres from KUDD0001, which recorded a dilatant zone of 66.55 m at 5.02 g/t AuEq. Dilatant zones have the potential to deliver significant endowment at even moderate strike lengths.

Within Kora and Judd, underground drilling continues to demonstrate the high-grade and continuity of the system. The hit rate was once again very strong, with all holes intersecting mineralization, 8 intersections exceeding 20 g/t AuEq and 27 intersections exceeding 10 g/t AuEq. The results delivered multiple highlight intersections, expanding high-grade mineralization at multiple-areas including: KMDD0488 recording 18.00 m at 20.24 g/t AuEq from the K2 Vein; JDD0079 recording 6.18 m at 37.45 g/t AuEq from the J1 Vein, and; KMDD0481 recording 6.23 m at 43.40 g/t AuEq from the K1 Vein and 3.27 m at 13.00 g/t AuEq from the K2 Vein.

In addition, we have now commenced our first drilling program into our Northern Deeps target from drill cuddies located in the twin incline. The second hole drilled in this program recorded an intersection of 3.08 m at 7.18 g/t AuEq which we have interpreted as the K1/M6 Vein. This is one of the deepest holes drilled being over 300 metres below the Irumafimpa Resource at RL840m and importantly is ~700 m north of the Kora Resource.

With drilling currently underway at Kora, Kora South, Judd, Judd South, and Kora/Judd Northern Deeps, this is a very exciting time for exploration at Kainantu.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Kora-Kora South Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0444	46.50	51.60	5.10	2.54	11.46	13	0.12	11.82	K1
Including	46.50	47.10	0.60	0.30	1.02	3	0.37	1.65	
Including	47.10	47.70	0.60	0.30	0.25	4	0.26	0.72	
Including	47.70	48.20	0.50	0.25	0.66	2	0.03	0.74	
Including	48.20	48.80	0.60	0.30	2.24	2	0.04	2.32	
Including	48.80	49.30	0.50	0.25	100.53	8	0.20	100.96	
Including	49.30	49.70	0.40	0.20	2.23	2	0.06	2.35	
Including	49.70	50.20	0.50	0.25	4.99	92	0.04	6.20	
Including	50.20	50.90	0.70	0.35	1.57	7	0.03	1.70	
Including	50.90	51.60	0.70	0.35	1.81	6	0.02	1.92	
KMDD0444	150.00	152.00	2.00	1.00	9.96	1	0.01	9.99	
Including	150.00	151.00	1.00	0.50	16.70	1	0.01	16.73	
Including	151.00	152.00	1.00	0.50	3.21	1	0.01	3.24	
KMDD0462	138.50	145.00	6.50	3.07	4.01	52	4.42	11.76	K1
Including	138.50	139.25	0.75	0.35	8.73	147	11.25	28.65	
Including	139.25	140.20	0.95	0.45	0.40	23	1.62	3.29	
Including	140.20	141.40	1.20	0.57	15.41	149	7.63	29.53	
Including	141.40	142.60	1.20	0.57	0.13	7	1.14	2.05	
Including	142.60	143.25	0.65	0.31	0.42	16	9.14	15.31	
Including	143.25	144.00	0.75	0.35	0.05	3	0.08	0.21	
Including	144.00	145.00	1.00	0.47	0.17	5	2.23	3.82	
KMDD0462	152.50	154.00	1.50	0.71	0.99	178	17.53	31.39	K2
Including	152.50	153.20	0.70	0.33	0.22	12	9.23	15.20	
Including	153.20	154.00	0.80	0.38	1.66	323	24.80	45.55	
KMDD0462	170.00	171.50	1.50	0.71	0.18	49	4.62	8.22	K2HW
KMDD0466	152.60	159.20	6.60	3.27	2.80	37	2.93	7.97	K2
Including	152.60	154.70	2.10	1.04	7.72	108	8.61	22.91	
Including	154.70	156.00	1.30	0.64	0.28	2	0.16	0.56	
Including	156.00	157.00	1.00	0.50	0.12	1	0.02	0.17	
Including	157.00	158.00	1.00	0.50	0.60	1	0.03	0.66	
Including	158.00	159.20	1.20	0.59	1.01	8	0.85	2.47	
KMDD0472	133.58	133.85	0.27	0.10	3.14	25	0.02	3.48	
KMDD0472	157.50	169.00	11.50	4.29	16.15	57	0.27	17.30	K1
Including	157.50	158.60	1.10	0.41	1.13	2	0.21	1.50	
Including	158.60	159.05	0.45	0.17	21.69	42	0.33	22.74	
Including	159.05	160.00	0.95	0.35	31.63	10	0.17	32.03	
Including	160.00	161.00	1.00	0.37	0.96	3	0.04	1.06	
Including	161.00	161.82	0.82	0.31	1.59	28	0.09	2.09	
Including	161.82	162.60	0.78	0.29	42.42	349	0.72	47.93	
Including	162.60	163.12	0.52	0.19	82.32	450	0.07	88.06	
Including	163.12	164.00	0.88	0.33	2.32	4	0.02	2.40	
Including	164.00	164.60	0.60	0.22	0.53	2	0.03	0.60	
Including	164.60	165.60	1.00	0.37	21.78	7	0.09	22.02	
Including	165.60	166.65	1.05	0.39	29.28	30	0.20	29.97	
Including	166.65	167.70	1.05	0.39	0.68	3	0.08	0.85	
Including	167.70	168.05	0.35	0.13	8.62	71	4.14	16.16	
Including	168.05	169.00	0.95	0.35	8.32	28	0.03	8.71	
KMDD0472	174.00	174.40	0.40	0.15	7.16	18	0.96	8.93	
KMDD0472	194.40	195.00	0.60	0.22	1.45	12	0.16	1.86	K2
KMDD0477	124.05	133.58	9.53	4.89	7.63	6	0.71	8.85	K1
Including	124.05	124.73	0.68	0.35	1.59	1	0.48	2.37	
Including	124.73	125.60	0.87	0.45	0.34	1	0.29	0.82	
Including	125.60	126.00	0.40	0.21	1.61	1	0.24	2.01	
Including	126.00	126.80	0.80	0.41	2.98	4	1.07	4.76	
Including	126.80	127.26	0.46	0.24	49.22	3	0.35	49.81	
Including	127.26	128.00	0.74	0.38	0.32	1	0.10	0.49	
Including	128.00	128.60	0.60	0.31	2.07	4	0.25	2.51	
Including	128.60	129.10	0.50	0.26	0.44	2	0.05	0.54	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	129.10	130.00	0.90	0.46	0.31	3	0.06	0.44	
Including	130.00	131.00	1.00	0.51	1.75	5	0.08	1.94	
Including	131.00	131.83	0.83	0.43	16.16	8	0.25	16.67	
Including	131.83	132.79	0.96	0.49	7.39	9	1.27	9.54	
Including	132.79	133.58	0.79	0.41	27.13	32	4.14	34.18	
KMDD0477	146.27	152.92	6.65	3.42	8.33	29	2.88	13.32	K2
Including	146.27	147.15	0.88	0.45	0.29	7	1.50	2.78	
Including	147.15	148.20	1.05	0.54	38.57	122	8.68	54.04	
Including	148.20	148.64	0.44	0.23	0.33	13	1.32	2.62	
Including	148.64	149.00	0.36	0.19	0.44	9	2.28	4.22	
Including	149.00	149.80	0.80	0.41	0.24	5	0.42	0.98	
Including	149.80	150.54	0.74	0.38	0.69	11	2.97	5.60	
Including	150.54	151.00	0.46	0.24	0.40	6	1.03	2.12	
Including	151.00	152.00	1.00	0.51	0.14	3	0.78	1.43	
Including	152.00	152.45	0.45	0.23	0.13	6	0.16	0.46	
Including	152.45	152.92	0.47	0.24	28.18	59	7.36	40.75	
KMDD0478	157.08	159.00	1.92	0.84	0.18	18	1.52	2.85	K2
Including	157.08	158.29	1.21	0.53	0.25	27	2.31	4.30	
Including	158.29	159.00	0.71	0.31	0.07	2	0.18	0.38	
KMDD0479	30.55	41.70	11.15	9.01	4.11	8	0.13	4.42	K1
Including	30.55	31.10	0.55	0.44	8.85	3	0.08	9.01	
Including	31.10	31.83	0.73	0.59	13.36	2	0.04	13.45	
Including	31.83	32.36	0.53	0.43	0.65	2	0.02	0.71	
Including	32.36	32.95	0.59	0.48	0.42	1	0.01	0.45	
Including	32.95	33.85	0.90	0.73	2.34	2	0.02	2.40	
Including	33.85	34.31	0.46	0.37	17.49	4	0.06	17.64	
Including	34.31	35.10	0.79	0.64	8.60	3	0.07	8.75	
Including	35.10	35.70	0.60	0.48	0.25	2	0.18	0.57	
Including	35.70	37.00	1.30	1.05	2.42	15	0.08	2.74	
Including	37.00	38.70	1.70	1.37	4.14	16	0.17	4.61	
Including	38.70	39.40	0.70	0.57	1.28	16	0.08	1.61	
Including	39.40	41.70	2.30	1.86	1.05	10	0.32	1.70	
KMDD0479	51.80	52.05	0.25	0.20	6.52	22	0.36	7.37	
KMDD0479	98.85	100.82	1.97	1.56	6.19	4	0.36	6.82	K2
Including	98.85	99.80	0.95	0.75	3.32	5	0.30	3.87	
Including	99.80	100.82	1.02	0.81	8.86	3	0.42	9.57	
KMDD0479	115.60	118.20	2.60	2.06	1.49	17	0.99	3.29	K2HW
Including	115.60	116.00	0.40	0.32	2.38	41	4.25	9.72	
Including	116.00	116.70	0.70	0.55	0.28	9	0.18	0.68	
Including	116.70	117.25	0.55	0.44	0.13	9	0.06	0.34	
Including	117.25	118.20	0.95	0.75	2.80	17	0.75	4.22	
KMDD0480	151.60	163.10	11.50	4.82	0.48	10	1.55	3.10	K2
Including	151.60	153.00	1.40	0.59	2.15	14	0.65	3.37	
Including	153.00	153.30	0.30	0.13	1.59	10	1.10	3.48	
Including	153.30	154.50	1.20	0.50	0.05	2	0.04	0.13	
Including	154.50	156.00	1.50	0.63	0.41	9	1.03	2.18	
Including	156.00	157.60	1.60	0.67	0.13	8	1.30	2.32	
Including	157.60	158.60	1.00	0.42	0.56	28	7.28	12.61	
Including	158.60	159.60	1.00	0.42	0.27	10	2.56	4.51	
Including	159.60	161.00	1.40	0.59	0.09	7	1.32	2.31	
Including	161.00	162.00	1.00	0.42	0.06	1	0.07	0.18	
Including	162.00	162.90	0.90	0.38	0.04	1	0.06	0.16	
Including	162.90	163.10	0.20	0.08	0.37	67	5.74	10.43	
KMDD0481	33.55	39.78	6.23	4.70	43.12	8	0.11	43.40	K1
Including	33.55	34.25	0.70	0.53	42.21	2	0.04	42.30	
Including	34.25	34.74	0.49	0.37	462.90	11	0.11	463.21	
Including	34.74	35.50	0.76	0.57	1.55	1	0.01	1.59	
Including	35.50	36.50	1.00	0.75	1.07	1	0.01	1.11	
Including	36.50	37.30	0.80	0.60	1.36	4	0.05	1.50	
Including	37.30	38.18	0.88	0.66	1.30	2	0.07	1.43	
Including	38.18	38.78	0.60	0.45	4.77	23	0.67	6.14	
Including	38.78	39.78	1.00	0.75	4.92	24	0.10	5.38	
KMDD0481	104.50	107.77	3.27	1.67	10.42	16	1.48	13.00	K2
Including	104.50	105.50	1.00	0.51	0.21	1	0.09	0.37	
Including	105.50	106.93	1.43	0.73	21.59	31	2.28	25.64	
Including	106.93	107.35	0.42	0.21	0.13	1	0.04	0.21	
Including	107.35	107.77	0.42	0.21	6.95	18	3.53	12.85	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0481	144.94	145.50	0.56	0.29	1.27	18	0.72	2.65	
KMDD0482	120.70	127.90	7.20	3.17	3.87	10	1.19	5.91	K1
Including	120.70	121.46	0.76	0.33	0.72	5	0.10	0.94	
Including	121.46	121.84	0.38	0.17	20.89	14	0.58	22.00	
Including	121.84	122.65	0.81	0.36	5.07	6	0.67	6.21	
Including	122.65	123.60	0.95	0.42	0.79	3	0.19	1.14	
Including	123.60	124.56	0.96	0.42	2.46	6	0.99	4.12	
Including	124.56	125.10	0.54	0.24	8.67	15	0.69	9.96	
Including	125.10	125.40	0.30	0.13	0.64	11	0.66	1.84	
Including	125.40	126.00	0.60	0.26	9.31	31	4.28	16.58	
Including	126.00	126.60	0.60	0.26	0.06	2	0.13	0.30	
Including	126.60	127.20	0.60	0.26	0.09	2	0.04	0.18	
Including	127.20	127.60	0.40	0.18	2.73	43	7.85	15.88	
Including	127.60	127.90	0.30	0.13	1.74	9	0.86	3.23	
KMDD0482	143.70	149.60	5.90	2.81	8.27	28	2.20	12.16	K2
Including	143.70	144.50	0.80	0.38	1.43	2	0.07	1.57	
Including	144.50	145.50	1.00	0.48	0.13	3	0.03	0.22	
Including	145.50	146.50	1.00	0.48	0.09	4	0.15	0.39	
Including	146.50	146.90	0.40	0.19	1.81	7	1.22	3.86	
Including	146.90	147.80	0.90	0.43	3.94	39	6.09	14.21	
Including	147.80	148.70	0.90	0.43	35.75	113	4.24	43.98	
Including	148.70	149.60	0.90	0.43	12.19	22	3.29	17.75	
KMDD0482	158.50	159.30	0.80	0.34	43.73	49	9.37	59.40	K2HW
Including	158.50	159.30	0.80	0.34	43.73	49	9.37	59.40	
KMDD0483	271.50	279.65	8.15	2.13	0.64	41	4.45	8.30	K2
Including	271.50	272.00	0.50	0.13	0.89	18	4.15	7.78	
Including	272.00	273.00	1.00	0.26	0.71	67	4.83	9.31	
Including	273.00	274.70	1.70	0.44	0.37	60	4.17	7.82	
Including	274.70	275.00	0.30	0.08	2.83	71	9.19	18.49	
Including	275.00	276.00	1.00	0.26	0.61	35	6.67	11.77	
Including	276.00	277.00	1.00	0.26	1.36	39	7.24	13.48	
Including	277.00	278.14	1.14	0.30	0.35	34	3.05	5.68	
Including	278.14	279.00	0.86	0.22	0.10	10	1.13	2.04	
Including	279.00	279.35	0.35	0.09	0.19	22	2.09	3.82	
Including	279.35	279.65	0.30	0.08	0.25	19	1.43	2.79	
KMDD0484	122.58	130.55	7.97	3.76	6.06	10	1.19	8.10	K1
Including	122.58	123.62	1.04	0.49	22.97	15	1.10	24.93	
Including	123.62	124.60	0.98	0.46	4.14	6	0.21	4.55	
Including	124.60	125.39	0.79	0.37	8.40	18	0.34	9.18	
Including	125.39	126.00	0.61	0.29	13.84	8	0.27	14.38	
Including	126.00	127.00	1.00	0.47	4.21	6	0.36	4.86	
Including	127.00	127.70	0.70	0.33	0.18	6	0.35	0.82	
Including	127.70	128.30	0.60	0.28	0.36	14	2.55	4.63	
Including	128.30	129.30	1.00	0.47	0.16	8	1.50	2.68	
Including	129.30	130.55	1.25	0.59	0.44	10	3.27	5.82	
KMDD0484	141.40	150.10	8.70	4.13	14.11	24	2.79	18.89	K2
Including	141.40	142.12	0.72	0.34	0.53	17	2.12	4.15	
Including	142.12	142.83	0.71	0.34	0.28	9	2.63	4.62	
Including	142.83	143.50	0.67	0.32	0.54	10	0.92	2.14	
Including	143.50	144.40	0.90	0.43	1.37	17	3.81	7.71	
Including	144.40	145.65	1.25	0.59	11.07	17	3.11	16.28	
Including	145.65	146.40	0.75	0.36	0.26	4	0.27	0.74	
Including	146.40	147.20	0.80	0.38	49.77	61	3.18	55.64	
Including	147.20	147.92	0.72	0.34	15.89	72	5.14	25.05	
Including	147.92	148.84	0.92	0.44	19.14	41	4.89	27.51	
Including	148.84	150.10	1.26	0.60	29.90	6	1.59	32.53	
KMDD0484	165.10	166.35	1.25	0.60	3.06	18	3.06	8.20	K2HW
Including	165.10	166.35	1.25	0.60	3.06	18	3.06	8.20	
KMDD0486	81.96	86.10	4.14	2.85	7.96	7	0.63	9.06	K1
Including	81.96	82.28	0.32	0.22	1.19	3	0.65	2.28	
Including	82.28	82.80	0.52	0.36	45.47	8	0.42	46.24	
Including	82.80	83.10	0.30	0.21	6.56	21	4.09	13.40	
Including	83.10	83.60	0.50	0.34	3.02	2	0.57	3.97	
Including	83.60	84.00	0.40	0.28	0.71	1	0.06	0.82	
Including	84.00	84.95	0.95	0.65	0.86	2	0.08	1.01	
Including	84.95	86.10	1.15	0.79	3.78	11	0.49	4.70	
KMDD0486	98.42	101.28	2.86	1.97	1.19	4	0.21	1.58	K2

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	98.42	99.00	0.58	0.40	4.56	4	0.22	4.96	
Including	99.00	100.40	1.40	0.96	0.10	1	0.04	0.18	
Including	100.40	101.28	0.88	0.61	0.71	8	0.46	1.54	
KMDD0486	123.60	127.00	3.40	2.33	1.48	31	1.17	3.75	K3
Including	123.60	125.00	1.40	0.96	1.54	24	0.18	2.12	
Including	125.00	125.35	0.35	0.24	0.82	57	3.46	7.09	
Including	125.35	125.80	0.45	0.31	3.75	84	4.75	12.43	
Including	125.80	127.00	1.20	0.82	0.74	11	0.32	1.39	
KMDD0487	85.65	92.10	6.45	4.47	6.59	19	1.02	8.47	K1
Including	85.65	87.10	1.45	1.00	2.14	3	0.19	2.48	
Including	87.10	87.86	0.76	0.53	1.44	8	0.42	2.22	
Including	87.86	88.60	0.74	0.51	3.27	2	0.11	3.47	
Including	88.60	89.15	0.55	0.38	1.56	5	0.12	1.81	
Including	89.15	90.00	0.85	0.59	33.67	4	0.21	34.06	
Including	90.00	91.25	1.25	0.87	3.21	8	0.91	4.78	
Including	91.25	92.10	0.85	0.59	2.79	110	5.35	12.76	
KMDD0487	99.30	112.60	13.30	9.22	2.15	14	0.33	2.86	KL
Including	99.30	99.94	0.64	0.44	9.85	6	0.14	10.15	
Including	99.94	101.90	1.96	1.36	0.49	4	0.27	0.98	
Including	101.90	103.60	1.70	1.18	8.95	53	0.49	10.40	
Including	103.60	104.40	0.80	0.55	1.51	12	0.45	2.39	
Including	104.40	106.60	2.20	1.52	0.54	6	0.22	0.97	
Including	106.60	109.60	3.00	2.08	0.93	17	0.58	2.07	
Including	109.60	110.80	1.20	0.83	0.73	4	0.29	1.25	
Including	110.80	112.60	1.80	1.25	0.01	1	0.00	0.03	
KMDD0487	112.60	121.60	9.00	6.24	4.38	23	1.05	6.35	K2
Including	112.60	114.00	1.40	0.97	11.38	23	2.69	15.99	
Including	114.00	114.40	0.40	0.28	9.20	12	0.71	10.50	
Including	114.40	116.10	1.70	1.18	0.10	3	0.09	0.28	
Including	116.10	118.60	2.50	1.73	0.21	7	0.32	0.82	
Including	118.60	118.80	0.20	0.14	2.02	37	4.68	10.00	
Including	118.80	119.30	0.50	0.35	5.41	40	2.15	9.37	
Including	119.30	120.30	1.00	0.69	9.54	39	1.40	12.28	
Including	120.30	121.60	1.30	0.90	4.98	63	0.79	7.04	
KMDD0487	125.82	128.00	2.18	1.51	0.95	4	0.37	1.59	K2HW
Including	125.82	126.55	0.73	0.51	0.86	6	0.72	2.09	
Including	126.55	127.40	0.85	0.59	1.23	4	0.33	1.82	
Including	127.40	128.00	0.60	0.42	0.65	2	0.01	0.69	
KMDD0488	63.49	65.00	1.51	0.68	2.33	7	0.77	3.65	K1FW
Including	63.49	64.00	0.51	0.23	1.67	18	2.07	5.22	
Including	64.00	64.34	0.34	0.15	0.34	1	0.03	0.39	
Including	64.34	65.00	0.66	0.30	3.86	2	0.16	4.14	
KMDD0488	72.25	73.18	0.93	0.42	4.96	11	1.63	7.72	K1
Including	72.25	72.75	0.50	0.23	4.86	15	2.11	8.44	
Including	72.75	73.18	0.43	0.19	5.07	7	1.07	6.87	
KMDD0488	99.00	117.00	18.00	8.05	15.45	41	2.66	20.24	K2
Including	99.00	99.54	0.54	0.24	2.43	6	0.31	3.00	
Including	99.54	99.97	0.43	0.19	8.29	12	2.13	11.86	
Including	99.97	100.36	0.39	0.17	9.45	10	0.40	10.22	
Including	100.36	100.77	0.41	0.18	43.20	59	3.14	48.98	
Including	100.77	101.27	0.50	0.22	16.72	32	1.52	19.57	
Including	101.27	101.56	0.29	0.13	1.85	11	0.98	3.55	
Including	101.56	101.88	0.32	0.14	0.05	2	0.07	0.18	
Including	101.88	102.16	0.28	0.13	0.74	6	0.99	2.40	
Including	102.16	102.58	0.42	0.19	149.80	12	1.20	151.87	
Including	102.58	102.80	0.22	0.10	16.71	65	2.79	22.01	
Including	102.80	103.60	0.80	0.36	0.40	7	0.62	1.49	
Including	103.60	104.77	1.17	0.52	1.34	18	2.86	6.16	
Including	104.77	105.20	0.43	0.19	0.26	5	0.81	1.63	
Including	105.20	106.00	0.80	0.36	2.79	52	4.77	11.11	
Including	106.00	107.00	1.00	0.45	0.86	35	4.45	8.45	
Including	107.00	107.30	0.30	0.13	0.67	34	3.28	6.37	
Including	107.30	107.66	0.36	0.16	4.14	38	5.32	13.16	
Including	107.66	108.57	0.91	0.41	1.52	29	7.19	13.44	
Including	108.57	109.16	0.59	0.26	0.24	6	0.33	0.84	
Including	109.16	110.00	0.84	0.38	0.10	2	0.16	0.39	
Including	110.00	111.00	1.00	0.45	2.33	34	1.56	5.26	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	111.00	113.43	2.43	1.09	59.70	131	4.97	69.32	
Including	113.43	114.00	0.57	0.25	3.23	115	5.46	13.44	
Including	114.00	115.00	1.00	0.45	3.75	29	1.53	6.57	
Including	115.00	116.20	1.20	0.54	6.01	23	0.40	6.95	
Including	116.20	117.00	0.80	0.36	9.46	32	2.48	13.85	
KMDD0489	40.85	41.85	1.00	0.33	1.03	12	2.02	4.43	K1FW
Including	40.85	41.60	0.75	0.25	0.56	5	0.22	0.98	
Including	41.60	41.85	0.25	0.08	2.45	33	7.42	14.79	
KMDD0489	146.85	150.00	3.15	1.08	2.85	13	1.24	5.01	K1
Including	146.85	147.44	0.59	0.20	0.73	10	2.11	4.25	
Including	147.44	148.00	0.56	0.19	7.65	19	1.42	10.16	
Including	148.00	149.00	1.00	0.34	2.06	16	1.03	3.92	
Including	149.00	150.00	1.00	0.34	2.21	9	0.83	3.66	
KMDD0489	152.00	172.61	20.61	6.72	6.34	32	3.30	12.04	K2
Including	152.00	153.14	1.14	0.37	0.13	4	0.33	0.72	
Including	153.14	154.10	0.96	0.31	106.20	76	4.77	114.82	
Including	154.10	154.60	0.50	0.16	6.88	11	2.84	11.58	
Including	154.60	155.45	0.85	0.28	0.23	8	1.53	2.78	
Including	155.45	156.00	0.55	0.18	0.07	4	0.17	0.39	
Including	156.00	157.00	1.00	0.33	0.05	11	1.82	3.12	
Including	157.00	158.10	1.10	0.36	0.13	1	0.42	0.82	
Including	158.10	158.77	0.67	0.22	0.02	1	0.39	0.66	
Including	158.77	160.00	1.23	0.40	0.04	1	0.04	0.12	
Including	160.00	160.93	0.93	0.30	0.04	1	0.07	0.17	
Including	160.93	162.00	1.07	0.35	0.02	1	0.04	0.10	
Including	162.00	163.00	1.00	0.33	0.03	1	0.03	0.10	
Including	163.00	164.00	1.00	0.33	0.13	2	0.21	0.48	
Including	164.00	164.78	0.78	0.25	0.07	3	0.08	0.24	
Including	164.78	165.89	1.11	0.36	0.27	6	1.26	2.37	
Including	165.89	166.30	0.41	0.13	0.42	7	2.23	4.09	
Including	166.30	166.84	0.54	0.18	0.67	16	5.48	9.68	
Including	166.84	167.37	0.53	0.17	0.78	24	5.84	10.46	
Including	167.37	167.96	0.59	0.19	8.78	46	9.98	25.40	
Including	167.96	168.74	0.78	0.25	2.19	25	2.57	6.63	
Including	168.74	169.74	1.00	0.33	5.86	328	17.71	38.42	
Including	169.74	170.43	0.69	0.22	3.67	158	23.84	43.95	
Including	170.43	171.00	0.57	0.19	5.46	18	2.54	9.77	
Including	171.00	171.72	0.72	0.23	4.48	19	3.43	10.23	
Including	171.72	172.18	0.46	0.15	0.94	10	1.58	3.60	
Including	172.18	172.61	0.43	0.14	2.40	20	4.98	10.65	
KMDD0489	177.00	186.00	9.00	3.12	0.68	25	1.61	3.58	K2HW
Including	177.00	177.80	0.80	0.28	0.50	12	3.58	6.40	
Including	177.80	179.00	1.20	0.42	0.24	8	1.57	2.86	
Including	179.00	180.00	1.00	0.35	0.34	22	3.11	5.61	
Including	180.00	181.00	1.00	0.35	0.52	22	3.34	6.16	
Including	181.00	182.00	1.00	0.35	0.49	14	1.54	3.13	
Including	182.00	183.00	1.00	0.35	0.24	6	0.30	0.80	
Including	183.00	184.00	1.00	0.35	1.93	107	0.46	4.00	
Including	184.00	185.00	1.00	0.35	1.00	19	0.63	2.26	
Including	185.00	186.00	1.00	0.35	0.88	14	0.41	1.71	
KMDD0490	78.55	82.00	3.45	2.17	3.01	20	2.62	7.47	K1
Including	78.55	79.39	0.84	0.53	0.91	49	2.56	5.64	
Including	79.39	79.73	0.34	0.21	0.09	5	0.49	0.93	
Including	79.73	80.40	0.67	0.42	9.26	11	3.19	14.52	
Including	80.40	80.82	0.42	0.26	2.45	12	1.60	5.16	
Including	80.82	81.50	0.68	0.43	2.75	16	5.02	11.02	
Including	81.50	82.00	0.50	0.31	0.94	7	1.00	2.63	
KMDD0490	92.71	93.00	0.29	0.21	13.08	19	1.47	15.68	K2
Including	92.71	93.00	0.29	0.21	13.08	19	1.47	15.67	
KMDD0490	113.00	120.52	7.52	5.46	5.05	15	0.62	6.23	K2HW
Including	113.00	114.00	1.00	0.73	5.40	43	0.90	7.39	
Including	114.00	115.00	1.00	0.73	1.93	10	0.27	2.49	
Including	115.00	116.00	1.00	0.73	0.52	3	0.18	0.84	
Including	116.00	117.00	1.00	0.73	5.69	29	0.92	7.53	
Including	117.00	118.00	1.00	0.73	10.45	16	0.37	11.24	
Including	118.00	119.20	1.20	0.87	10.69	4	0.32	11.25	
Including	119.20	119.70	0.50	0.36	0.70	6	1.06	2.47	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	119.70	120.52	0.82	0.60	1.00	8	1.34	3.25	
KMDD0491	58.03	64.00	5.97	4.59	3.63	7	0.63	4.73	K1
Including	58.03	59.10	1.07	0.82	2.62	4	0.22	3.03	
Including	59.10	60.60	1.50	1.15	0.41	4	0.22	0.81	
Including	60.60	62.10	1.50	1.15	10.57	5	0.62	11.62	
Including	62.10	64.00	1.90	1.46	1.26	12	1.19	3.32	
KMDD0491	69.90	74.25	4.35	3.34	2.85	19	1.86	6.08	K2
Including	69.90	70.90	1.00	0.77	5.85	4	0.37	6.50	
Including	70.90	71.90	1.00	0.77	1.84	30	3.29	7.50	
Including	71.90	72.62	0.72	0.55	0.94	23	0.96	2.76	
Including	72.62	73.45	0.83	0.64	0.82	31	2.74	5.61	
Including	73.45	74.25	0.80	0.61	4.20	10	1.81	7.23	
KMDD0492	260.50	274.10	13.60	3.79	0.35	30	1.80	3.62	K2
Including	260.50	260.90	0.40	0.11	0.07	9	3.11	5.18	
Including	260.90	261.20	0.30	0.08	0.01	7	1.36	2.28	
Including	261.20	261.60	0.40	0.11	0.15	28	2.94	5.22	
Including	261.60	262.40	0.80	0.22	0.80	48	6.69	12.15	
Including	262.40	263.30	0.90	0.25	0.11	10	1.21	2.19	
Including	263.30	264.20	0.90	0.25	0.12	15	0.44	1.01	
Including	264.20	265.25	1.05	0.29	0.21	16	0.86	1.80	
Including	265.25	266.20	0.95	0.26	0.01	5	0.16	0.32	
Including	266.20	267.80	1.60	0.45	0.01	8	0.46	0.85	
Including	267.80	268.40	0.60	0.17	0.01	5	0.07	0.18	
Including	268.40	269.25	0.85	0.24	0.25	12	1.51	2.83	
Including	269.25	270.20	0.95	0.26	0.01	2	0.19	0.34	
Including	270.20	271.15	0.95	0.26	0.01	8	0.69	1.21	
Including	271.15	272.15	1.00	0.28	0.12	18	1.97	3.51	
Including	272.15	273.10	0.95	0.26	3.18	197	6.07	15.40	
Including	273.10	274.10	1.00	0.28	0.24	62	3.14	6.06	
KMDD0495	272.45	303.00	30.55	11.80	4.15	78	4.79	12.82	K2
Including	272.45	274.00	1.55	0.34	0.73	269	19.90	36.06	
Including	274.00	275.00	1.00	0.40	0.64	105	4.09	8.52	
Including	275.00	276.00	1.00	0.40	0.42	53	2.08	4.42	
Including	276.00	276.92	0.92	0.36	0.54	60	3.02	6.14	
Including	276.92	277.95	1.03	0.41	2.06	255	2.71	9.60	
Including	277.95	279.00	1.05	0.42	0.19	16	0.81	1.70	
Including	279.00	280.00	1.00	0.40	0.15	20	1.04	2.07	
Including	280.00	281.00	1.00	0.40	0.18	24	1.18	2.38	
Including	281.00	282.00	1.00	0.40	0.21	10	0.73	1.51	
Including	282.00	283.00	1.00	0.40	0.15	23	0.76	1.66	
Including	283.00	284.00	1.00	0.40	0.19	19	1.46	2.77	
Including	284.00	285.00	1.00	0.40	0.21	26	1.95	3.67	
Including	285.00	286.00	1.00	0.40	0.05	8	0.78	1.40	
Including	286.00	287.00	1.00	0.40	0.04	4	0.62	1.08	
Including	287.00	288.00	1.00	0.40	0.04	3	0.29	0.54	
Including	288.00	289.00	1.00	0.40	0.11	8	1.95	3.34	
Including	289.00	290.00	1.00	0.40	0.11	4	0.34	0.70	
Including	290.00	290.70	0.70	0.28	0.03	2	0.48	0.82	
Including	290.70	291.40	0.70	0.28	0.14	5	1.35	2.37	
Including	291.40	292.40	1.00	0.40	1.36	126	5.83	12.30	
Including	292.40	293.75	1.35	0.53	3.23	133	6.56	15.43	
Including	293.75	295.20	1.45	0.57	7.10	188	12.71	29.87	
Including	295.20	296.20	1.00	0.40	2.23	124	14.97	27.83	
Including	296.20	297.20	1.00	0.40	23.15	262	22.10	61.93	
Including	297.20	298.00	0.80	0.32	35.25	304	20.40	71.82	
Including	298.00	299.00	1.00	0.40	4.89	130	10.22	22.93	
Including	299.00	299.70	0.70	0.28	0.28	53	3.55	6.65	
Including	299.70	300.47	0.77	0.30	0.10	7	0.28	0.64	
Including	300.47	301.40	0.93	0.37	6.13	40	1.01	8.26	
Including	301.40	302.00	0.60	0.24	61.64	65	0.97	64.00	
Including	302.00	303.00	1.00	0.40	0.25	2	0.04	0.35	
KMDD0493	279.30	280.60	1.30	0.45	5.91	111	7.85	19.99	K2
Including	279.30	279.78	0.48	0.17	8.10	125	5.92	19.27	
Including	279.78	279.95	0.17	0.06	5.70	131	5.24	15.86	
Including	279.95	280.40	0.45	0.16	6.10	127	7.81	20.33	
Including	280.40	280.60	0.20	0.07	0.38	26	14.79	24.45	
KMDD0493	318.17	319.20	1.03	0.37	1.18	16	0.50	2.20	K2HW

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	318.17	318.34	0.17	0.06	2.04	45	0.97	4.19	
Including	318.34	318.50	0.16	0.06	0.18	2	0.03	0.25	
Including	318.50	318.71	0.21	0.08	0.93	16	1.26	3.17	
Including	318.71	319.20	0.49	0.18	1.32	10	0.17	1.73	
KMDD0494	321.60	331.60	10.00	3.12	2.09	66	3.62	8.73	K2
Including	321.60	322.00	0.40	0.12	1.16	18	1.96	4.53	
Including	322.00	323.00	1.00	0.31	0.32	21	1.33	2.72	
Including	323.00	323.40	0.40	0.12	0.58	68	4.29	8.32	
Including	323.40	324.15	0.75	0.23	0.55	107	7.24	13.52	
Including	324.15	325.10	0.95	0.30	0.11	9	0.59	1.17	
Including	325.10	325.85	0.75	0.23	0.15	20	2.18	3.90	
Including	325.85	326.70	0.85	0.26	0.40	29	3.14	5.81	
Including	326.70	327.40	0.70	0.22	0.27	108	7.25	13.27	
Including	327.40	327.85	0.45	0.14	0.18	26	2.24	4.10	
Including	327.85	328.15	0.30	0.09	3.76	251	15.48	31.77	
Including	328.15	329.70	1.55	0.48	0.01	8	0.25	0.52	
Including	329.70	330.45	0.75	0.23	22.98	336	9.23	42.01	
Including	330.45	331.60	1.15	0.36	0.25	44	3.53	6.47	
K92DD0001	264.00	264.80	0.80	0.65	1.52	5	0.27	2.02	K1
Including	264.00	264.80	0.80	0.65	1.52	5	0.27	2.01	
K92DD0001	272.46	274.60	2.14	1.73	0.68	9	0.01	0.81	I10
Including	272.46	273.50	1.04	0.84	0.18	13	0.01	0.36	
Including	273.50	274.60	1.10	0.89	1.15	6	0.01	1.23	
K92DD0001	293.60	295.25	1.65	1.34	0.29	14	0.25	0.87	K2
Including	293.60	294.30	0.70	0.57	0.39	21	0.40	1.30	
Including	294.30	295.00	0.70	0.57	0.18	6	0.08	0.39	
Including	295.00	295.25	0.25	0.20	0.29	18	0.25	0.92	
K92DD0002	305.22	308.30	3.08	2.15	6.93	6	0.11	7.18	M6/K1
Including	305.22	306.20	0.98	0.68	0.55	5	0.18	0.90	
Including	306.20	306.90	0.70	0.49	0.24	3	0.11	0.45	
Including	306.90	307.60	0.70	0.49	18.40	9	0.04	18.58	
Including	307.60	308.30	0.70	0.49	11.07	6	0.07	11.26	
K92DD0002	362.55	366.70	4.15	2.90	0.65	6	0.11	0.90	R3/K2
Including	362.55	362.83	0.28	0.20	0.60	2	0.08	0.75	
Including	362.83	363.35	0.52	0.36	0.95	3	0.15	1.23	
Including	363.35	363.67	0.32	0.22	0.78	8	0.27	1.31	
Including	363.67	364.50	0.83	0.58	0.60	2	0.03	0.68	
Including	364.50	365.36	0.86	0.60	0.98	14	0.16	1.42	
Including	365.36	366.00	0.64	0.45	0.52	3	0.01	0.58	
Including	366.00	366.70	0.70	0.49	0.14	7	0.13	0.43	
KUDD0003	25.20	27.10	1.90	1.00	3.29	14	0.06	3.57	
including	25.20	26.50	1.30	0.68	4.68	13	0.06	4.93	
including	26.50	27.10	0.60	0.32	0.29	16	0.08	0.62	
KUDD0003	328.00	332.00	4.00	2.11	1.35	47	1.24	3.93	KLS
including	328.00	328.30	0.30	0.16	1.95	29	0.59	3.26	
including	328.30	328.60	0.30	0.16	5.52	98	2.67	11.04	
including	328.60	329.40	0.80	0.42	0.71	81	2.68	6.03	
including	329.40	330.10	0.70	0.37	0.20	70	0.54	1.95	
including	330.10	331.00	0.90	0.47	0.04	1	0.02	0.08	
including	331.00	332.00	1.00	0.53	2.41	37	1.42	5.16	
KUDD0003	436.47	441.22	4.75	2.50	0.45	48	2.89	5.69	K1
including	436.47	437.20	0.73	0.38	0.21	11	0.55	1.24	
including	437.20	438.50	1.30	0.68	0.01	5	0.83	1.41	
including	438.50	440.20	1.70	0.89	0.95	124	6.96	13.68	
including	440.20	441.22	1.02	0.54	0.33	4	0.39	1.01	
KUDD0003	458.40	465.75	7.35	3.87	4.83	155	2.27	10.41	K2
including	458.40	459.53	1.13	0.59	2.62	252	3.15	10.83	
including	459.53	461.30	1.77	0.93	8.79	172	0.12	11.13	
including	461.30	462.55	1.25	0.66	0.76	2	0.02	0.82	
including	462.55	462.90	0.35	0.18	0.75	15	0.06	1.03	
including	462.90	463.58	0.68	0.36	9.13	393	1.29	16.11	
including	463.58	464.42	0.84	0.44	6.65	155	5.60	17.59	
including	464.42	465.75	1.33	0.70	2.98	110	5.46	13.13	
KUDD0005	245.90	250.00	4.10	3.14	5.39	21	0.61	6.64	KLS
including	245.90	246.70	0.80	0.61	12.66	23	0.54	13.81	
including	246.70	247.40	0.70	0.54	0.52	25	0.12	1.03	
including	247.40	247.66	0.26	0.20	0.48	41	2.16	4.46	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	247.66	248.60	0.94	0.72	0.24	12	0.29	0.85	
including	248.60	250.00	1.40	1.07	8.05	21	0.83	9.64	
KUDD0005	316.60	324.44	7.84	6.01	2.74	82	0.31	4.28	K1
including	316.60	317.55	0.95	0.73	0.51	490	1.15	8.49	
including	317.55	318.25	0.70	0.54	0.14	4	0.02	0.22	
including	318.25	318.66	0.41	0.31	0.54	382	3.17	10.41	
including	318.66	319.70	1.04	0.80	0.06	2	0.01	0.10	
including	319.70	320.92	1.22	0.94	0.01	11	0.01	0.16	
including	320.92	322.40	1.48	1.13	0.01	2	0.01	0.05	
including	322.40	323.40	1.00	0.77	0.04	1	0.01	0.07	
including	323.40	324.44	1.04	0.80	19.75	2	0.01	19.79	
KUDD0005	339.10	347.00	7.90	6.06	1.09	90	2.86	6.81	K2
including	339.10	339.70	0.60	0.46	0.72	21	0.87	2.38	
including	339.70	340.20	0.50	0.38	1.11	138	8.21	16.03	
including	340.20	341.30	1.10	0.84	0.82	154	11.08	20.55	
including	341.30	342.10	0.80	0.61	0.43	7	0.40	1.17	
including	342.10	343.00	0.90	0.69	0.52	4	0.26	0.98	
including	343.00	343.70	0.70	0.54	4.24	33	1.29	6.72	
including	343.70	343.95	0.25	0.19	4.56	1190	13.88	41.74	
including	343.95	344.70	0.75	0.58	1.54	55	0.73	3.41	
including	344.70	345.69	0.99	0.76	0.15	9	0.04	0.33	
including	345.69	347.00	1.31	1.00	0.39	63	0.19	1.48	
KUDD0006	91.00	98.60	7.60	5.19	0.08	14	0.01	0.28	K2
including	91.00	92.00	1.00	0.68	0.27	10	0.02	0.43	
including	92.00	93.10	1.10	0.75	0.08	25	0.02	0.42	
including	93.10	94.00	0.90	0.61	0.10	28	0.02	0.48	
including	94.00	95.30	1.30	0.89	0.04	4	0.00	0.10	
including	95.30	96.30	1.00	0.68	0.04	5	0.01	0.11	
including	96.30	97.40	1.10	0.75	0.03	14	0.01	0.23	
including	97.40	98.60	1.20	0.82	0.02	16	0.03	0.26	
KUDD0006	133.80	141.30	7.50	5.12	0.17	26	1.64	3.12	K1
including	133.80	134.35	0.55	0.38	0.19	3	0.26	0.64	
including	134.35	135.35	1.00	0.68	0.15	4	0.09	0.35	
including	135.35	136.10	0.75	0.51	0.69	169	15.02	26.94	
including	136.10	136.65	0.55	0.38	0.06	7	0.09	0.29	
including	136.65	137.15	0.50	0.34	0.07	6	0.03	0.19	
including	137.15	138.25	1.10	0.75	0.08	11	0.23	0.59	
including	138.25	139.25	1.00	0.68	0.05	11	0.04	0.25	
including	139.25	140.25	1.00	0.68	0.09	7	0.03	0.23	
including	140.25	141.30	1.05	0.72	0.20	21	0.36	1.04	
KUDD0006	197.00	201.50	4.50	3.07	0.47	6	0.06	0.63	KLS
including	197.00	197.55	0.55	0.38	0.05	12	0.01	0.21	
including	197.55	198.30	0.75	0.51	0.06	3	0.01	0.11	
including	198.30	199.40	1.10	0.75	0.05	1	0.01	0.08	
including	199.40	200.10	0.70	0.48	0.01	2	0.01	0.05	
including	200.10	201.50	1.40	0.96	1.42	10	0.16	1.80	
KUDD0007	140.30	146.30	6.00	4.17	2.86	1	0.01	2.89	K2
including	140.30	141.00	0.70	0.49	1.35	1	0.01	1.38	
including	141.00	142.70	1.70	1.18	0.07	1	0.01	0.10	
including	142.70	144.00	1.30	0.90	0.03	1	0.01	0.05	
including	144.00	145.50	1.50	1.04	6.90	2	0.01	6.94	
including	145.50	146.30	0.80	0.56	7.13	1	0.01	7.16	
KUDD0007	156.60	157.52	0.92	0.64	0.55	1	0.01	0.58	K1
KUDD0007	240.00	243.31	3.31	2.30	5.75	4	0.01	5.82	K1
including	240.00	241.00	1.00	0.69	9.50	9	0.01	9.63	
including	241.00	242.25	1.25	0.87	7.37	3	0.01	7.42	
including	242.25	243.31	1.06	0.74	0.31	1	0.01	0.34	
KUDD0008	201.65	206.60	4.95	3.71	0.29	32	0.33	1.23	KLS
including	201.65	202.65	1.00	0.75	0.27	8	0.55	1.25	
including	202.65	203.50	0.85	0.64	0.71	162	0.11	2.91	
including	203.50	205.20	1.70	1.28	0.15	7	0.55	1.12	
including	205.20	205.60	0.40	0.30	0.01	1	0.01	0.04	
including	205.60	206.60	1.00	0.75	0.28	2	0.08	0.43	
KUDD0008	236.95	245.60	8.65	6.49	0.44	34	0.99	2.47	K1
including	236.95	237.95	1.00	0.75	0.61	8	0.55	1.60	
including	237.95	238.90	0.95	0.71	0.86	39	2.25	4.96	
including	238.90	239.20	0.30	0.23	0.13	32	3.75	6.56	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	239.20	240.20	1.00	0.75	0.02	2	0.33	0.57	
including	240.20	241.25	1.05	0.79	0.02	3	0.33	0.58	
including	241.25	242.70	1.45	1.09	1.15	2	0.25	1.57	
including	242.70	243.70	1.00	0.75	0.30	3	0.54	1.20	
including	243.70	244.70	1.00	0.75	0.15	9	0.30	0.74	
including	244.70	245.60	0.90	0.68	0.23	248	3.25	8.55	
KUDD0008	256.70	261.40	4.70	3.52	2.90	15	2.46	7.05	K2
including	256.70	257.90	1.20	0.90	0.17	10	1.40	2.54	
including	257.90	258.80	0.90	0.68	1.31	50	8.97	16.35	
including	258.80	259.30	0.50	0.38	0.30	17	3.53	6.19	
including	259.30	260.45	1.15	0.86	9.15	4	0.04	9.26	
including	260.45	261.40	0.95	0.71	1.68	1	0.02	1.72	
KUDD0009	174.50	179.30	4.80	1.92	1.26	48	0.68	2.95	K2
including	174.50	175.40	0.90	0.36	0.83	1	0.01	0.86	
including	175.40	176.00	0.60	0.24	0.40	13	0.05	0.64	
including	176.00	176.70	0.70	0.28	6.47	284	4.43	17.14	
including	176.70	177.60	0.90	0.36	0.19	8	0.09	0.44	
including	177.60	178.57	0.97	0.39	0.09	4	0.02	0.17	
including	178.57	179.30	0.73	0.29	0.37	13	0.03	0.59	
KUDD0009	223.60	228.60	5.00	2.00	4.16	44	0.02	4.75	K1
including	223.60	225.00	1.40	0.56	4.24	152	0.04	6.21	
including	225.00	226.00	1.00	0.40	0.11	4	0.01	0.18	
including	226.00	226.70	0.70	0.28	0.05	2	0.01	0.10	
including	226.70	227.60	0.90	0.36	0.09	1	0.01	0.12	
including	227.60	228.60	1.00	0.40	14.66	2	0.01	14.70	
KUDD0009	266.00	278.02	12.02	4.81	1.33	25	0.42	2.32	KLS
including	266.00	267.00	1.00	0.40	1.32	181	0.15	3.82	
including	267.00	268.00	1.00	0.40	0.53	15	0.04	0.78	
including	268.00	269.00	1.00	0.40	3.82	8	0.04	3.98	
including	269.00	270.10	1.10	0.44	7.38	22	0.18	7.94	
including	270.10	270.43	0.33	0.13	1.86	3	0.04	1.95	
including	270.43	271.40	0.97	0.39	0.15	2	0.03	0.22	
including	271.40	272.30	0.90	0.36	0.12	6	0.39	0.82	
including	272.30	272.80	0.50	0.20	0.12	5	0.42	0.85	
including	272.80	274.00	1.20	0.48	0.11	1	0.02	0.15	
including	274.00	275.00	1.00	0.40	0.55	3	0.20	0.91	
including	275.00	275.85	0.85	0.34	0.05	3	0.23	0.46	
including	275.85	276.20	0.35	0.14	0.15	66	3.79	7.07	
including	276.20	276.80	0.60	0.24	0.06	10	0.62	1.19	
including	276.80	278.02	1.22	0.49	0.42	18	1.56	3.15	
KUDD0010	146.00	147.00	1.00	0.56	0.07	1	0.01	0.09	K2
KUDD0010	245.80	249.60	3.80	2.11	3.52	1	0.01	3.55	K1
including	245.80	246.90	1.10	0.61	11.88	2	0.01	11.93	
including	246.90	247.45	0.55	0.31	0.17	1	0.01	0.20	
including	247.45	249.60	2.15	1.19	0.10	1	0.01	0.13	
KUDD0010	315.83	323.82	7.99	4.44	1.02	4	0.01	1.08	KLS
including	315.83	317.23	1.40	0.78	0.73	1	0.01	0.76	
including	317.23	317.85	0.62	0.34	0.20	1	0.01	0.22	
including	317.85	318.45	0.60	0.33	5.44	9	0.01	5.57	
including	318.45	319.46	1.01	0.56	0.25	1	0.01	0.27	
including	319.46	321.26	1.80	1.00	0.15	1	0.01	0.17	
including	321.26	322.40	1.14	0.63	0.06	1	0.01	0.08	
including	322.40	323.82	1.42	0.79	2.22	16	0.01	2.43	
KUDD0011	26.40	29.40	3.00	1.73	6.92	4	0.02	7.00	K1
KUDD0011	126.00	127.00	1.00	0.58	0.04	1	0.01	0.06	K2
KUDD0012	62.60	64.10	1.50	0.74	6.21	1	0.01	6.24	KLS
KUDD0013	152.70	154.00	1.30	0.79	0.09	1	0.01	0.12	K2
KUDD0013	212.00	213.50	1.50	0.92	0.29	1	0.01	0.32	K1
KUDD0013	290.00	291.70	1.70	1.04	3.62	1	0.01	3.65	KLS
KUDD0014	156.38	162.90	6.52	2.04	1.47	28	0.18	2.10	K1
including	156.38	157.30	0.92	0.29	9.20	6	0.06	9.37	
including	157.30	158.39	1.09	0.34	0.23	4	0.11	0.45	
including	158.39	159.35	0.96	0.30	0.13	31	0.39	1.14	
including	159.35	160.00	0.65	0.20	0.20	30	0.53	1.43	
including	160.00	161.00	1.00	0.31	0.10	3	0.07	0.25	
including	161.00	161.70	0.70	0.22	0.13	9	0.17	0.51	
including	161.70	162.90	1.20	0.38	0.37	94	0.06	1.64	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KUDD0014	375.40	385.50	10.10	3.16	3.56	269	1.38	9.14	K2
including	375.40	376.40	1.00	0.31	0.87	30	0.03	1.29	
including	376.40	378.00	1.60	0.50	0.32	116	0.03	1.81	
including	378.00	379.00	1.00	0.31	0.05	10	0.01	0.19	
including	379.00	380.10	1.10	0.34	1.04	70	0.01	1.93	
including	380.10	380.90	0.80	0.25	0.35	19	0.01	0.61	
including	380.90	381.60	0.70	0.22	0.29	15	0.02	0.50	
including	381.60	383.00	1.40	0.44	14.41	1320	0.35	31.47	
including	383.00	383.60	0.60	0.19	19.94	490	11.21	44.08	
including	383.60	384.05	0.45	0.14	1.24	396	10.14	22.48	
including	384.05	385.50	1.45	0.45	0.12	45	1.44	3.00	
KUDD0015	196.85	197.75	0.90	0.39	0.01	2	0.03	0.08	K2
KUDD0015	236.50	237.15	0.65	0.28	0.17	3	0.07	0.33	K1
KUDD0016	26.20	31.00	4.80	1.16	3.44	2	0.02	3.50	KLS
including	26.20	27.00	0.80	0.19	3.39	1	0.01	3.42	
including	27.00	28.50	1.50	0.36	3.35	2	0.01	3.39	
including	28.50	29.90	1.40	0.34	5.38	1	0.01	5.41	
including	29.90	31.00	1.10	0.27	1.14	4	0.05	1.26	
KUDD0017	311.90	315.60	3.70	2.62	0.28	9	0.98	1.96	KLS
including	311.90	313.00	1.10	0.78	0.06	14	2.16	3.71	
including	313.00	315.60	2.60	1.84	0.37	7	0.48	1.22	
KUDD0017	376.57	380.10	3.53	2.50	0.23	22	0.04	0.57	K1
including	376.57	377.45	0.88	0.62	0.51	59	0.08	1.37	
including	377.45	379.00	1.55	1.10	0.16	9	0.01	0.29	
including	379.00	380.10	1.10	0.78	0.09	12	0.06	0.34	
KUDD0017	422.67	427.68	5.01	3.55	0.68	206	1.62	5.85	K2
including	422.67	423.50	0.83	0.59	1.88	147	7.73	16.14	
including	423.50	424.30	0.80	0.57	0.63	212	0.95	4.80	
including	424.30	425.13	0.83	0.59	0.59	680	0.49	9.88	
including	425.13	426.48	1.35	0.96	0.20	106	0.15	1.76	
including	426.48	427.68	1.20	0.85	0.50	27	0.26	1.26	
KUDD0018	258.34	262.70	4.36	0.87	0.04	5	0.04	0.16	K2
including	258.34	259.05	0.71	0.14	0.01	14	0.01	0.20	
including	259.05	260.15	1.10	0.22	0.01	1	0.01	0.04	
including	260.15	260.75	0.60	0.12	0.09	4	0.06	0.23	
including	260.75	261.55	0.80	0.16	0.12	4	0.07	0.29	
including	261.55	262.70	1.15	0.23	0.02	3	0.05	0.14	
KUDD0018	321.60	324.00	2.40	0.48	0.10	2	0.03	0.16	K1
including	321.60	322.70	1.10	0.22	0.18	1	0.01	0.21	
including	322.70	324.00	1.30	0.26	0.03	2	0.04	0.12	
KUDD0019	397.14	399.70	2.56	1.28	2.52	46	0.48	3.87	KLS
including	397.14	397.85	0.71	0.36	1.41	64	0.01	2.23	
including	397.85	398.90	1.05	0.53	4.21	53	1.07	6.60	
including	398.90	399.70	0.80	0.40	1.29	21	0.12	1.74	
KUDD0019	605.00	607.00	2.00	1.00	3.31	8	0.01	3.43	K1
including	605.00	605.90	0.90	0.45	0.99	12	0.02	1.17	
including	605.90	607.00	1.10	0.55	5.21	5	0.01	5.28	
KUDD0019	636.90	641.00	4.10	2.05	1.92	52	0.02	2.60	K2
including	636.90	638.90	2.00	1.00	0.10	23	0.02	0.42	
including	638.90	641.00	2.10	1.05	3.66	80	0.01	4.67	
KUDD0020	58.30	60.30	2.00	0.71	0.06	1	0.00	0.08	KLS
KUDD0021	329.40	332.76	3.36	0.83	1.20	3	0.01	1.26	K2
including	329.40	330.70	1.30	0.32	0.53	1	0.02	0.57	
including	330.70	331.60	0.90	0.22	2.44	7	0.01	2.54	
including	331.60	332.76	1.16	0.28	1.00	2	0.02	1.06	
KUDD0021	350.70	357.70	7.00	1.72	0.14	55	0.03	0.87	K1
including	350.70	351.65	0.95	0.23	0.27	76	0.02	1.25	
including	351.65	353.00	1.35	0.33	0.08	8	0.01	0.19	
including	353.00	354.40	1.40	0.34	0.08	2	0.01	0.12	
including	354.40	355.90	1.50	0.37	0.19	86	0.07	1.38	
including	355.90	357.10	1.20	0.29	0.11	24	0.05	0.49	
including	357.10	357.70	0.60	0.15	0.12	230	0.02	3.03	
KUDD0024	400.10	406.00	5.90	1.18	0.10	3	0.09	0.29	K2
including	400.10	400.65	0.55	0.11	0.09	6	0.06	0.26	
including	400.65	401.40	0.75	0.15	0.02	1	0.01	0.05	
including	401.40	403.10	1.70	0.34	0.16	2	0.03	0.24	
including	403.10	403.50	0.40	0.08	0.01	6	0.07	0.20	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	403.50	405.00	1.50	0.30	0.17	2	0.06	0.28	
including	405.00	406.00	1.00	0.20	0.02	5	0.33	0.61	
KUDD0024	425.45	430.70	5.25	1.05	0.07	3	0.06	0.20	K1
including	425.45	426.60	1.15	0.23	0.27	2	0.06	0.40	
including	426.60	428.00	1.40	0.28	0.01	3	0.06	0.14	
including	428.00	429.00	1.00	0.20	0.01	4	0.08	0.19	
including	429.00	430.70	1.70	0.34	0.01	2	0.06	0.12	
KUDD0025	85.40	87.00	1.60	0.77	2.74	8	0.01	2.86	
KUDD0026	246.70	251.85	5.15	1.43	2.51	223	1.05	6.99	K1
including	246.70	248.00	1.30	0.36	0.51	30	0.03	0.93	
including	248.00	249.90	1.90	0.53	0.26	31	0.02	0.68	
including	249.90	251.85	1.95	0.54	6.04	540	2.74	17.19	

Table 2 - Kainantu Gold Mine – Significant Intercepts from Judd-Judd South Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0038	170.20	170.44	0.24	0.13	0.65	41	4.93	9.09	J1HW
JDD0038	186.30	186.70	0.40	0.22	0.57	20	2.15	4.28	J1
JDD0063	34.81	35.40	0.59	0.51	1.43	8	0.14	1.75	
JDD0063	55.70	55.95	0.25	0.21	0.64	27	1.59	3.53	J1HW
JDD0063	100.02	105.16	5.14	4.44	6.03	30	0.81	7.71	J1
Including	100.02	100.48	0.46	0.40	7.63	4	0.27	8.12	
Including	100.48	101.42	0.94	0.81	0.03	1	0.01	0.06	
Including	101.42	102.39	0.97	0.84	0.04	4	0.04	0.15	
Including	102.39	102.99	0.60	0.52	2.06	15	0.11	2.43	
Including	102.99	103.97	0.98	0.85	22.70	136	3.84	30.57	
Including	103.97	104.94	0.97	0.84	3.05	5	0.17	3.39	
Including	104.94	105.16	0.22	0.19	4.53	4	0.04	4.65	
JDD0063	111.53	112.32	0.79	0.68	1.06	20	0.73	2.48	
Including	111.53	112.03	0.50	0.43	1.09	19	0.63	2.35	
Including	112.03	112.32	0.29	0.25	1.01	23	0.89	2.73	
JDD0079	198.40	204.58	6.18	3.38	35.12	26	1.24	37.45	J1
Including	198.40	199.00	0.60	0.33	2.93	6	3.55	8.71	
Including	199.00	199.36	0.36	0.20	5.43	11	9.52	20.87	
Including	199.36	199.65	0.29	0.16	0.21	2	1.04	1.91	
Including	199.65	200.00	0.35	0.19	2.69	4	0.50	3.54	
Including	200.00	200.47	0.47	0.26	8.60	8	0.28	9.15	
Including	200.47	201.60	1.13	0.62	107.10	81	0.10	108.27	
Including	201.60	202.30	0.70	0.38	2.86	30	0.87	4.64	
Including	202.30	203.00	0.70	0.38	0.78	2	0.07	0.92	
Including	203.00	203.56	0.56	0.31	1.56	4	0.03	1.66	
Including	203.56	203.80	0.24	0.13	84.90	127	2.78	90.95	
Including	203.80	204.58	0.78	0.43	81.40	3	0.07	81.55	
JDD0079	237.59	247.40	9.81	5.36	1.05	6	0.50	1.92	J2
Including	237.59	238.47	0.88	0.48	1.50	43	4.06	8.56	
Including	238.47	239.29	0.82	0.45	0.37	1	0.06	0.49	
Including	239.29	240.00	0.71	0.39	0.17	1	0.06	0.28	
Including	240.00	240.68	0.68	0.37	0.32	3	0.16	0.62	
Including	240.68	241.33	0.65	0.36	0.49	1	0.03	0.55	
Including	241.33	242.00	0.67	0.37	0.08	1	0.00	0.10	
Including	242.00	243.00	1.00	0.55	0.13	1	0.01	0.16	
Including	243.00	244.00	1.00	0.55	5.77	1	0.01	5.79	
Including	244.00	245.00	1.00	0.55	0.46	4	0.74	1.69	
Including	245.00	246.00	1.00	0.55	0.06	2	0.28	0.53	
Including	246.00	247.40	1.40	0.77	1.09	5	0.03	1.20	
JDD0086A	174.15	175.20	1.05	0.35	2.66	66	1.05	5.17	
Including	174.15	175.20	1.05	0.35	2.66	66	1.05	5.18	
JDD0086A	197.65	197.90	0.25	0.08	10.27	13	0.24	10.82	J1HW
Including	197.65	197.90	0.25	0.08	10.27	13	0.24	10.82	
JDD0088	92.50	93.20	0.70	0.53	6.44	13	0.42	7.28	J1HW
JDD0088	120.05	126.20	6.15	4.76	2.33	19	0.57	3.48	J1
Including	120.05	121.00	0.95	0.73	5.52	77	2.49	10.48	
Including	121.00	121.80	0.80	0.62	4.92	15	0.73	6.29	
Including	121.80	122.50	0.70	0.54	1.90	5	0.06	2.05	
Including	122.50	123.25	0.75	0.58	0.30	2	0.01	0.34	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	123.25	124.25	1.00	0.77	0.79	7	0.05	0.96	
Including	124.25	125.20	0.95	0.73	1.34	13	0.14	1.72	
Including	125.20	126.20	1.00	0.77	1.52	9	0.30	2.11	
JDD0091	93.80	95.00	1.20	0.82	2.71	13	1.26	4.90	
Including	93.80	95.00	1.20	0.82	2.71	13	1.26	4.90	
JDD0091	99.00	99.60	0.60	0.41	8.73	7	0.86	10.20	
Including	99.00	99.60	0.60	0.41	8.73	7	0.86	10.20	
JDD0091	113.20	114.20	1.00	0.68	5.34	5	0.21	5.74	J1
Including	113.20	114.20	1.00	0.68	5.34	5	0.21	5.74	
JDD0091	185.55	191.90	6.35	4.32	0.10	5	0.14	0.39	
Including	185.55	186.00	0.45	0.31	0.01	1	0.01	0.04	
Including	186.00	188.00	2.00	1.36	0.04	3	0.06	0.17	
Including	188.00	189.00	1.00	0.68	0.30	15	0.41	1.14	
Including	189.00	190.00	1.00	0.68	0.13	6	0.30	0.69	
Including	190.00	191.00	1.00	0.68	0.08	4	0.06	0.23	
Including	191.00	191.90	0.90	0.61	0.01	3	0.04	0.11	
JDD0093	323.30	328.30	5.00	2.12	0.07	3	0.48	0.88	J1
Including	323.30	324.30	1.00	0.42	0.24	5	1.25	2.31	
Including	324.30	325.30	1.00	0.42	0.02	2	0.02	0.08	
Including	325.30	327.30	2.00	0.85	0.01	2	0.01	0.05	
Including	327.30	328.30	1.00	0.42	0.08	3	1.09	1.87	
JDD0094	137.36	138.83	1.47	1.44	1.15	38	3.63	7.46	
Including	137.36	138.00	0.64	0.63	2.58	68	7.52	15.51	
Including	138.00	138.83	0.83	0.81	0.05	15	0.63	1.26	
JDD0094	157.40	158.56	1.16	1.14	6.57	72	1.01	9.09	J2
Including	157.40	158.56	1.16	1.14	6.57	72	1.01	9.10	
JDD0094	163.00	164.30	1.30	1.28	1.52	92	3.38	8.10	J2HW
Including	163.00	164.30	1.30	1.28	1.52	92	3.38	8.10	
JDD0095	113.80	120.10	6.30	5.28	3.70	5	0.27	4.20	J1
Including	113.80	114.60	0.80	0.73	14.35	4	0.22	14.75	
Including	114.60	115.10	0.50	0.45	2.12	14	0.61	3.27	
Including	115.10	115.85	0.75	0.68	0.84	4	0.17	1.17	
Including	115.85	116.60	0.75	0.68	0.50	2	0.04	0.59	
Including	116.60	117.30	0.70	0.64	0.72	10	0.51	1.66	
Including	117.30	117.75	0.45	0.41	0.22	4	0.81	1.58	
Including	117.75	118.25	0.50	0.45	0.40	3	0.18	0.73	
Including	118.25	118.90	0.65	0.59	7.48	2	0.03	7.56	
Including	118.90	119.20	0.30	0.27	0.50	5	0.22	0.92	
Including	119.20	120.10	0.90	0.36	5.23	1	0.01	5.26	
JDD0095	142.00	142.85	0.85	0.77	4.37	15	1.22	6.52	J2
Including	142.00	142.85	0.85	0.77	4.37	15	1.22	6.52	
JDD0096	96.00	101.40	5.40	3.80	0.30	3	0.23	0.71	J1
Including	96.00	96.70	0.70	0.49	0.61	6	0.43	1.37	
Including	96.70	97.66	0.96	0.68	0.16	3	0.44	0.90	
Including	97.66	98.62	0.96	0.68	0.29	2	0.23	0.68	
Including	98.62	99.30	0.68	0.48	0.04	1	0.01	0.07	
Including	99.30	100.00	0.70	0.49	0.06	2	0.03	0.13	
Including	100.00	101.03	1.03	0.72	0.02	2	0.02	0.08	
Including	101.03	101.40	0.37	0.26	1.81	12	0.72	3.11	
JDD0096	173.02	175.40	2.38	1.67	1.00	10	1.16	2.99	
Including	173.02	173.40	0.38	0.27	1.36	19	2.85	6.18	
Including	173.40	174.00	0.60	0.42	1.29	14	0.91	2.93	
Including	174.00	174.60	0.60	0.42	1.48	7	0.14	1.79	
Including	174.60	175.40	0.80	0.56	0.26	6	1.32	2.45	
JDD0096	184.50	185.04	0.54	0.38	6.42	51	0.47	7.81	
Including	184.50	185.04	0.54	0.38	6.42	51	0.47	7.81	
JDD0097	129.28	130.40	1.12	0.57	4.93	18	0.86	6.54	
Including	129.28	130.40	1.12	0.57	4.93	18	0.86	6.53	
JDD0097	147.00	149.00	2.00	1.01	15.48	19	0.28	16.17	J1
Including	147.00	147.90	0.90	0.45	14.17	27	0.44	15.21	
Including	147.90	149.00	1.10	0.56	16.56	12	0.15	16.95	
JDD0099	116.54	117.00	0.46	0.40	16.86	1	0.02	16.90	
Including	116.54	117.00	0.46	0.40	16.86	1	0.02	16.91	
JDD0099	123.71	130.50	6.79	5.88	1.81	5	0.25	2.27	J1
Including	123.71	124.12	0.41	0.36	2.03	4	0.08	2.20	
Including	124.12	125.00	0.88	0.76	0.08	1	0.05	0.18	
Including	125.00	126.00	1.00	0.87	0.19	2	0.32	0.72	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	126.00	127.14	1.14	0.99	0.21	2	0.21	0.58	
Including	127.14	127.64	0.50	0.43	7.13	2	0.11	7.33	
Including	127.64	128.34	0.70	0.61	4.17	1	0.04	4.25	
Including	128.34	128.65	0.31	0.27	1.37	2	0.06	1.49	
Including	128.65	129.12	0.47	0.41	1.49	4	0.52	2.38	
Including	129.12	129.46	0.34	0.29	4.88	2	0.34	5.45	
Including	129.46	130.50	1.04	0.90	1.60	19	0.57	2.75	
JDD0100	167.60	171.60	4.00	1.63	2.91	40	2.97	8.18	J1
Including	167.60	168.40	0.80	0.33	8.48	16	0.48	9.45	
Including	168.40	169.10	0.70	0.29	1.43	34	4.04	8.35	
Including	169.10	169.80	0.70	0.29	1.61	100	7.92	15.59	
Including	169.80	170.50	0.70	0.29	1.76	57	3.71	8.43	
Including	170.50	171.60	1.10	0.45	1.37	11	0.46	2.25	
JDD0100	181.30	183.60	2.30	0.94	2.06	18	0.72	3.44	
Including	181.30	183.60	2.30	0.94	2.06	18	0.72	3.45	
JDD0100	186.15	188.30	2.15	0.88	2.18	15	0.37	2.96	J2
Including	186.15	187.15	1.00	0.41	3.16	20	0.44	4.12	
Including	187.15	188.30	1.15	0.47	1.33	10	0.31	1.95	
JDD0101	91.14	91.40	0.26	0.18	6.76	3	0.05	6.88	J1HW
Including	91.14	91.40	0.26	0.18	6.76	3	0.05	6.88	
JDD0101	100.24	100.46	0.22	0.15	1.66	2	0.11	1.86	
Including	100.24	100.46	0.22	0.15	1.66	2	0.11	1.86	
JDD0101	106.40	106.90	0.50	0.34	6.17	2	0.06	6.29	J1
Including	106.40	106.60	0.20	0.14	14.33	2	0.08	14.49	
Including	106.60	106.90	0.30	0.20	0.73	2	0.04	0.83	
JDD0101	161.90	162.10	0.20	0.14	0.20	19	1.06	2.14	
Including	161.90	162.10	0.20	0.14	0.20	19	1.06	2.15	
JDD0102	102.63	103.17	0.54	0.29	1.60	3	0.16	1.89	
Including	102.63	103.17	0.54	0.29	1.60	3	0.16	1.89	
JDD0102	135.70	136.07	0.37	0.20	1.18	5	0.18	1.53	
Including	135.70	136.07	0.37	0.20	1.18	5	0.18	1.53	
JDD0102	159.20	167.09	7.89	4.24	0.74	2	0.07	0.88	J1
Including	159.20	160.20	1.00	0.54	3.96	4	0.26	4.43	
Including	160.20	161.30	1.10	0.59	0.04	2	0.03	0.12	
Including	161.30	162.00	0.70	0.38	0.03	1	0.01	0.06	
Including	162.00	162.60	0.60	0.32	0.01	1	0.01	0.04	
Including	162.60	163.60	1.00	0.54	0.01	1	0.01	0.04	
Including	163.60	164.60	1.00	0.54	0.03	1	0.01	0.06	
Including	164.60	165.60	1.00	0.54	0.01	1	0.01	0.04	
Including	165.60	166.60	1.00	0.54	0.01	3	0.09	0.19	
Including	166.60	167.09	0.49	0.26	3.61	6	0.25	4.09	
JDD0102	181.60	181.85	0.25	0.13	0.26	52	7.16	12.42	
Including	181.60	181.85	0.25	0.13	0.26	52	7.16	12.42	
JDD0102	201.60	204.72	3.12	1.68	0.88	26	0.31	1.70	J2
Including	201.60	202.80	1.20	0.64	1.15	10	0.08	1.40	
Including	202.80	203.50	0.70	0.38	0.54	9	0.04	0.71	
Including	203.50	204.72	1.22	0.66	0.82	51	0.70	2.58	
JDD0103	99.00	100.00	1.00	0.81	1.00	1	0.00	1.02	
JDD0103	136.45	142.90	6.45	5.23	0.94	9	0.61	2.03	J1
Including	136.45	137.70	1.25	1.01	3.46	2	0.03	3.53	
Including	137.70	138.80	1.10	0.89	0.06	3	0.06	0.20	
Including	138.80	139.94	1.14	0.92	0.09	1	0.03	0.14	
Including	139.94	140.40	0.46	0.37	0.46	19	2.15	4.15	
Including	140.40	141.47	1.07	0.87	0.20	14	0.73	1.55	
Including	141.47	142.10	0.63	0.51	0.87	21	1.62	3.73	
Including	142.10	142.90	0.80	0.65	0.74	16	1.30	3.03	
JDD0103	184.70	192.30	7.60	6.16	2.36	7	0.56	3.35	
Including	184.70	185.50	0.80	0.65	6.83	2	0.01	6.87	
Including	185.50	186.50	1.00	0.81	7.79	1	0.01	7.81	
Including	186.50	187.20	0.70	0.57	0.35	1	0.01	0.38	
Including	187.20	187.90	0.70	0.57	0.55	1	0.01	0.58	
Including	187.90	188.80	0.90	0.73	0.15	1	0.01	0.17	
Including	188.80	189.70	0.90	0.73	0.17	1	0.01	0.19	
Including	189.70	190.94	1.24	1.00	0.24	1	0.04	0.31	
Including	190.94	191.56	0.62	0.50	0.52	38	2.33	4.74	
Including	191.56	191.94	0.38	0.31	4.18	46	5.58	13.72	
Including	191.94	192.30	0.36	0.29	4.22	20	1.63	7.10	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0103	200.35	201.00	0.65	0.53	1.56	12	0.41	2.37	
Including	200.35	200.70	0.35	0.28	1.63	8	0.13	1.94	
Including	200.70	201.00	0.30	0.24	1.48	16	0.74	2.87	
JDD0103	205.70	211.02	5.32	4.31	0.47	3	0.26	0.93	J2
Including	205.70	206.00	0.30	0.24	1.36	12	1.60	4.09	
Including	206.00	207.00	1.00	0.81	0.03	1	0.02	0.07	
Including	207.00	207.93	0.93	0.75	0.01	2	0.04	0.10	
Including	207.93	208.70	0.77	0.62	1.21	3	0.23	1.62	
Including	208.70	210.10	1.40	1.13	0.06	1	0.01	0.09	
Including	210.10	210.80	0.70	0.57	0.12	3	0.14	0.38	
Including	210.80	211.02	0.22	0.18	4.45	16	2.44	8.57	
JDD0103	218.00	219.00	1.00	0.81	1.17	1	0.00	1.19	
JDD0103	244.70	245.50	0.80	0.65	4.37	1	0.01	4.40	J3
Including	244.70	245.50	0.80	0.65	4.37	1	0.01	4.39	
JDD0103	250.83	251.00	0.17	0.14	1.17	1	0.00	1.19	
JDD0103	267.80	269.00	1.20	0.97	0.81	14	0.26	1.40	J4
Including	267.80	268.27	0.47	0.38	1.28	10	0.14	1.64	
Including	268.27	269.00	0.73	0.59	0.51	16	0.34	1.26	
JDD0104	114.45	117.68	3.23	2.95	8.72	20	0.75	10.18	J1
Including	114.45	115.60	1.15	1.05	6.06	2	0.04	6.15	
Including	115.60	116.36	0.76	0.69	16.70	3	0.27	17.17	
Including	116.36	116.99	0.63	0.58	10.96	91	2.59	16.26	
Including	116.99	117.68	0.69	0.63	2.33	5	0.79	3.66	
JDD0104	123.31	125.90	2.59	2.37	1.25	6	0.07	1.44	
Including	123.31	124.31	1.00	0.91	0.86	3	0.11	1.08	
Including	124.31	125.31	1.00	0.91	0.89	8	0.03	1.04	
Including	125.31	125.90	0.59	0.54	2.54	6	0.08	2.74	
JDD0104	133.00	134.00	1.00	0.91	1.62	3	0.07	1.77	
Including	133.00	134.00	1.00	0.91	1.62	3	0.07	1.77	
JDD0105	68.00	68.95	0.95	0.78	4.14	17	1.19	6.26	
Including	68.00	68.95	0.95	0.78	4.14	17	1.19	6.27	
JDD0105	118.38	124.65	6.27	5.17	3.29	11	0.30	3.91	J1
Including	118.38	118.93	0.55	0.45	18.00	77	2.24	22.56	
Including	118.93	119.63	0.70	0.58	0.72	10	0.37	1.43	
Including	119.63	120.30	0.67	0.55	0.71	1	0.02	0.75	
Including	120.30	121.07	0.77	0.63	0.25	2	0.07	0.38	
Including	121.07	121.94	0.87	0.72	0.12	5	0.11	0.36	
Including	121.94	122.70	0.76	0.63	0.12	2	0.06	0.25	
Including	122.70	123.65	0.95	0.78	0.25	6	0.10	0.48	
Including	123.65	124.65	1.00	0.82	9.13	5	0.09	9.34	
JDD0105	131.20	132.52	1.32	1.08	4.79	16	0.39	5.62	J2
Including	131.20	131.92	0.72	0.59	0.54	8	0.19	0.94	
Including	131.92	132.52	0.60	0.49	9.89	25	0.63	11.22	
JDD0106	291.00	299.10	8.10	3.40	8.16	7	0.41	8.91	J1
Including	291.00	292.00	1.00	0.42	9.06	3	0.14	9.33	
Including	292.00	293.00	1.00	0.42	0.92	1	0.01	0.95	
Including	293.00	294.00	1.00	0.42	43.31	6	0.11	43.57	
Including	294.00	295.00	1.00	0.42	1.59	1	0.02	1.63	
Including	295.00	296.00	1.00	0.42	6.06	8	0.07	6.28	
Including	296.00	297.00	1.00	0.42	0.77	12	1.09	2.68	
Including	297.00	298.00	1.00	0.42	1.99	16	1.32	4.31	
Including	298.00	299.10	1.10	0.46	2.21	8	0.50	3.12	
JDD0107	92.20	93.00	0.80	0.52	0.58	7	3.81	6.79	
Including	92.20	93.00	0.80	0.52	0.58	7	3.81	6.79	
JDD0107	115.00	119.00	4.00	2.59	1.14	4	0.53	2.04	J1
Including	115.00	116.20	1.20	0.78	2.33	5	0.49	3.18	
Including	116.20	117.00	0.80	0.52	0.01	1	0.01	0.03	
Including	117.00	118.00	1.00	0.65	0.01	3	0.13	0.26	
Including	118.00	119.00	1.00	0.65	1.73	7	1.41	4.08	
JDD0107	156.97	166.48	9.51	6.16	1.48	4	0.29	2.00	
Including	156.97	158.24	1.27	0.82	3.13	9	1.23	5.22	
Including	158.24	159.20	0.96	0.62	1.28	7	0.28	1.81	
Including	159.20	161.12	1.92	1.24	0.16	6	0.32	0.75	
Including	161.12	162.00	0.88	0.57	0.03	3	0.08	0.20	
Including	162.00	163.00	1.00	0.65	0.80	1	0.02	0.84	
Including	163.00	164.00	1.00	0.65	0.05	1	0.01	0.07	
Including	164.00	165.00	1.00	0.65	0.01	1	0.02	0.05	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	165.00	166.00	1.00	0.65	6.48	3	0.15	6.76	
Including	166.00	166.48	0.48	0.31	2.42	4	0.06	2.56	
JDD0108	58.40	60.30	1.90	1.71	0.42	26	0.17	1.02	J1
Including	58.40	59.40	1.00	0.90	0.59	6	0.02	0.70	
Including	59.40	60.30	0.90	0.81	0.23	49	0.34	1.39	
JDD0108	130.20	130.70	0.50	0.45	1.73	78	1.22	4.67	J2
Including	130.20	130.70	0.50	0.45	1.73	78	1.22	4.67	
JDD0109	31.03	32.20	1.17	0.61	1.48	17	0.19	2.00	
JDD0109	171.36	171.79	0.43	0.24	1.21	7	1.76	4.13	
JDD0109	176.91	186.13	9.22	5.07	2.16	2	0.15	2.43	J1HW
Including	176.91	177.47	0.56	0.31	6.56	3	0.43	7.28	
Including	177.47	177.84	0.37	0.20	0.07	2	0.36	0.68	
Including	177.84	178.44	0.60	0.33	0.02	2	0.16	0.30	
Including	178.44	178.65	0.21	0.12	0.05	2	0.99	1.66	
Including	178.65	179.26	0.61	0.34	0.01	1	0.01	0.03	
Including	179.26	180.00	0.74	0.41	0.16	1	0.01	0.19	
Including	180.00	181.00	1.00	0.55	0.01	1	0.03	0.08	
Including	181.00	181.40	0.40	0.22	0.01	1	0.15	0.27	
Including	181.40	181.70	0.30	0.16	4.45	2	0.59	5.42	
Including	181.70	182.54	0.84	0.46	0.03	2	0.33	0.58	
Including	182.54	183.10	0.56	0.31	2.94	1	0.05	3.03	
Including	183.10	184.02	0.92	0.51	0.24	1	0.02	0.28	
Including	184.02	184.37	0.35	0.19	0.15	1	0.01	0.18	
Including	184.37	185.48	1.11	0.61	1.65	3	0.05	1.77	
Including	185.48	186.13	0.65	0.36	16.90	4	0.03	16.99	
JDD0109	223.73	224.00	0.27	0.15	29.10	11	0.01	29.25	
JDD0110	79.00	79.45	0.45	0.34	1.34	3	0.23	1.75	J1
Including	79.00	79.45	0.45	0.34	1.34	3	0.23	1.74	
JDD0110	182.00	186.06	4.06	2.91	2.80	17	2.87	7.62	
Including	182.00	183.00	1.00	0.72	3.29	58	9.98	20.05	
Including	183.00	183.45	0.45	0.32	0.47	8	0.33	1.11	
Including	183.45	184.00	0.55	0.39	0.22	4	0.32	0.78	
Including	184.00	184.38	0.38	0.27	2.74	2	0.61	3.75	
Including	184.38	184.92	0.54	0.39	7.16	4	0.12	7.41	
Including	184.92	185.44	0.52	0.37	4.59	5	1.52	7.10	
Including	185.44	186.06	0.62	0.44	0.74	2	0.41	1.42	
JDD0110	195.30	196.24	0.94	0.67	35.30	11	0.18	35.73	J2
Including	195.30	196.24	0.94	0.67	35.30	11	0.18	35.72	
JDD0110	238.70	239.70	1.00	0.72	2.05	45	3.67	8.51	J3
Including	238.70	239.70	1.00	0.72	2.05	45	3.67	8.51	
JDD0110	245.00	247.20	2.20	1.58	1.50	140	3.64	9.10	J4
Including	245.00	246.12	1.12	0.80	1.80	22	0.85	3.45	
Including	246.12	247.20	1.08	0.77	1.19	263	6.52	14.96	
JDD0111	72.00	75.50	3.50	2.45	5.13	3	0.05	5.25	J1HW
Including	72.00	72.50	0.50	0.35	3.28	6	0.03	3.40	
Including	72.50	73.50	1.00	0.70	0.83	1	0.01	0.86	
Including	73.50	74.17	0.67	0.47	0.12	1	0.01	0.15	
Including	74.17	74.58	0.41	0.29	0.12	1	0.01	0.14	
Including	74.58	74.83	0.25	0.18	0.19	2	0.05	0.30	
Including	74.83	75.50	0.67	0.47	22.84	7	0.17	23.21	
JDD0111	123.50	125.27	1.77	1.24	1.53	5	0.37	2.19	J1
Including	123.50	124.30	0.80	0.56	1.48	1	0.02	1.52	
Including	124.30	125.27	0.97	0.68	1.58	8	0.67	2.75	
JDD0111	130.82	131.50	0.68	0.48	1.07	21	1.11	3.12	J1FW
Including	130.82	131.50	0.68	0.48	1.07	21	1.11	3.11	
JDD0111	134.30	135.70	1.40	0.98	1.14	3	0.21	1.51	
Including	134.30	134.72	0.42	0.29	1.38	4	0.35	2.00	
Including	134.72	135.70	0.98	0.69	1.04	3	0.16	1.33	
JDD0111	138.00	140.51	2.51	1.76	1.52	1	0.01	1.55	J2
Including	138.00	138.83	0.83	0.58	1.22	1	0.01	1.24	
Including	138.83	139.80	0.97	0.68	0.63	1	0.01	0.65	
Including	139.80	140.51	0.71	0.50	3.08	2	0.04	3.17	
JDD0112	115.85	118.90	3.05	2.57	1.41	4	0.86	2.84	J1HW
Including	115.85	116.85	1.00	0.84	1.34	4	0.25	1.79	
Including	116.85	117.90	1.05	0.89	2.31	3	0.32	2.87	
Including	117.90	118.90	1.00	0.84	0.52	6	2.04	3.87	
JDD0112	132.40	139.70	7.30	6.16	1.47	5	0.26	1.95	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	132.40	132.65	0.25	0.21	9.08	10	0.27	9.64	
Including	132.65	133.50	0.85	0.72	0.04	2	0.07	0.18	
Including	133.50	134.10	0.60	0.51	0.03	3	0.08	0.19	
Including	134.10	135.10	1.00	0.84	0.02	1	0.00	0.04	
Including	135.10	136.00	0.90	0.76	0.03	1	0.01	0.06	
Including	136.00	137.00	1.00	0.84	0.04	1	0.03	0.10	
Including	137.00	137.90	0.90	0.76	0.33	2	0.19	0.66	
Including	137.90	138.80	0.90	0.76	6.17	2	0.07	6.31	
Including	138.80	139.70	0.90	0.76	2.76	24	1.62	5.67	
JDD0113	63.60	64.10	0.50	0.40	1.54	18	0.49	2.55	
JDD0113	103.00	104.25	1.25	1.00	1.96	5	0.18	2.31	J1
Including	103.00	104.25	1.25	1.00	1.96	5	0.18	2.31	
JDD0113	126.60	128.40	1.80	1.45	2.23	19	0.81	3.77	J2
Including	126.60	127.50	0.90	0.72	0.96	15	1.04	2.81	
Including	127.50	128.40	0.90	0.72	3.49	23	0.57	4.70	
JDD0114	169.25	173.50	4.25	2.30	1.26	6	1.11	3.12	J1
Including	169.25	170.35	1.10	0.60	0.08	9	1.61	2.79	
Including	170.35	171.45	1.10	0.60	0.02	4	0.93	1.57	
Including	171.45	172.40	0.95	0.51	1.00	5	0.76	2.28	
Including	172.40	173.50	1.10	0.60	3.90	6	1.10	5.73	
JDD0114	245.40	248.50	3.10	1.98	0.47	21	1.20	2.66	
Including	245.40	248.00	2.60	1.66	0.35	10	0.43	1.16	
Including	248.00	248.50	0.50	0.32	1.07	81	5.22	10.47	
JDD0114	267.25	271.30	4.05	2.59	1.62	13	2.35	5.56	
Including	267.25	268.15	0.90	0.58	1.62	5	0.45	2.40	
Including	268.15	269.05	0.90	0.58	1.52	10	2.41	5.52	
Including	269.05	269.95	0.90	0.58	0.77	12	0.51	1.74	
Including	269.95	270.90	0.95	0.61	0.68	14	1.61	3.44	
Including	270.90	271.30	0.40	0.26	5.98	36	12.44	26.42	
JDD0115	157.80	160.27	2.47	1.04	0.81	13	0.68	2.07	J1
Including	157.80	159.00	1.20	0.51	0.60	20	1.13	2.66	
Including	159.00	159.37	0.37	0.16	1.54	20	0.64	2.82	
Including	159.37	159.80	0.43	0.18	0.05	1	0.14	0.29	
Including	159.80	160.27	0.47	0.20	1.49	3	0.09	1.67	
JDD0115	265.86	266.20	0.34	0.14	0.35	11	3.85	6.67	
Including	265.86	266.20	0.34	0.14	0.35	11	3.85	6.67	
JDD0115	277.00	279.00	2.00	0.84	1.91	24	0.54	3.08	
Including	277.00	278.00	1.00	0.42	2.01	19	0.29	2.71	
Including	278.00	279.00	1.00	0.42	1.80	28	0.79	3.43	
JDD0115	393.00	399.10	6.10	2.57	2.15	28	0.92	3.98	
Including	393.00	394.00	1.00	0.42	0.53	6	0.18	0.89	
Including	394.00	395.00	1.00	0.42	2.43	29	0.77	4.03	
Including	395.00	395.93	0.93	0.39	1.48	7	0.09	1.72	
Including	395.93	396.47	0.54	0.23	0.35	10	0.55	1.36	
Including	396.47	396.90	0.43	0.18	0.58	54	5.62	10.29	
Including	396.90	398.40	1.50	0.63	5.18	59	1.13	7.74	
Including	398.40	399.10	0.70	0.29	0.85	15	0.22	1.40	
JDD0118	70.12	70.74	0.62	0.46	3.00	7	0.65	4.13	J1HW
JDD0118	85.00	87.21	2.21	1.67	0.93	4	0.54	1.85	J1
Including	85.00	85.94	0.94	0.71	1.31	2	0.05	1.42	
Including	85.94	86.71	0.77	0.58	0.20	5	0.87	1.66	
Including	86.71	87.21	0.50	0.38	1.35	6	0.96	2.97	
JDD0118	123.40	124.25	0.85	0.66	1.18	5	0.45	1.97	
JDD0118	161.20	168.50	7.30	5.56	3.32	10	0.34	3.99	
Including	161.20	162.20	1.00	0.76	18.74	50	2.06	22.68	
Including	162.20	163.20	1.00	0.76	0.91	4	0.14	1.19	
Including	163.20	164.20	1.00	0.76	1.70	2	0.04	1.79	
Including	164.20	164.85	0.65	0.50	2.90	8	0.09	3.15	
Including	164.85	165.43	0.58	0.44	1.51	17	0.16	1.98	
Including	165.43	166.03	0.60	0.46	0.08	1	0.02	0.12	
Including	166.03	166.50	0.47	0.36	0.08	1	0.02	0.12	
Including	166.50	167.50	1.00	0.76	0.05	1	0.02	0.09	
Including	167.50	168.50	1.00	0.76	0.01	1	0.02	0.05	
JDD0118	212.00	216.00	4.00	3.30	0.57	3	0.05	0.69	J2
Including	212.00	213.00	1.00	0.83	0.59	7	0.18	0.96	
Including	213.00	214.00	1.00	0.83	0.06	1	0.01	0.08	
Including	214.00	215.00	1.00	0.83	0.01	1	0.00	0.03	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	215.00	216.00	1.00	0.83	1.62	1	0.00	1.64	
JDD0118	225.20	226.00	0.80	0.67	1.45	10	0.25	1.98	J3
JDD0118	236.00	240.50	4.50	3.77	0.42	17	0.37	1.23	J4
Including	236.00	236.57	0.57	0.48	0.38	24	2.05	3.97	
Including	236.57	237.55	0.98	0.82	0.08	4	0.01	0.15	
Including	237.55	238.50	0.95	0.80	0.07	1	0.01	0.10	
Including	238.50	239.50	1.00	0.84	0.53	3	0.04	0.63	
Including	239.50	240.06	0.56	0.47	0.35	4	0.02	0.43	
Including	240.06	240.50	0.44	0.37	1.86	122	1.01	5.01	
JDD0119	122.70	123.30	0.60	0.30	2.09	3	0.02	2.16	
JDD0119	149.00	151.00	2.00	0.48	0.87	20	0.21	1.46	J1HW
Including	149.00	150.10	1.10	0.26	0.65	36	0.08	1.23	
Including	150.10	151.00	0.90	0.21	1.13	1	0.37	1.74	
JDD0119	227.90	240.80	12.90	6.43	1.70	8	0.20	2.12	J1
Including	227.90	228.60	0.70	0.35	1.89	12	0.27	2.47	
Including	228.60	229.32	0.72	0.36	0.27	7	0.20	0.68	
Including	229.32	230.00	0.68	0.34	1.20	3	0.35	1.80	
Including	230.00	231.00	1.00	0.50	0.67	3	0.07	0.81	
Including	231.00	232.00	1.00	0.50	0.24	2	0.02	0.29	
Including	232.00	233.00	1.00	0.50	0.12	4	0.10	0.32	
Including	233.00	234.00	1.00	0.50	0.20	2	0.04	0.28	
Including	234.00	235.00	1.00	0.50	0.46	3	0.16	0.75	
Including	235.00	236.00	1.00	0.50	0.14	8	1.41	2.50	
Including	236.00	237.40	1.40	0.70	0.16	4	0.08	0.34	
Including	237.40	238.20	0.80	0.40	19.24	44	0.06	19.88	
Including	238.20	239.30	1.10	0.55	0.22	2	0.02	0.28	
Including	239.30	240.80	1.50	0.75	1.31	11	0.04	1.51	
JDD0120	156.60	157.50	0.90	0.61	6.09	2	0.06	6.21	J1HW
Including	156.60	157.50	0.90	0.61	6.09	2	0.06	6.22	
JDD0120	197.70	198.50	0.80	0.54	53.16	135	2.34	58.61	J1
Including	197.70	198.20	0.50	0.34	81.90	188	1.86	87.24	
Including	198.20	198.50	0.30	0.20	5.27	47	3.15	10.92	
JDD0120	207.65	211.00	3.35	2.26	2.70	21	1.38	5.18	
Including	207.65	208.00	0.35	0.24	1.17	19	1.21	3.36	
Including	208.00	209.00	1.00	0.67	6.85	31	0.24	7.63	
Including	209.00	210.00	1.00	0.67	0.03	1	0.01	0.06	
Including	210.00	211.00	1.00	0.67	1.74	33	3.95	8.50	
JDD0120	218.90	222.80	3.90	2.63	1.26	23	0.51	2.37	J2
Including	218.90	220.00	1.10	0.74	2.68	25	0.05	3.08	
Including	220.00	221.00	1.00	0.67	0.60	7	0.01	0.71	
Including	221.00	221.90	0.90	0.61	0.29	3	0.05	0.41	
Including	221.90	222.80	0.90	0.61	1.21	57	2.07	5.25	
JDD0121	293.75	296.00	2.25	0.88	0.48	9	0.55	1.48	J1
Including	293.75	294.80	1.05	0.41	0.58	3	0.14	0.84	
Including	294.80	296.00	1.20	0.47	0.39	14	0.90	2.02	
JDD0121	357.35	359.00	1.65	0.65	5.19	66	2.95	10.76	
Including	357.35	358.00	0.65	0.26	4.71	74	3.35	11.02	
Including	358.00	359.00	1.00	0.39	5.51	61	2.69	10.60	
JDD0121	475.60	477.97	2.37	0.94	0.91	218	9.46	18.84	J2
Including	475.60	476.80	1.20	0.48	0.92	132	4.58	9.93	
Including	476.80	477.97	1.17	0.46	0.89	307	14.47	27.98	
JDD0121	527.00	529.38	2.38	0.94	0.66	111	0.89	3.48	J3
Including	527.00	528.00	1.00	0.39	0.39	107	1.17	3.61	
Including	528.00	529.00	1.00	0.39	0.53	15	0.12	0.92	
Including	529.00	529.38	0.38	0.15	1.73	373	2.17	9.88	
JDD0122	252.50	257.60	5.10	1.38	0.52	7	0.33	1.14	J1
Including	252.50	252.90	0.40	0.11	0.72	34	1.96	4.29	
Including	252.90	253.20	0.30	0.08	0.67	32	1.57	3.59	
Including	253.20	253.55	0.35	0.09	0.31	1	0.01	0.34	
Including	253.55	254.30	0.75	0.20	0.72	5	0.02	0.82	
Including	254.30	254.95	0.65	0.18	0.34	1	0.01	0.37	
Including	254.95	255.40	0.45	0.12	0.33	1	0.01	0.36	
Including	255.40	256.10	0.70	0.19	1.11	2	0.02	1.17	
Including	256.10	256.80	0.70	0.19	0.18	1	0.01	0.21	
Including	256.80	257.40	0.60	0.16	0.25	6	0.16	0.59	
Including	257.40	257.60	0.20	0.05	0.34	14	1.31	2.63	
JDD0123	241.90	244.72	2.82	1.34	0.27	36	1.14	2.55	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0123	314.20	315.00	0.80	0.39	0.10	40	6.09	10.39	J1FW
JDD0123	338.54	339.90	1.36	0.66	0.21	39	1.44	3.01	
Including	338.54	339.00	0.46	0.22	0.04	18	0.67	1.34	
Including	339.00	339.90	0.90	0.44	0.29	50	1.84	3.87	
JDD0124A	201.77	205.40	3.63	1.49	1.46	4	0.13	1.72	J1HW
Including	201.77	201.90	0.13	0.05	1.23	9	0.01	1.36	
Including	201.90	202.20	0.30	0.12	0.17	4	0.12	0.41	
Including	202.20	203.10	0.90	0.37	0.39	4	0.05	0.51	
Including	203.10	203.65	0.55	0.23	2.82	6	0.20	3.22	
Including	203.65	204.50	0.85	0.35	1.97	4	0.33	2.54	
Including	204.50	205.40	0.90	0.37	1.67	2	0.02	1.72	
JDD0124A	244.93	247.45	2.52	0.97	3.33	9	0.67	4.52	J1
Including	244.93	245.57	0.64	0.25	0.61	2	0.07	0.75	
Including	245.57	246.50	0.93	0.36	5.49	17	1.29	7.77	
Including	246.50	247.04	0.54	0.21	5.29	3	0.07	5.44	
Including	247.04	247.45	0.41	0.16	0.12	9	1.00	1.84	
JDD0124A	274.20	275.00	0.80	0.30	1.25	3	0.12	1.48	J2
Including	146.70	147.65	0.95	0.33	0.20	12	1.32	2.46	
Including	147.65	148.55	0.90	0.31	0.01	30	6.93	11.52	
Including	148.55	149.00	0.45	0.15	0.19	41	5.76	9.96	
JDD0125	152.70	153.60	0.90	0.31	1.09	2	0.02	1.15	
JDD0125	185.20	186.20	1.00	0.34	2.13	3	0.11	2.34	
JDD0125	207.00	213.10	6.10	2.10	0.58	4	0.25	1.03	J1HW
Including	207.00	208.00	1.00	0.34	0.08	1	0.01	0.10	
Including	208.00	209.00	1.00	0.34	0.67	1	0.00	0.69	
Including	209.00	210.00	1.00	0.34	1.02	6	0.43	1.78	
Including	210.00	210.80	0.80	0.28	0.63	8	0.79	1.99	
Including	210.80	213.10	2.30	0.79	0.55	4	0.21	0.93	
JDD0125	243.20	245.75	2.55	0.88	0.47	13	3.12	5.65	J1
Including	243.20	244.20	1.00	0.34	0.08	10	2.28	3.87	
Including	244.20	245.00	0.80	0.28	1.34	21	5.85	11.00	
Including	245.00	245.75	0.75	0.26	0.07	8	1.34	2.33	
JDD0126	122.56	124.50	1.94	0.78	4.43	876	0.55	16.26	J1HW
Including	122.56	123.55	0.99	0.40	6.69	1510	0.62	26.56	
Including	123.55	124.50	0.95	0.38	2.08	216	0.47	5.54	
JDD0126	249.80	250.00	0.20	0.08	4.58	163	2.75	11.04	J1
Including	249.80	250.00	0.20	0.08	4.58	163	2.75	11.04	
JDD0128	74.80	75.46	0.66	0.45	0.82	34	2.23	4.83	
Including	74.80	75.12	0.32	0.22	0.97	9	0.10	1.24	
Including	75.12	75.46	0.34	0.23	0.68	58	4.23	8.20	
JDD0128	123.38	123.70	0.32	0.22	6.57	1	0.01	6.60	
JDD0128	147.00	148.88	1.88	1.28	0.49	4	0.26	0.96	J1HW
Including	147.00	147.56	0.56	0.38	0.60	4	0.27	1.08	
Including	147.56	147.90	0.34	0.23	0.52	2	0.05	0.63	
Including	147.90	148.13	0.23	0.16	0.18	5	0.27	0.68	
Including	148.13	148.60	0.47	0.32	0.20	6	0.52	1.10	
Including	148.60	148.88	0.28	0.19	1.00	2	0.04	1.10	
JDD0128	161.13	166.17	5.04	3.40	3.32	9	0.79	4.70	J1
Including	161.13	161.47	0.34	0.23	9.97	2	0.06	10.09	
Including	161.47	162.03	0.56	0.38	12.19	6	0.82	13.58	
Including	162.03	162.28	0.25	0.17	1.51	7	0.81	2.90	
Including	162.28	162.55	0.27	0.18	2.03	13	0.87	3.59	
Including	162.55	163.30	0.75	0.51	0.33	5	0.44	1.09	
Including	163.30	163.92	0.62	0.42	0.24	5	0.73	1.47	
Including	163.92	164.31	0.39	0.26	0.20	7	0.38	0.90	
Including	164.31	165.10	0.79	0.53	0.07	3	0.17	0.39	
Including	165.10	165.33	0.23	0.16	2.22	6	0.94	3.80	
Including	165.33	165.61	0.28	0.19	3.31	5	0.19	3.68	
Including	165.61	166.17	0.56	0.38	6.46	42	3.12	12.00	
JDD0128	173.60	175.00	1.40	0.94	1.21	3	0.07	1.36	
Including	173.60	174.26	0.66	0.44	1.35	4	0.09	1.55	
Including	174.26	175.00	0.74	0.50	1.09	2	0.06	1.20	
JDD0128	179.63	179.90	0.27	0.18	1.80	9	0.61	2.89	
JDD0128	184.60	185.06	0.46	0.31	31.55	49	7.61	44.39	J2
JDD0130	67.30	69.00	1.70	1.16	1.29	15	0.45	2.20	
Including	67.30	68.08	0.78	0.53	0.21	8	0.55	1.20	
Including	68.08	69.00	0.92	0.63	2.21	21	0.36	3.04	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0130	129.10	129.40	0.30	0.20	6.91	50	4.25	14.36	
JDD0130	157.20	159.00	1.80	1.23	2.77	20	0.24	3.41	J1HW
Including	157.20	158.20	1.00	0.68	3.18	30	0.13	3.77	
Including	158.20	158.40	0.20	0.14	5.31	5	0.31	5.87	
Including	158.40	158.70	0.30	0.20	0.25	11	0.31	0.89	
Including	158.70	159.00	0.30	0.21	2.23	8	0.47	3.08	
JDD0130	169.30	175.00	5.70	3.88	2.65	14	0.65	3.87	J1
Including	169.30	170.10	0.80	0.54	7.58	19	0.49	8.60	
Including	170.10	170.40	0.30	0.20	1.43	2	0.02	1.49	
Including	170.40	170.68	0.28	0.19	3.53	13	0.48	4.46	
Including	170.68	170.90	0.22	0.15	12.15	33	4.25	19.39	
Including	170.90	171.08	0.18	0.12	5.45	71	1.53	8.80	
Including	171.08	171.42	0.34	0.23	0.98	7	0.02	1.10	
Including	171.42	171.86	0.44	0.30	0.72	14	0.20	1.22	
Including	171.86	172.10	0.24	0.16	0.44	24	0.22	1.10	
Including	172.10	172.44	0.34	0.23	1.89	34	4.07	8.86	
Including	172.44	172.95	0.51	0.35	0.54	10	0.38	1.28	
Including	172.95	173.33	0.38	0.26	1.74	11	0.23	2.24	
Including	173.33	174.00	0.67	0.46	0.73	2	0.07	0.87	
Including	174.00	174.40	0.40	0.27	0.71	2	0.01	0.75	
Including	174.40	174.73	0.33	0.22	1.29	6	0.11	1.54	
Including	174.73	175.00	0.27	0.18	1.53	10	0.13	1.86	
JDD0131	60.75	61.10	0.35	0.21	1.12	2	0.02	1.18	J1HW
Including	60.75	61.10	0.35	0.21	1.12	2	0.02	1.17	
JDD0131	128.26	128.77	0.51	0.31	0.31	30	1.17	2.57	J1
Including	128.26	128.77	0.51	0.31	0.31	30	1.17	2.56	
JDD0131	229.30	229.76	0.46	0.28	0.42	76	7.84	13.97	J1L
Including	229.30	229.76	0.46	0.28	0.42	76	7.84	13.97	
JDD0131	388.00	389.00	1.00	0.66	3.98	1	0.01	4.01	J2
Including	388.00	389.00	1.00	0.66	3.98	1	0.01	4.00	
JDD0131	421.30	423.30	2.00	1.32	1.81	1	0.01	1.84	J3
Including	421.30	422.30	1.00	0.66	3.00	1	0.02	3.04	
Including	422.30	423.30	1.00	0.66	0.61	1	0.01	0.64	
JDD0132	159.40	159.61	0.21	0.15	1.02	2	0.05	1.13	
JDD0132	165.40	166.91	1.51	1.07	6.22	14	0.50	7.20	J1
Including	165.40	165.86	0.46	0.33	2.47	2	0.02	2.53	
Including	165.86	166.23	0.37	0.26	2.23	1	0.02	2.27	
Including	166.23	166.49	0.26	0.18	4.82	22	0.46	5.84	
Including	166.49	166.91	0.42	0.30	14.70	34	1.48	17.50	
JDD0132	181.00	182.00	1.00	0.71	1.42	11	0.10	1.72	J2
Including	181.00	181.25	0.25	0.18	3.61	13	0.03	3.82	
Including	181.25	181.75	0.50	0.36	0.76	11	0.12	1.09	
Including	181.75	182.00	0.25	0.18	0.54	7	0.15	0.86	
JDD0132	188.84	189.54	0.70	0.49	2.86	36	0.76	4.53	J3
Including	188.84	189.15	0.31	0.22	1.36	46	1.25	3.94	
Including	189.15	189.54	0.39	0.27	4.06	28	0.38	5.02	
JDD0134	137.00	140.00	3.00	2.36	1.27	5	0.21	1.67	J1HW
Including	137.00	137.50	0.50	0.39	3.21	3	0.02	3.28	
Including	137.50	138.00	0.50	0.39	0.28	2	0.20	0.63	
Including	138.00	138.83	0.83	0.65	0.81	12	0.48	1.73	
Including	138.83	140.00	1.17	0.92	1.18	3	0.11	1.39	
JDD0134	143.60	150.95	7.35	5.77	0.41	3	0.33	0.98	J1
Including	143.60	144.26	0.66	0.52	1.53	6	0.18	1.90	
Including	144.26	145.00	0.74	0.58	0.33	3	0.27	0.79	
Including	145.00	146.00	1.00	0.79	0.60	2	0.09	0.76	
Including	146.00	147.00	1.00	0.79	0.15	2	0.49	0.96	
Including	147.00	148.00	1.00	0.79	0.05	1	0.04	0.12	
Including	148.00	149.00	1.00	0.79	0.09	2	0.27	0.55	
Including	149.00	149.91	0.91	0.71	0.03	1	0.04	0.10	
Including	149.91	150.40	0.49	0.38	0.83	5	1.29	2.97	
Including	150.40	150.95	0.55	0.43	0.75	8	1.07	2.56	
JDD0134	170.07	171.30	1.23	0.97	4.38	11	0.13	4.72	J2
Including	170.07	171.30	1.23	0.97	4.38	11	0.13	4.72	
K92DD0001	64.70	70.52	5.82	4.73	0.16	5	0.07	0.33	J3
Including	64.70	65.75	1.05	0.85	0.32	19	0.25	0.95	
Including	65.75	66.60	0.85	0.69	0.02	1	0.01	0.06	
Including	66.60	67.50	0.90	0.73	0.05	1	0.01	0.08	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	67.50	68.40	0.90	0.73	0.03	1	0.01	0.06	
Including	68.40	69.30	0.90	0.73	0.11	1	0.01	0.14	
Including	69.30	70.27	0.97	0.79	0.13	2	0.01	0.18	
Including	70.27	70.52	0.25	0.20	1.12	7	0.38	1.81	
K92DD0001	150.66	152.00	1.34	1.09	1.38	7	0.18	1.76	J2
Including	150.66	151.00	0.34	0.28	0.78	21	0.51	1.87	
Including	151.00	151.30	0.30	0.24	0.30	3	0.20	0.65	
Including	151.30	152.00	0.70	0.57	2.13	1	0.02	2.17	
K92DD0001	170.05	172.50	2.45	1.98	0.38	2	0.14	0.63	J1
Including	170.05	170.50	0.45	0.36	1.78	4	0.22	2.19	
Including	170.50	171.50	1.00	0.81	0.02	1	0.01	0.04	
Including	171.50	172.50	1.00	0.81	0.10	2	0.24	0.50	
K92DD0002	154.18	158.70	4.52	3.16	0.21	2	0.04	0.30	J3
Including	154.18	154.65	0.47	0.33	0.26	3	0.21	0.64	
Including	154.65	155.07	0.42	0.29	0.38	1	0.01	0.40	
Including	155.07	156.00	0.93	0.65	0.10	1	0.01	0.12	
Including	156.00	157.00	1.00	0.70	0.16	2	0.03	0.23	
Including	157.00	157.50	0.50	0.35	0.09	1	0.01	0.11	
Including	157.50	158.00	0.50	0.35	0.19	2	0.03	0.26	
Including	158.00	158.70	0.70	0.49	0.38	3	0.05	0.50	
K92DD0002	184.75	190.10	5.35	3.74	0.27	6	0.41	1.00	J2
Including	184.75	185.54	0.79	0.55	0.14	3	0.09	0.32	
Including	185.54	186.10	0.56	0.39	0.03	2	0.02	0.08	
Including	186.10	186.75	0.65	0.45	0.02	1	0.01	0.05	
Including	186.75	187.70	0.95	0.66	0.08	2	0.10	0.27	
Including	187.70	188.50	0.80	0.56	0.84	11	0.82	2.29	
Including	188.50	189.30	0.80	0.56	0.51	14	0.74	1.88	
Including	189.30	190.10	0.80	0.56	0.16	9	0.96	1.81	
K92DD0002	248.70	253.40	4.70	3.29	0.20	3	0.13	0.45	J1
Including	248.70	249.50	0.80	0.56	0.10	9	0.40	0.86	
Including	249.50	250.30	0.80	0.56	0.12	3	0.13	0.36	
Including	250.30	251.10	0.80	0.56	0.17	1	0.01	0.20	
Including	251.10	251.65	0.55	0.39	0.31	1	0.01	0.33	
Including	251.65	252.50	0.85	0.59	0.15	1	0.01	0.18	
Including	252.50	253.40	0.90	0.63	0.35	4	0.20	0.73	
KUDD0003	72.60	77.15	4.55	2.39	4.06	6	0.16	4.40	J3
including	72.60	73.80	1.20	0.63	0.70	8	0.14	1.03	
including	73.80	74.50	0.70	0.37	16.31	13	0.11	16.64	
including	74.50	75.40	0.90	0.47	0.22	4	0.20	0.59	
including	75.40	76.00	0.60	0.32	2.04	3	0.15	2.32	
including	76.00	77.15	1.15	0.61	4.16	4	0.19	4.52	
KUDD0003	103.85	109.55	5.70	3.00	1.69	16	2.33	5.64	J2
including	103.85	104.60	0.75	0.39	3.87	19	2.31	7.82	
including	104.60	105.50	0.90	0.47	1.02	34	2.84	6.01	
including	105.50	106.35	0.85	0.45	5.43	9	0.89	6.98	
including	106.35	106.85	0.50	0.26	0.04	5	0.15	0.35	
including	106.85	108.00	1.15	0.61	0.88	15	4.05	7.58	
including	108.00	109.20	1.20	0.63	0.08	13	2.41	4.12	
including	109.20	109.55	0.35	0.18	0.25	7	1.81	3.25	
KUDD0003	143.40	146.10	2.70	1.42	9.55	2	0.06	9.67	J1
including	143.40	145.35	1.95	1.03	8.17	2	0.06	8.29	
including	145.35	146.10	0.75	0.39	13.12	3	0.07	13.27	
KUDD0005	88.50	97.20	8.70	6.67	0.91	10	1.07	2.74	J1
including	88.50	89.30	0.80	0.61	0.81	10	1.40	3.18	
including	89.30	89.65	0.35	0.27	0.93	16	3.24	6.34	
including	89.65	90.25	0.60	0.46	4.53	18	2.21	8.31	
including	90.25	92.00	1.75	1.34	0.14	2	0.65	1.21	
including	92.00	93.60	1.60	1.23	0.10	13	2.18	3.77	
including	93.60	94.00	0.40	0.31	0.25	16	1.06	2.15	
including	94.00	96.20	2.20	1.69	0.68	8	0.20	1.09	
including	96.20	97.20	1.00	0.77	2.20	10	0.24	2.71	
KUDD0004	29.75	35.10	5.35	4.07	0.48	421	0.03	5.78	J1
including	29.75	31.00	1.25	0.95	0.09	87	0.04	1.23	
including	31.00	31.85	0.85	0.65	0.04	1680	0.02	21.08	
including	31.85	33.00	1.15	0.87	1.86	405	0.03	6.97	
including	33.00	33.40	0.40	0.30	0.58	14	0.02	0.78	
including	33.40	34.40	1.00	0.76	0.01	52	0.04	0.72	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	34.40	35.10	0.70	0.53	0.03	274	0.02	3.49	
KUDD0006	295.50	298.00	2.50	1.71	0.59	29	0.47	1.71	J1
including	295.50	296.75	1.25	0.85	0.16	1	0.00	0.18	
including	296.75	297.10	0.35	0.24	3.49	193	3.17	11.00	
including	297.10	298.00	0.90	0.61	0.06	4	0.07	0.22	
KUDD0007	310.50	318.75	8.25	5.73	4.74	10	0.10	5.03	J1
including	310.50	311.40	0.90	0.63	1.05	6	0.05	1.20	
including	311.40	312.26	0.86	0.60	0.66	8	0.04	0.82	
including	312.26	313.15	0.89	0.62	1.78	7	0.02	1.90	
including	313.15	314.15	1.00	0.69	2.84	3	0.12	3.07	
including	314.15	315.05	0.90	0.63	9.27	17	0.20	9.80	
including	315.05	316.05	1.00	0.69	17.35	18	0.20	17.90	
including	316.05	317.00	0.95	0.66	4.74	9	0.04	4.92	
including	317.00	318.00	1.00	0.69	1.43	17	0.15	1.88	
including	318.00	318.75	0.75	0.52	2.04	8	0.03	2.18	
KUDD0008	73.90	77.20	3.30	2.48	0.63	4	0.16	0.95	J1
including	73.90	74.80	0.90	0.68	1.78	2	0.02	1.83	
including	74.80	75.67	0.87	0.65	0.15	4	0.03	0.24	
including	75.67	76.20	0.53	0.40	0.25	9	0.60	1.33	
including	76.20	76.75	0.55	0.41	0.20	5	0.24	0.64	
including	76.75	77.20	0.45	0.34	0.25	3	0.12	0.49	
KUDD0010	387.00	388.77	1.77	0.98	6.93	10	0.01	7.06	J1
KUDD0012	154.00	155.30	1.30	0.64	0.04	2	0.01	0.09	J1
KUDD0013	393.00	395.00	2.00	1.22	0.33	1	0.01	0.36	J1
KUDD0016	353.26	356.50	3.24	0.78	1.53	83	2.11	5.96	J1
including	353.26	354.10	0.84	0.20	4.97	218	3.16	12.77	
including	354.10	355.00	0.90	0.22	0.44	57	2.65	5.41	
including	355.00	356.50	1.50	0.36	0.26	24	1.19	2.48	
KUDD0017	188.00	213.00	25.00	17.69	18.53	27	0.64	20.89	J1
including	188.00	189.60	1.60	1.13	0.43	15	1.25	2.63	
including	189.60	191.10	1.50	1.06	0.33	9	0.82	1.75	
including	191.10	192.15	1.05	0.74	0.25	59	0.66	2.05	
including	192.15	194.10	1.95	1.38	1.56	40	0.94	3.56	
including	194.10	195.00	0.90	0.64	0.41	3	0.08	0.57	
including	195.00	198.00	3.00	2.12	151.20	87	0.16	152.55	
including	198.00	200.30	2.30	1.63	0.27	1	0.02	0.31	
including	200.30	204.00	3.70	2.62	0.31	14	0.01	0.50	
including	204.00	205.30	1.30	0.92	0.33	1	0.01	0.36	
including	205.30	206.55	1.25	0.88	0.28	9	0.25	0.80	
including	206.55	208.20	1.65	1.17	0.12	3	0.12	0.35	
including	208.20	210.30	2.10	1.49	0.10	2	0.27	0.56	
including	210.30	211.50	1.20	0.85	0.60	115	6.12	11.87	
including	211.50	212.00	0.50	0.35	0.12	6	0.70	1.32	
including	212.00	213.00	1.00	0.71	1.01	21	0.76	2.50	
KUDD0019	244.30	247.00	2.70	1.35	2.37	42	0.29	3.36	J2
including	244.30	245.40	1.10	0.55	5.73	21	0.69	7.09	
including	245.40	246.15	0.75	0.38	0.03	120	0.03	1.57	
including	246.15	247.00	0.85	0.43	0.08	1	0.01	0.11	
KUDD0019	320.90	330.67	9.77	4.89	1.94	39	1.61	5.02	J1
including	320.90	322.20	1.30	0.65	4.58	17	0.38	5.41	
including	322.20	323.15	0.95	0.48	2.01	22	0.34	2.84	
including	323.15	323.70	0.55	0.28	0.08	8	0.27	0.62	
including	323.70	324.40	0.70	0.35	0.08	10	0.80	1.48	
including	324.40	325.40	1.00	0.50	0.09	6	0.54	1.03	
including	325.40	326.30	0.90	0.45	0.03	2	0.04	0.13	
including	326.30	327.65	1.35	0.68	0.06	13	0.14	0.45	
including	327.65	329.25	1.60	0.80	6.24	182	7.51	20.58	
including	329.25	329.75	0.50	0.25	0.13	5	0.17	0.46	
including	329.75	330.67	0.92	0.46	0.77	10	1.49	3.28	
KUDD0020	247.60	249.00	1.40	0.50	2.55	1	0.01	2.57	J1
KUDD0022	318.30	328.10	9.80	3.50	1.17	18	0.90	2.84	J1
including	318.30	319.40	1.10	0.39	0.25	38	1.31	2.83	
including	319.40	320.90	1.50	0.54	0.18	34	1.79	3.48	
including	320.90	322.00	1.10	0.39	0.02	3	0.07	0.17	
including	322.00	323.50	1.50	0.54	0.11	7	0.43	0.89	
including	323.50	324.60	1.10	0.39	5.22	18	1.24	7.44	
including	324.60	326.10	1.50	0.54	1.62	24	1.56	4.42	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	326.10	326.70	0.60	0.21	0.40	6	0.18	0.76	
including	326.70	328.10	1.40	0.50	1.64	4	0.15	1.93	
KUDD0023	152.20	164.00	11.80	8.35	0.57	30	0.68	2.04	J3
including	152.20	153.00	0.80	0.57	0.37	14	0.39	1.17	
including	153.00	154.50	1.50	1.06	0.19	22	0.52	1.30	
including	154.50	155.50	1.00	0.71	1.57	117	2.81	7.55	
including	155.50	156.35	0.85	0.60	0.16	8	0.36	0.83	
including	156.35	157.35	1.00	0.71	0.09	4	0.14	0.37	
including	157.35	158.00	0.65	0.46	0.08	2	0.04	0.17	
including	158.00	158.90	0.90	0.64	1.93	49	0.87	3.94	
including	158.90	160.00	1.10	0.78	0.26	2	0.03	0.34	
including	160.00	160.80	0.80	0.57	1.69	49	0.68	3.40	
including	160.80	162.00	1.20	0.85	0.18	1	0.03	0.24	
including	162.00	163.00	1.00	0.71	0.12	9	0.21	0.57	
including	163.00	164.00	1.00	0.71	0.63	83	2.01	4.90	
KUDD0023	174.20	194.10	19.9	14.1	2.69	22	0.58	3.89	Potential Dilatant Zone
including	174.20	174.85	0.65	0.46	0.46	50	3.15	6.15	
including	174.85	175.60	0.75	0.53	0.12	3	0.17	0.44	
including	175.60	176.31	0.71	0.50	0.54	26	1.00	2.48	
including	176.31	177.25	0.94	0.67	2.86	55	0.93	5.04	
including	177.25	177.90	0.65	0.46	0.63	12	0.47	1.54	
including	189.50	190.00	0.50	0.35	1.67	49	2.27	5.93	
including	190.00	190.70	0.70	0.50	1.79	134	1.17	5.35	
including	190.70	191.90	1.20	0.85	0.17	17	0.91	1.85	
including	191.90	192.80	0.90	0.64	0.76	51	1.26	3.43	
including	192.80	193.56	0.76	0.54	54.71	70	1.29	57.65	
including	193.56	194.10	0.54	0.38	3.20	10	0.09	3.47	
KUDD0023	174.20	177.90	3.70	2.62	1.05	30	1.10	3.19	J2 (within Potential Dilatant Zone)
including	174.20	174.85	0.65	0.46	0.46	50	3.15	6.15	
including	174.85	175.60	0.75	0.53	0.12	3	0.17	0.44	
including	175.60	176.31	0.71	0.50	0.54	26	1.00	2.48	
including	176.31	177.25	0.94	0.67	2.86	55	0.93	5.04	
including	177.25	177.90	0.65	0.46	0.63	12	0.47	1.54	
KUDD0023	189.50	194.10	4.60	3.26	10.06	53	1.13	12.54	J1 (within Potential Dilatant Zone)
including	189.50	190.00	0.50	0.35	1.67	49	2.27	5.93	
including	190.00	190.70	0.70	0.50	1.79	134	1.17	5.35	
including	190.70	191.90	1.20	0.85	0.17	17	0.91	1.85	
including	191.90	192.80	0.90	0.64	0.76	51	1.26	3.43	
including	192.80	193.56	0.76	0.54	54.71	70	1.29	57.65	
including	193.56	194.10	0.54	0.38	3.20	10	0.09	3.47	
KUDD0025	355.20	364.95	9.75	4.72	4.22	18	1.02	6.10	J1
including	355.20	356.00	0.80	0.39	39.84	50	0.09	40.61	
including	356.00	357.10	1.10	0.53	0.58	14	0.35	1.32	
including	357.10	358.00	0.90	0.44	0.16	1	0.01	0.19	
including	358.00	359.60	1.60	0.77	0.15	3	0.03	0.24	
including	359.60	361.30	1.70	0.82	0.18	1	0.02	0.22	
including	361.30	362.80	1.50	0.73	0.17	5	0.24	0.62	
including	362.80	364.10	1.30	0.63	5.10	78	6.42	16.39	
including	364.10	364.95	0.85	0.41	1.28	7	0.85	2.74	

Table 3 - Kainantu Gold Mine – Collar Locations for Kora Underground Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KMDD0444	59129	29896	1152	-53	294	236.2	Kora
KMDD0462	58418	29847	1220	44	219	173.4	Kora
KMDD0466	58417	29846	1218	-6	212	185.5	Kora
KMDD0472	58766	29888	1289	46	335	199.0	Kora
KMDD0477	58760	29887	1287	28	217	172.1	Kora
KMDD0478	58417	29846	1217	-22	213	206.9	Kora
KMDD0479	59129	29895	1153	-25	297	125.7	Kora
KMDD0480	58417	29846	1217	-27	212	220.8	Kora
KMDD0481	59129	29896	1153	-22	308	159.3	Kora
KMDD0482	58760	29887	1288	36	217	169.0	Judd
KMDD0483	58420	29847	1216	-67	230	413.4	Kora
KMDD0484	58760	29887	1289	45	218	180.8	Kora
KMDD0486	58763	29880	1290	51	263	152.7	Kora
KMDD0487	58765	29880	1289	49	301	132.1	Kora
KMDD0488	58576	29837	1259	47	220	119.2	Kora
KMDD0489	58576	29841	1258	39	205	186.8	Kora
KMDD0490	58761	29880	1288	39	245	137.2	Kora
KMDD0491	58577	29834	1255	-34	262	140.0	Kora
KMDD0492	58460	29879	1216	-43	221	310.1	Kora
KMDD0495	58460	29879	1216	-37	206	309.5	Kora
KMDD0493	58460	29879	1216	-53	222	499.9	Kora
KMDD0494	58460	29879	1216	-60	223	481.0	Kora
K92DD0001	60433	30146	865	-22	246	350.6	Irumafimpa
K92DD0002	60431	30145	865	-9	222	380.9	Irumafimpa

Table 4 - Kainantu Gold Mine – Collar Locations for Judd Underground Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
JDD0038	58429	29857	1221	48.74	80.06	224.10	Judd
JDD0063	58693	29863	1213	-12.61	65.17	123.50	Judd
JDD0079	58593	29849	1258	21.88	42.14	293.40	Judd
JDD0086A	58533	29858	1214	-73.89	139.95	329.00	Judd
JDD0088	58693	29863	1212	-36.22	61.04	140.20	Judd
JDD0091	58528	29861	1216	-13.32	139.48	201.60	Judd
JDD0093	58337	29828	1222	39.49	39.49	344.20	Judd
JDD0094	58333	29828	1219	-9.70	101.45	279.80	Judd
JDD0095	58592	29849	1257	12.56	87.03	143.40	Judd
JDD0096	58528	29861	1215	-31.80	140.01	215.70	Judd

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
JDD0097	58528	29860	1215	-46.37	151.47	272.00	Judd
JDD0099	58592	29849	1258	19.75	88.36	153.60	Judd
JDD0100	59081	29913	1153	-4.11	161.00	204.70	Judd
JDD0101	58529	29861	1214	-44.91	134.73	191.40	Judd
JDD0102	58532	29860	1215	-67.78	74.56	229.00	Judd
JDD0103	58333	29828	1218	-44.17	101.48	305.00	Judd
JDD0104	58592	29849	1258	12.53	101.67	158.80	Judd
JDD0105	59084	29914	1152	-35.00	126.60	175.10	Judd
JDD0106	58593	29849	1259	35.07	37.03	309.10	Judd
JDD0107	58531	29860	1215	-59.24	86.59	248.90	Judd
JDD0108	59084	29914	1153	-2.42	126.63	147.60	Judd
JDD0109	58592	29848	1258	42.22	129.17	230.00	Judd
JDD0110	58420	29855	1216	-49.35	111.47	248.30	Judd
JDD0111	59087	29914	1152	-27.86	53.14	156.20	Judd
JDD0112	58591	29849	1256	-21.47	130.24	193.30	Judd
JDD0113	59087	29915	1153	-2.12	51.39	140.00	Judd
JDD0114	58333	29827	1218	-59.19	104.25	305.20	Judd
JDD0115	58420	29854	1216	-72.18	109.21	421.90	Judd
JDD0118	58421	29855	1220	36.09	105.52	299.60	Judd
JDD0119	59091	29914	1151	-48.18	27.55	293.00	Judd
JDD0120	58592	29849	1260	47.65	98.44	243.70	Judd
JDD0121	58335	29827	1218	-68.26	139.20	531.50	Judd
JDD0122	59092	29914	1151	-62.33	24.43	338.30	Judd
JDD0123	58330	29828	1220	-4.22	156.56	339.90	Judd
JDD0124A	59082	29913	1151	-37.91	165.42	295.90	Judd
JDD0125	58420	29854	1221	49.24	134.22	319.30	Judd
JDD0126	58330	29828	1222	34.74	228.30	278.30	Judd
JDD0128	58592	29849	1259	35.20	103.53	198.70	Judd
JDD0130	58592	29849	1259	35.47	87.51	193.40	Judd
JDD0131	58332	29827	1218	-53.05	222.11	454.30	Judd
JDD0132	58592	29849	1259	32.70	76.18	195.80	Judd
JDD0134	58592	29849	1258	25.51	73.59	197.00	Judd

Table 5 - Kainantu Gold Mine – Collar Locations for Kora and Judd Surface Drilling

Hole_id	Collar location			Bearing (Local)	Bearing (Magnetic)	Inclination	Depth (m)
	Local East	Local North	RL				
KUDD0003	30011	58117	1802	245	195	-60	557.00
KUDD0004	29980	57919	1814	270	220	-45	68.40
KUDD0005	30011	58117	1802	247.1	197.7	-45	500.00

Hole_id	Collar location			Bearing (Local)	Bearing (Magnetic)	Inclination	Depth (m)
	Local East	Local North	RL				
KUDD0006	29767	57861	1814	90	40	-45	350.00
KUDD0007	29753	57612	1872	90	40	-45	406.50
KUDD0008	30011	58117	1802	272.8	222.8	-46.1	350.10
KUDD0009	29767	57861	1814	39.7	349.7	-63.3	350.00
KUDD0010	29753	57612	1872	56.6	6.6	47.6	407.70
KUDD0011	29900	57801	1861	270	220	-60	659.60
KUDD0012	29900	57801	1861	90	40	-60	415.60
KUDD0013	29753	57612	1872	122	72	-45	434.30
KUDD0014	29900	57801	1861	317	267	-63	521.90
KUDD0015	29753	57612	1872	98	48	-63	256.90
KUDD0016	29900	57801	1861	90	40	-77	459.60
KUDD0017	30076	58047	1836	249	199	-46	530.20
KUDD0018	29753	57612	1872	100	50	-76	508.90
KUDD0019	30076	58047	1836	250	200	-60	700.70
KUDD0020	29900	57801	1861	29	339	-55	567.30
KUDD0021	29753	57612	1861	35	345	-68	360.00
KUDD0022	29900	57801	1861	29	339	-67	332.90
KUDD0023	30075	58047	1836	250	200	-49	223.30
KUDD0024	29753	57612	1872	28	338	-74	525.30
KUDD0025	30076	58047	1836	250	200	-68	460.00
KUDD0026	29900	57801	1861	317	267	-68	272.70
KUDD0027	29900	57801	1861	29	339	-73	434.90
KUDD0028	29900	57801	1861	270	220	-71	366.10
KUDD0029	29900	57801	1861	147	97	-53	248.00
KUDD0030	29900	57801	1861	270	220	-74	425.00

Table 6 – Global Kora and Judd Mineral Resource (Effective Date October 31, 2021 for Kora and December 31, 2021 for Judd)

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
Kora									
Measured	2.8	9.07	0.8	15.7	1.4	0.85	24.1	10.51	1.0
Indicated	4.4	6.68	0.9	20.2	2.8	0.97	42.4	8.35	1.2
Total M&I	7.2	7.62	1.8	18.4	4.3	0.92	66.4	9.20	2.1
Inferred	8.1	7.12	1.8	27.3	7.1	1.38	111.1	9.48	2.5
Judd									
Measured	0.22	11.26	0.08	19.9	0.14	0.72	1.59	12.56	0.09
Indicated	0.15	7.46	0.04	13.9	0.07	0.77	1.20	8.76	0.04
Total M&I	0.38	9.70	0.12	17.5	0.21	0.74	2.79	11.00	0.13
Inferred	1.01	4.24	0.14	11.0	0.36	0.87	8.82	5.66	0.18

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
Kora and Judd									
Measured	3.1	9.23	0.9	16.0	1.6	0.84	25.7	10.66	1.0
Indicated	4.5	6.70	1.0	20.0	2.9	0.97	43.6	8.36	1.2
Total M&I	7.6	7.72	1.9	18.3	4.5	0.91	69.2	9.29	2.3
Inferred	9.1	6.80	2.0	25.5	7.4	1.32	0.1	9.05	2.6

- *Estimates are in Technical Report titled, “Independent Technical Report, Mineral Resources Estimate Update Kora and Judd Gold Deposit, Kainantu Project, Papua New Guinea”.*
- *The Independent and Qualified Person responsible for the Mineral Resource estimate is Simon Tear, P.Geo. of H & S Consultants Pty. Ltd., Sydney, Australia, and the effective date of the estimate is October 31, 2021 for Kora and December 31, 2021 for Judd.*
- *Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability.*
- *Resources were compiled at 1.75,2.5,3,4,5,6,7,8,9 and 10 g/t gold cut-off grades for Kora and 1.75,2.5,3,4,5 for Judd.*
- *Density (t/m³) is on a per zone basis, K1, K2: 2.84 t/m³; Kora Link: 2.74 t/m³; Judd: 2.71 t/m³; Waste: 2.67 t/m³*
- *Minimum mining width for wireframes: Kora: 5.2 m; Judd: 5.2 m*
- *Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate.*
- *Minor variations may occur during the addition of rounded numbers.*
- *Estimations used metric units (metres, tonnes and g/t)*
- *Gold equivalents are calculated as AuEq = Au g/t + Cu%*1.607*92.8% + Ag g/t*0.0125*89%. Gold price US\$1,600/oz; Silver US\$20/oz; Copper US\$3.75/lb. Metal payabilities and recoveries are incorporated into the AuEq formula. Recoveries of 92.8% for copper and 89% for silver.*

Drill Hole Sampling Methodology, QA/QC and Qualified Person

Diamond drill hole is first logged to determine the sampling intervals, which range from a minimum of 0.1 metres to generally 1 metre. The drill core is sawn half core cut along a reference line, with the remainder of the core returned to the core tray. Core samples are then placed in numbered calico and plastic bags, with a numbered sample ticket for dispatch to the assay laboratory. Samples are separately assayed for gold, copper and silver. K92’s procedure includes the insertion standards, blanks and duplicates. Gold assays are by the fire assay method. Copper and silver assays are by three-acid-digestion method (nitric, perchloric & hydrochloric mix).

K92 maintains an industry-standard analytical quality assurance and quality control (QA/QC) and data verification program to monitor laboratory performance and ensure high quality assays. Results from this program confirm reliability of the assay results. All sampling and analytical work for the mine exploration program is performed by Intertek Testing Services (PNG) LTD, an independent accredited laboratory that is located on site. External check assays for QA/QC purposes are performed at SGS Australia Pty Ltd in Townsville, Queensland, Australia.

The analytical QA/QC program is currently overseen by Andrew Kohler, PGeo, Mine Geology Manager and Mine Exploration Manager for K92. Andrew Kohler, a qualified person under the meaning of Canadian National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver at the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018, is in a strong financial position. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

On Behalf of the Company,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA at +1-604-416-4445.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Such forward-looking statements include, without limitation: (i) the results of the Kainantu Project DFS, and the Kainantu 2022 PEA, including the Stage 3 Expansion, a new standalone 1.2 mtpa process plant and supporting infrastructure; (ii) statements regarding the expansion of the mine and development of any of the deposits; and (iii) the Kainantu Stage 4 Expansion, operating two standalone process plants, larger surface infrastructure and mining throughputs.

All statements in this news release that address events or developments that we expect to occur in the future are forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, although not always, identified by words such as “expect”, “plan”, “anticipate”, “project”, “target”, “potential”, “schedule”, “forecast”, “budget”, “estimate”, “intend” or “believe” and similar expressions or their negative connotations, or that events or conditions “will”, “would”, “may”, “could”, “should” or “might” occur. All such forward-looking statements are based on the opinions and estimates of management as of the date such statements are made. Forward-looking statements are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors, many of which are beyond our ability to control, that may cause our actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information. Such factors include, without limitation, Public Health Crises, including the COVID-19 Pandemic; changes in the price of gold, silver, copper and other metals in the world markets; fluctuations in the price and availability of infrastructure and energy and other commodities; fluctuations in foreign currency exchange rates; volatility in price of our common shares; inherent risks associated with the mining industry, including problems related to weather and climate in remote areas in which certain of the Company’s operations are located; failure to achieve production, cost and other estimates; risks and uncertainties associated with exploration and development; uncertainties relating to estimates of mineral resources including uncertainty that mineral resources may never be converted into mineral reserves; the Company’s ability to carry on current and future operations, including development and exploration activities; the timing, extent, duration and economic viability of

such operations, including any mineral resources or reserves identified thereby; the accuracy and reliability of estimates, projections, forecasts, studies and assessments; the Company's ability to meet or achieve estimates, projections and forecasts; the availability and cost of inputs; the price and market for outputs, including gold, silver and copper; inability of the Company to identify appropriate acquisition targets or complete desirable acquisitions; failures of information systems or information security threats; political, economic and other risks associated with the Company's foreign operations; geopolitical events and other uncertainties, such as the conflict in Ukraine; compliance with various laws and regulatory requirements to which the Company is subject to, including taxation; the ability to obtain timely financing on reasonable terms when required; the current and future social, economic and political conditions, including relationship with the communities in jurisdictions it operates; other assumptions and factors generally associated with the mining industry; and the risks, uncertainties and other factors referred to in the Company's Annual Information Form under the heading "Risk Factors".

Estimates of mineral resources are also forward-looking statements because they constitute projections, based on certain estimates and assumptions, regarding the amount of minerals that may be encountered in the future and/or the anticipated economics of production. The estimation of mineral resources and mineral reserves is inherently uncertain and involves subjective judgments about many relevant factors. Mineral resources that are not mineral reserves do not have demonstrated economic viability. The accuracy of any such estimates is a function of the quantity and quality of available data, and of the assumptions made and judgments used in engineering and geological interpretation. Forward-looking statements are not a guarantee of future performance, and actual results and future events could materially differ from those anticipated in such statements. Although we have attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking statements, there may be other factors that cause actual results to differ materially from those that are anticipated, estimated, or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 – K1 Vein Long Section




Figure 2 – K2 Vein Long Section




Figure 3 – J1 Vein Long Section




Figure 4 – Kora-Kora South-Irumafimpa Long Section




Figure 5 – Judd-Judd South Long Section




Figure 6 – KMDD0495 Core Photograph, 295.42 – 299.40m; within intersection of 30.55 m at 12.82 g/t AuEq or 4.15 g/t Au, 78 g/t Ag and 4.79% Cu from the K2 Vein.



Figure 7 – JDD0079 Core Photograph, 202.98 – 207.60m; within intersection of 6.18 m at 37.45 g/t AuEq or 35.12 g/t Au, 26 g/t Ag and 1.24% Cu from the J1 Vein.

