

Aya Gold & Silver Reports Zgounder At-Depth High-Grade Drill Results

Montreal, Quebec, November 19, 2024 - Aya Gold & Silver Inc. (TSX: AYA; OTCQX: AYASF) ("Aya" or the "Corporation") is pleased to report additional high-grade silver drill results from its at-depth drill exploration program at the Zgounder Silver Mine in the Kingdom of Morocco.

Highlights (all intersections are in core lengths)

- **In the Central Zone from the 1,950m level:**
 - hole **DZG-SF-24-172** intercepted 2,165 grams per tonne ("g/t") silver ("Ag") over 21.0 meters ("m"), including 4,600 g/t Ag over 3.5m
 - hole **DZG-SF-24-145** intercepted 4,645 g/t Ag over 3.0m, including 6,703 g/t Ag over 2.0m
 - hole **DZG-SF-24-272** intercepted 1,849 g/t Ag over 5.5m, including 3,894 g/t Ag over 2.5m
- **In the Western Zone near the granite contact:**
 - hole **ZG-SF-24-200** intercepted 1,151 g/t Ag over 21.0m, including 3,290 g/t Ag over 6.0m
- **In the Eastern Zone near the open-pit area:**
 - hole **DZG-SF-24-153** intercepted 3,955 g/t Ag over 4.0m
 - hole **ZG-RC-24-028** intercepted 986 g/t Ag over 24.0m, including 4,418 g/t Ag over 4.0m
 - hole **ZG-RC-24-082** intercepted 1,155 g/t Ag over 16.0m, including 2,335 g/t Ag over 5.0m
 - hole **ZG-RC-24-031** intercepted 744 g/t Ag over 14.0m
- **28,983m of the 2024 exploration program drilled year to date**

"Today's high-grade drill results, including hole DZG-SF-24-172, show good continuity of high-grade silver mineralization at Zgounder," stated Benoit La Salle, President & CEO. "The multiple silver-rich intersections within and around the pit area could lead to an increase of the open pit mining rate. Furthermore, the high-grade intercept at the western extremity, together with the previously announced ZG-SF-24-141 at the western boundary of the fault, highlight the potential for additional resource expansion. With four underground, two surface, and one RC rig currently active, we anticipate a steady flow of results in the coming months to further advance our understanding and resource growth potential at Zgounder."

Included in this release are results for 458 holes, which include 107 underground diamond drill holes ("DDH"), 148 reverse circulation ("RC"), 137 T28 and 66 YAK holes (T28 and YAK: percussion drilling using an air-compressed hammer). For a full summary of today's results, refer to Appendix 1.

Table 1 – Significant Intercepts from Drilling at Zgounder (core lengths)


Hole ID	From	To	Ag (g/t)	Length (m)*	Ag x width
Underground DDH					
ZG-SF-24-170	28.5	35.5	977	7.0	6,836
Including	28.5	31.0	2,432	2.5	6,080
ZG-SF-24-200	265.0	286.0	1,151	21.0	24,166
Including	280.0	286.0	3,290	6.0	19,738
DZG-SF-24-145	13.0	16.0	4,645	3.0	13,934
Including	13.0	15.0	6,703	2.0	13,406
DZG-SF-24-151	17.5	20.0	2,489	2.5	6,222
DZG-SF-24-153	56.0	60.0	3,955	4.0	15,818
DZG-SF-24-172	22.5	43.5	2,165	21.0	45,474
Including	30.5	34.0	4,600	3.5	16,100
DZG-SF-24-247	47.0	66.0	400	19.0	7,596
DZG-SF-24-272	4.0	9.5	1,849	5.5	10,170
Including	4.5	7.0	3,894	2.5	9,736
DZG-SF-24-273	3.0	11.0	1,219	8.0	9,748
Including	7.5	9.5	4,140	2.0	8,280
Surface RC					
ZG-RC-24-001	8.0	25.0	504	17.0	8,560
ZG-RC-24-027	11.0	19.0	769	8.0	6,152
Including	11.0	15.0	1,433	4.0	5,732
ZG-RC-24-028	2.0	26.0	986	24.0	23,672
Including	18.0	22.0	4,418	4.0	17,672
ZG-RC-24-028	45.0	55.0	908	10.0	9,076
Including	50.0	54.0	1,900	4.0	7,600
ZG-RC-24-029	5.0	17.0	543	12.0	6,516
ZG-RC-24-029	20.0	37.0	464	17.0	7,892
ZG-RC-24-031	8.0	22.0	744	14.0	10,416
ZG-RC-24-033	25.0	28.0	1,863	3.0	5,588
ZG-RC-24-062	10.0	21.0	370	11.0	4,072

ZG-RC-24-067	74.0	78.0	1,075	4.0	4,300
ZG-RC-24-074	62.0	76.0	387	14.0	5,424
ZG-RC-24-082	24.0	40.0	1,155	16.0	18,472
Including	33.0	38.0	2,335	5.0	11,676
ZG-RC-24-140	11.0	13.0	2,268	2.0	4,536
ZG-RC-24-142	1.0	5.0	1,881	4.0	7,524
Including	2.0	4.0	3,546	2.0	7,092
ZG-RC-24-243	0.0	25.0	420	25.0	10,504
Including	9.0	13.0	1,242	4.0	4,968
Underground T28					
TD28-24-2030-329	0.0	9.6	519	9.6	4,982
TD28-24-2030-335	0.0	12.0	718	12.0	8,621
Including	2.4	6.0	1,447	3.6	5,208
TD28-24-2030-338	1.2	25.2	539	24.0	12,926
Including	9.6	15.6	1,558	6.0	9,350
TD28-24-2050-412	19.2	26.4	705	7.2	5,078
Underground YAK					
YAKD-24-2000-122	14.4	28.8	931	14.4	13,406
Including	21.6	26.4	2,054	4.8	9,859
YAKD-24-2000-130	22.8	34.8	729	12.0	8,750
Including	24.0	27.6	1,963	3.6	7,066

¹ Holes were drilled at various angles; true widths are unknown at this time.

² All assay results are above the cut-off grade of 75 g/t Ag

Figure 1: Location of Drill Results at Zgounder



Quality Assurance

For core drilling, all individual samples represent approximately one meter in length of core, which is halved. Half of the core is kept on site for reference, and its counterpart is sent for preparation and assaying to African Laboratory for Mining and Environment (“Afrilab”) in Marrakech, Morocco. All samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by atomic absorption spectroscopy (“AAS”). Samples grading above 200 g/t Ag are reanalyzed using fire assaying.

For definition drilling using T28 drilling equipment, all individual samples represent 1.2m in length. Samples are assayed at either the Zgounder Mine laboratory or at Afrilab. At Afrilab, all samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by AAS. Samples grading above 200 g/t Ag are reanalyzed using fire assaying. At ZMSM, all samples are analyzed for silver only using Aqua regia and finished by AAS. Rigorous quality controls (QaQc) are applied at both locations.

David Lalonde, B.Sc. P. Geo, Vice-President Exploration, is Aya Gold & Silver’s Qualified Person and has reviewed this press release for accuracy and compliance with National Instrument 43-101.

About Aya Gold & Silver Inc.

Aya Gold & Silver Inc. is a rapidly growing, Canada-based silver producer with operations in the Kingdom of Morocco.

The only TSX-listed pure silver mining company, Aya operates the high-grade Zgounder Silver Mine and is exploring its properties along the prospective South-Atlas Fault, several of which have hosted past-producing mines and historical resources. Aya’s Moroccan mining assets are complemented by its Tijirit Gold Project in Mauritania, which, subject to the announcement of September 12, 2024, will be developed by Mx2 Mining, a new spinout gold-growth company.

Aya’s management team has been focused on maximizing shareholder value by anchoring sustainability at the heart of its operations, governance, and financial growth plans.

For additional information, please visit Aya’s website at www.ayagoldsilver.com.

Or contact

Benoit La Salle, FCPA, MBA
President & CEO
Benoit.lasalle@ayagoldsilver.com

Alex Ball
VP, Corporate Development & IR
alex.ball@ayagoldsilver.com

Forward-Looking Statements

This press release contains certain statements that constitute forward-looking information within the meaning of applicable securities laws (“forward-looking statements”), which reflects management’s expectations regarding Aya’s future growth and business prospects (including the timing and development of new deposits and the success of exploration activities) and other opportunities. Wherever possible, words such as “show”, “lead”, “potential”, “expand”, “anticipate”, “grow”, and similar expressions or statements that certain actions, events or results “may”, “could”, “would”, “might”, “will”, or are “likely” to be taken, occur or be achieved, have been used to identify such forward-

looking information. Specific forward-looking statements in this press release include, but are not limited to, statements and information with respect to advancement of the commissioning work according to Aya's plan. Although the forward-looking information contained in this press release reflect management's current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, Aya cannot be certain that actual results will be consistent with such forward-looking information. Such forward-looking statements are based upon assumptions, opinions and analysis made by management in light of its experience, current conditions, and its expectations of future developments that management believe to be reasonable and relevant but that may prove to be incorrect. These assumptions include, among other things, the capacity for the company to show, through drilling continuity of high grade mineralisation at Zgounder and the existence of same, the capacity for the company to increase its open pit mining rate, the capacity and ability for adding resources and growing the resource at Zgounder, the ability to obtain any requisite governmental approvals, obtaining regulatory permits for on-site work, importing goods and machinery and employment permits, the accuracy of Mineral Reserve and Mineral Resource Estimates (including, but not limited to, ore tonnage and ore grade estimates), the price of silver, the price of gold, exchange rates, fuel and energy costs, future economic conditions, anticipated future estimates of free cash flow, and courses of action. Aya cautions you not to place undue reliance upon any such forward-looking statements.

The risks and uncertainties that may affect forward-looking statements include, among others: the inherent risks involved in exploration and development of mineral properties, including government approvals and permitting, changes in economic conditions, changes in the worldwide price of silver gold and other key inputs, changes in mine plans (including, but not limited to, throughput and recoveries being affected by metallurgical characteristics), accuracy of mineral reserves and resource calculations and other factors, such as project execution delays, many of which are beyond the control of Aya, as well as other risks and uncertainties which are more fully described in Aya's 2023 Annual Information Form dated March 28, 2024, and in other filings of Aya with securities and regulatory authorities which are available on SEDAR+ at www.sedarplus.ca. Aya does not undertake any obligation to update forward-looking statements should assumptions related to these plans, estimates, projections, beliefs, and opinions change. Nothing in this document should be construed as either an offer to sell or a solicitation to buy or sell Aya securities. All references to Aya include its subsidiaries unless the context requires otherwise.

Appendix 1 - Mineral Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Length (m)*	Ag x width
Underground DDH					
ZG-SF-24-169	51.0	52.0	268	1.0	268
ZG-SF-24-169	63.0	63.5	260	0.5	130
ZG-SF-24-169	77.0	80.5	126	3.5	440
ZG-SF-24-170	7.5	9.0	96	1.5	144
ZG-SF-24-170	28.5	35.5	977	7.0	6,836
Including	28.5	31.0	2,432	2.5	6,080
ZG-SF-24-170	49.0	57.5	92	8.5	784
ZG-SF-24-170	94.0	97.0	200	3.0	600
ZG-SF-24-170	109.0	112.5	1,094	3.5	3,828
ZG-SF-24-171	72.0	73.5	80	1.5	120
ZG-SF-24-171	75.0	76.5	192	1.5	288
ZG-SF-24-171	75.0	78.0	166	3.0	498
ZG-SF-24-171	79.0	79.5	116	0.5	58
ZG-SF-24-171	80.5	81.5	124	1.0	124
ZG-SF-24-172	100.5	101.5	268	1.0	268
ZG-SF-24-172	105.5	109.5	161	4.0	642
Including	105.5	107.0	293	1.5	440
ZG-SF-24-172	113.5	118.0	102	4.5	458
ZG-SF-24-174	16.0	17.5	287	1.5	430
ZG-SF-24-174	18.0	19.0	80	1.0	80
ZG-SF-24-174	57.0	61.5	760	4.5	3,422
ZG-SF-24-185	54.0	57.0	266	3.0	798
ZG-SF-24-188	130.5	132.0	188	1.5	282
ZG-SF-24-188	138.0	141.0	119	3.0	357
ZG-SF-24-188	142.5	144.0	92	1.5	138
ZG-SF-24-190	110.0	111.5	116	1.5	174
ZG-SF-24-190	123.5	125.0	128	1.5	192
ZG-SF-24-192	199.0	202.0	794	3.0	2,382
ZG-SF-24-192	284.0	285.5	76	1.5	114
ZG-SF-24-192	302.0	303.5	84	1.5	126
ZG-SF-24-192	307.5	313.5	147	6.0	882
ZG-SF-24-192	321.0	326.0	112	5.0	562
ZG-SF-24-194	140.0	141.5	268	1.5	402
ZG-SF-24-194	151.5	154.5	1,040	3.0	3,120
ZG-SF-24-195	6.2	7.5	128	1.3	166
ZG-SF-24-195	10.5	13.0	124	2.5	310
ZG-SF-24-198	201.5	203.0	208	1.5	312
ZG-SF-24-198	225.5	227.0	88	1.5	132
ZG-SF-24-198	228.5	230.0	88	1.5	132
ZG-SF-24-199	129.5	130.5	642	1.0	642

ZG-SF-24-200	204.0	208.5	208	4.5	936
ZG-SF-24-200	265.0	286.0	1,151	21.0	24,166
Including	273.0	275.0	1,356	2.0	2,712
Including	280.0	286.0	3,290	6.0	19,738
ZG-SF-24-200	322.0	323.0	168	1.0	168
ZG-SF-24-200	326.5	327.0	188	0.5	94
ZG-SF-24-200	329.0	330.0	120	1.0	120
ZG-SF-24-200	346.5	348.0	192	1.5	288
ZG-SF-24-200	352.5	354.0	104	1.5	156
ZG-SF-24-200	364.5	366.0	204	1.5	306
ZG-SF-24-202	109.0	110.5	700	1.5	1,050
ZG-SF-24-202	135.5	136.5	80	1.0	80
ZG-SF-24-202	137.5	138.0	80	0.5	40
ZG-SF-24-205	4.5	6.0	80	1.5	120
ZG-SF-24-205	182.0	184.1	90	2.1	189
ZG-SF-24-212	9.0	10.5	96	1.5	144
ZG-SF-24-212	135.5	138.5	134	3.0	402
ZG-SF-24-239	42.5	45.0	242	2.5	604
ZG-SF-24-239	54.5	56.0	144	1.5	216
DZG-SF-24-129	40.5	41.5	176	1.0	176
DZG-SF-24-129	43.5	44.5	224	1.0	224
DZG-SF-24-129	55.0	56.0	96	1.0	96
DZG-SF-24-129	57.0	57.5	208	0.5	104
DZG-SF-24-129	61.5	64.0	110	2.5	276
DZG-SF-24-129	67.5	73.0	143	5.5	788
DZG-SF-24-129	80.5	84.5	173	4.0	690
DZG-SF-24-141	1.5	3.0	88	1.5	132
DZG-SF-24-144	36.0	37.5	76	1.5	114
DZG-SF-24-145	0.0	1.0	96	1.0	96
DZG-SF-24-145	2.0	3.5	620	1.5	930
DZG-SF-24-145	6.5	8.0	360	1.5	540
DZG-SF-24-145	13.0	16.0	4,645	3.0	13,934
Including	13.0	15.0	6,703	2.0	13,406
DZG-SF-24-146	4.0	11.5	205	7.5	1,536
DZG-SF-24-149	33.0	39.0	643	6.0	3,860
Including	34.0	35.5	2,176	1.5	3,264
DZG-SF-24-149	55.0	56.0	76	1.0	76
DZG-SF-24-150	38.0	39.5	128	1.5	192
DZG-SF-24-150	44.0	49.5	292	5.5	1,606
DZG-SF-24-151	17.5	20.0	2,489	2.5	6,222
DZG-SF-24-151	24.0	26.0	384	2.0	768
DZG-SF-24-153	13.5	15.0	120	1.5	180
DZG-SF-24-153	16.0	17.0	104	1.0	104
DZG-SF-24-153	56.0	60.0	3,955	4.0	15,818
DZG-SF-24-154	16.0	17.0	92	1.0	92

DZG-SF-24-154	28.5	29.0	208	0.5	104
DZG-SF-24-154	42.5	45.5	156	3.0	468
DZG-SF-24-157	15.0	24.0	436	9.0	3,924
DZG-SF-24-157	34.5	38.0	102	3.5	358
DZG-SF-24-161	18.0	19.5	104	1.5	156
DZG-SF-24-166	40.5	42.0	80	1.5	120
DZG-SF-24-166	43.5	45.0	84	1.5	126
DZG-SF-24-168	30.0	31.0	76	1.0	76
DZG-SF-24-168	32.0	33.5	208	1.5	312
DZG-SF-24-170	21.0	23.0	96	2.0	192
DZG-SF-24-170	41.5	42.5	84	1.0	84
DZG-SF-24-170	43.0	45.5	548	2.5	1,370
DZG-SF-24-170	49.0	55.5	235	6.5	1,526
DZG-SF-24-170	57.0	57.5	88	0.5	44
DZG-SF-24-171	18.0	19.5	180	1.5	270
DZG-SF-24-171	62.5	64.0	260	1.5	390
DZG-SF-24-172	15.0	16.5	104	1.5	156
DZG-SF-24-172	18.0	19.5	264	1.5	396
DZG-SF-24-172	22.5	43.5	2,165	21.0	45,474
Including	30.5	34.0	4,600	3.5	16,100
DZG-SF-24-172	52.5	55.5	318	3.0	954
DZG-SF-24-176	32.0	40.0	168	8.0	1,342
Including	32.0	34.5	346	2.5	864
DZG-SF-24-177	18.0	21.0	114	3.0	342
DZG-SF-24-177	36.0	37.5	196	1.5	294
DZG-SF-24-181	28.0	29.5	76	1.5	114
DZG-SF-24-227	3.0	4.5	112	1.5	168
DZG-SF-24-230	9.0	12.5	102	3.5	356
DZG-SF-24-231	35.0	35.5	184	0.5	92
DZG-SF-24-232	7.5	9.0	92	1.5	138
DZG-SF-24-232	16.5	19.0	1,050	2.5	2,626
DZG-SF-24-233	9.0	14.5	144	5.5	790
DZG-SF-24-234	27.5	28.5	80	1.0	80
DZG-SF-24-235	26.5	28.5	206	2.0	412
DZG-SF-24-236	63.0	67.0	286	4.0	1,144
DZG-SF-24-238	4.5	5.5	768	1.0	768
DZG-SF-24-238	10.5	15.0	533	4.5	2,398
Including	10.5	13.5	705	3.0	2,114
DZG-SF-24-241	34.5	35.5	436	1.0	436
DZG-SF-24-241	43.0	44.5	228	1.5	342
DZG-SF-24-242	15.0	21.0	279	6.0	1,674
DZG-SF-24-243	14.5	18.0	177	3.5	618
DZG-SF-24-243	22.0	22.5	472	0.5	236
DZG-SF-24-243	36.5	38.5	76	2.0	152
DZG-SF-24-244	29.0	30.0	156	1.0	156

DZG-SF-24-244	37.0	41.5	84	4.5	378
DZG-SF-24-244	60.5	68.5	163	8.0	1,300
DZG-SF-24-245	12.0	15.0	96	3.0	288
DZG-SF-24-245	43.0	47.5	117	4.5	528
DZG-SF-24-247	3.0	4.5	144	1.5	216
DZG-SF-24-247	39.5	43.0	255	3.5	892
DZG-SF-24-247	47.0	66.0	400	19.0	7,596
Including	47.0	50.0	796	3.0	2,388
Including	60.0	62.0	800	2.0	1,600
DZG-SF-24-271	7.5	9.0	100	1.5	150
DZG-SF-24-271	12.0	20.5	279	8.5	2,368
Including	13.0	17.5	400	4.5	1,798
DZG-SF-24-272	1.5	3.0	92	1.5	138
DZG-SF-24-272	4.0	9.5	1,849	5.5	10,170
Including	4.5	7.0	3,894	2.5	9,736
DZG-SF-24-272	11.0	12.5	80	1.5	120
DZG-SF-24-273	3.0	11.0	1,219	8.0	9,748
Including	7.5	9.5	4,140	2.0	8,280
DZG-SF-24-275	39.0	40.5	76	1.5	114
DZG-SF-24-277	22.0	23.5	76	1.5	114
DZG-SF-24-278	24.5	26.0	76	1.5	114
DZG-SF-24-288	40.5	46.0	516	5.5	2,838
DZG-SF-24-289	27.0	30.0	224	3.0	672
DZG-SF-24-289	31.5	33.0	96	1.5	144
DZG-SF-24-291	42.0	45.0	321	3.0	964
Surface RC					
ZG-RC-24-001	8.0	25.0	504	17.0	8,560
Including	11.0	14.0	883	3.0	2,648
ZG-RC-24-001	40.0	41.0	88	1.0	88
ZG-RC-24-001	63.0	64.0	76	1.0	76
ZG-RC-24-020	27.0	28.0	84	1.0	84
ZG-RC-24-020	32.0	35.0	303	3.0	908
ZG-RC-24-021	45.0	55.0	366	10.0	3,664
Including	45.0	48.0	707	3.0	2,120
ZG-RC-24-021	57.0	58.0	168	1.0	168
ZG-RC-24-021	60.0	63.0	759	3.0	2,276
ZG-RC-24-021	66.0	68.0	126	2.0	252
ZG-RC-24-024	59.0	66.0	329	7.0	2,304
ZG-RC-24-024	83.0	84.0	120	1.0	120
ZG-RC-24-027	3.0	7.0	131	4.0	524
ZG-RC-24-027	11.0	19.0	769	8.0	6,152
Including	11.0	15.0	1,433	4.0	5,732
ZG-RC-24-027	32.0	33.0	96	1.0	96
ZG-RC-24-027	34.0	35.0	92	1.0	92
ZG-RC-24-028	2.0	26.0	986	24.0	23,672

Including	18.0	22.0	4,418	4.0	17,672
ZG-RC-24-028	31.0	32.0	532	1.0	532
ZG-RC-24-028	45.0	55.0	908	10.0	9,076
Including	50.0	54.0	1,900	4.0	7,600
ZG-RC-24-029	1.0	2.0	80	1.0	80
ZG-RC-24-029	1.0	3.0	80	2.0	160
ZG-RC-24-029	5.0	17.0	543	12.0	6,516
ZG-RC-24-029	20.0	37.0	464	17.0	7,892
Including	20.0	22.0	1,388	2.0	2,776
Including	32.0	35.0	1,095	3.0	3,284
ZG-RC-24-029	56.0	65.0	156	9.0	1,400
ZG-RC-24-030	40.0	42.0	208	2.0	416
ZG-RC-24-030	49.0	51.0	108	2.0	216
ZG-RC-24-031	8.0	22.0	744	14.0	10,416
ZG-RC-24-032	23.0	43.0	108	20.0	2,156
Including	23.0	28.0	200	5.0	1,000
ZG-RC-24-032	67.0	68.0	164	1.0	164
ZG-RC-24-032	75.0	77.0	280	2.0	560
ZG-RC-24-032	82.0	91.0	202	9.0	1,820
ZG-RC-24-033	25.0	28.0	1,863	3.0	5,588
ZG-RC-24-033	38.0	39.0	96	1.0	96
ZG-RC-24-034	92.0	93.0	80	1.0	80
ZG-RC-24-034	94.0	95.0	80	1.0	80
ZG-RC-24-036	12.0	25.0	225	13.0	2,924
ZG-RC-24-038	56.0	60.0	940	4.0	3,760
ZG-RC-24-038	76.0	83.0	261	7.0	1,828
ZG-RC-24-041	4.0	6.0	97	2.0	194
ZG-RC-24-042	103.0	104.0	100	1.0	100
ZG-RC-24-044	90.0	95.0	122	5.0	608
ZG-RC-24-047	45.0	46.0	256	1.0	256
ZG-RC-24-048	6.0	8.0	218	2.0	436
ZG-RC-24-048	56.0	57.0	84	1.0	84
ZG-RC-24-048	61.0	62.0	80	1.0	80
ZG-RC-24-049	36.0	39.0	555	3.0	1,664
ZG-RC-24-050	14.0	19.0	118	5.0	588
ZG-RC-24-051	93.0	98.0	258	5.0	1,292
ZG-RC-24-061	0.0	8.0	113	8.0	904
ZG-RC-24-061	11.0	17.0	147	6.0	884
ZG-RC-24-061	21.0	23.0	130	2.0	260
ZG-RC-24-061	28.0	29.0	112	1.0	112
ZG-RC-24-061	31.0	32.0	108	1.0	108
ZG-RC-24-061	31.0	33.0	116	2.0	232
ZG-RC-24-061	31.0	34.0	100	3.0	300
ZG-RC-24-061	31.0	35.0	102	4.0	408
ZG-RC-24-061	37.0	38.0	92	1.0	92

ZG-RC-24-061	40.0	41.0	80	1.0	80
ZG-RC-24-062	5.0	7.0	140	2.0	280
ZG-RC-24-062	10.0	21.0	370	11.0	4,072
Including	13.0	20.0	490	7.0	3,432
ZG-RC-24-062	32.0	37.0	130	5.0	652
ZG-RC-24-063	53.0	54.0	828	1.0	828
ZG-RC-24-064	22.0	24.0	136	2.0	272
ZG-RC-24-064	31.0	32.0	132	1.0	132
ZG-RC-24-065	30.0	33.0	1,308	3.0	3,924
ZG-RC-24-065	48.0	49.0	1,328	1.0	1,328
ZG-RC-24-065	79.0	80.0	204	1.0	204
ZG-RC-24-066	14.0	16.0	254	2.0	508
ZG-RC-24-066	23.0	24.0	128	1.0	128
ZG-RC-24-066	59.0	60.0	848	1.0	848
ZG-RC-24-066	62.0	63.0	128	1.0	128
ZG-RC-24-066	66.0	67.0	80	1.0	80
ZG-RC-24-066	78.0	79.0	260	1.0	260
ZG-RC-24-066	84.0	85.0	84	1.0	84
ZG-RC-24-067	71.0	72.0	140	1.0	140
ZG-RC-24-067	74.0	78.0	1,075	4.0	4,300
ZG-RC-24-069	93.0	94.0	136	1.0	136
ZG-RC-24-073	55.0	56.0	92	1.0	92
ZG-RC-24-074	62.0	76.0	387	14.0	5,424
Including	69.0	72.0	881	3.0	2,644
ZG-RC-24-075	71.0	75.0	441	4.0	1,764
ZG-RC-24-078	92.0	93.0	332	1.0	332
ZG-RC-24-079	1.0	2.0	120	1.0	120
ZG-RC-24-081	19.0	20.0	76	1.0	76
ZG-RC-24-082	24.0	40.0	1,155	16.0	18,472
Including	33.0	38.0	2,335	5.0	11,676
ZG-RC-24-082	47.0	48.0	356	1.0	356
ZG-RC-24-083	5.0	13.0	331	8.0	2,644
Including	10.0	12.0	1,044	2.0	2,088
ZG-RC-24-083	39.0	45.0	628	6.0	3,768
Including	41.0	43.0	1,704	2.0	3,408
ZG-RC-24-083	54.0	55.0	104	1.0	104
ZG-RC-24-083	64.0	69.0	502	5.0	2,512
ZG-RC-24-084	4.0	10.0	507	6.0	3,040
ZG-RC-24-084	12.0	13.0	76	1.0	76
ZG-RC-24-084	14.0	15.0	216	1.0	216
ZG-RC-24-084	19.0	25.0	141	6.0	844
ZG-RC-24-084	28.0	29.0	424	1.0	424
ZG-RC-24-085	48.0	49.0	124	1.0	124
ZG-RC-24-085	51.0	52.0	124	1.0	124
ZG-RC-24-085	57.0	58.0	128	1.0	128

ZG-RC-24-089	10.0	11.0	316	1.0	316
ZG-RC-24-089	14.0	18.0	340	4.0	1,360
ZG-RC-24-090	46.0	48.0	142	2.0	284
ZG-RC-24-091	49.0	50.0	112	1.0	112
ZG-RC-24-091	51.0	60.0	305	9.0	2,748
ZG-RC-24-092	47.0	48.0	472	1.0	472
ZG-RC-24-092	57.0	58.0	472	1.0	472
ZG-RC-24-099	34.0	35.0	100	1.0	100
ZG-RC-24-125	11.0	12.0	128	1.0	128
ZG-RC-24-125	17.0	18.0	76	1.0	76
ZG-RC-24-127	60.0	66.0	323	6.0	1,940
ZG-RC-24-129	34.0	41.0	469	7.0	3,284
ZG-RC-24-138	26.0	30.0	227	4.0	908
ZG-RC-24-138	37.0	39.0	322	2.0	644
ZG-RC-24-139	23.0	28.0	178	5.0	892
ZG-RC-24-140	11.0	13.0	2,268	2.0	4,536
ZG-RC-24-142	1.0	5.0	1,881	4.0	7,524
Including	2.0	4.0	3,546	2.0	7,092
ZG-RC-24-142	8.0	9.0	220	1.0	220
ZG-RC-24-142	14.0	15.0	712	1.0	712
ZG-RC-24-213	37.0	38.0	136	1.0	136
ZG-RC-24-213	40.0	41.0	96	1.0	96
ZG-RC-24-213	56.0	57.0	96	1.0	96
ZG-RC-24-213	58.0	59.0	104	1.0	104
ZG-RC-24-214	47.0	48.0	664	1.0	664
ZG-RC-24-214	57.0	58.0	668	1.0	668
ZG-RC-24-228	51.0	52.0	76	1.0	76
ZG-RC-24-228	66.0	67.0	80	1.0	80
ZG-RC-24-228	70.0	71.0	84	1.0	84
ZG-RC-24-243	0.0	25.0	420	25.0	10,504
Including	9.0	13.0	1,242	4.0	4,968
ZG-RC-24-243	28.0	29.0	312	1.0	312
ZG-RC-24-254	1.0	3.0	86	2.0	172
ZG-RC-24-254	8.0	9.0	96	1.0	96
ZG-RC-24-254	10.0	11.0	88	1.0	88
ZG-RC-24-254	34.0	35.0	80	1.0	80
TD28-24-2030-327	0.0	6.0	144	6.0	864
TD28-24-2030-328	2.4	6.0	177	3.6	638
TD28-24-2030-328	10.8	12.0	80	1.2	96
TD28-24-2030-329	0.0	9.6	519	9.6	4,982
TD28-24-2030-330	2.4	7.2	708	4.8	3,398
TD28-24-2030-330	15.6	16.8	88	1.2	106
TD28-24-2030-332	7.2	8.4	1,204	1.2	1,445
TD28-24-2030-332	9.6	10.8	84	1.2	101

TD28-24-2030-332	14.4	16.8	640	2.4	1,536
TD28-24-2030-334	18.0	19.2	552	1.2	662
TD28-24-2030-334	20.4	26.4	211	6.0	1,267
TD28-24-2030-335	0.0	12.0	718	12.0	8,621
Including	2.4	6.0	1,447	3.6	5,208
TD28-24-2030-335	13.2	14.4	104	1.2	125
TD28-24-2030-335	15.6	16.8	112	1.2	134
TD28-24-2030-335	18.0	19.2	652	1.2	782
TD28-24-2030-335	22.8	24.0	508	1.2	610
TD28-24-2030-336	0.0	7.2	305	7.2	2,194
TD28-24-2030-336	8.4	9.6	80	1.2	96
TD28-24-2030-337	3.6	12.0	189	8.4	1,584
TD28-24-2030-338	1.2	25.2	539	24.0	12,926
Including	9.6	15.6	1,558	6.0	9,350
TD28-24-2030-339	9.6	10.8	188	1.2	226
TD28-24-2030-340	0.0	3.6	120	3.6	432
TD28-24-2030-340	4.8	6.0	84	1.2	101
TD28-24-2030-340	10.8	12.0	84	1.2	101
TD28-24-2030-342	0.0	4.8	336	4.8	1,613
TD28-24-2030-342	12.0	13.2	400	1.2	480
TD28-24-2030-342	16.8	21.6	375	4.8	1,800
TD28-24-2030-342	25.2	26.4	492	1.2	590
TD28-24-2030-344	3.6	4.8	208	1.2	250
TD28-24-2030-351	2.4	4.8	98	2.4	235
TD28-24-2030-359	20.4	22.8	84	2.4	202
TD28-24-2030-360	0.0	1.2	96	1.2	115
TD28-24-2030-360	7.2	8.4	124	1.2	149
TD28-24-2030-360	9.6	10.8	92	1.2	110
TD28-24-2030-360	12.0	14.4	80	2.4	192
TD28-24-2030-360	15.6	16.8	80	1.2	96
TD28-24-2030-360	20.4	21.6	86	1.2	103
TD28-24-2030-361	6.0	9.6	144	3.6	518
TD28-24-2030-361	10.8	13.2	84	2.4	202
TD28-24-2030-372	15.6	18.0	682	2.4	1,637
TD28-24-2050-316	3.6	4.8	172	1.2	206
TD28-24-2050-411	18.0	19.2	148	1.2	178
TD28-24-2050-412	19.2	26.4	705	7.2	5,078
Including	19.2	21.6	1,212	2.4	2,909
TD28-24-2050-413	2.4	3.6	560	1.2	672
TD28-24-2050-413	8.4	9.6	152	1.2	182
TD28-24-2050-413	18.0	20.4	326	2.4	782
TD28-24-2050-413	22.8	24.0	80	1.2	96
TD28-24-2050-414	7.2	8.4	80	1.2	96
TD28-24-2050-414	18.0	22.8	83	4.8	398
TD28-24-2050-416	9.6	10.8	76	1.2	91

TD28-24-2050-416	12.0	14.4	80	2.4	192
TD28-24-2050-416	15.6	16.8	76	1.2	91
TD28-24-2050-418	1.2	2.4	452	1.2	542
TD28-24-2050-418	6.0	7.2	84	1.2	101
TD28-24-2050-418	10.8	16.8	86	6.0	518
TD28-24-2075-477	0.0	2.4	164	2.4	394
TD28-24-2075-479	0.0	1.2	386	1.2	463
TD28-24-2100-385	9.6	18.0	142	8.4	1,190
TD28-24-2100-385	20.4	21.6	84	1.2	101
TD28-24-2100-386	10.8	12.0	88	1.2	106
TD28-24-2100-400	0.0	3.6	215	3.6	773
TD28-24-2100-423	1.2	2.4	400	1.2	480
TD28-24-2100-432	10.8	12.0	188	1.2	226
TD28-24-2100-432	20.4	21.6	80	1.2	96
TD28-24-2100-439	9.6	10.8	136	1.2	163
TD28-24-2100-442	24.0	25.2	160	1.2	192
TD28-24-2100-447	9.6	18.0	89	8.4	744
TD28-24-2100-448	2.4	3.6	104	1.2	125
TD28-24-2100-448	10.8	12.0	124	1.2	149
TD28-24-2100-448	13.2	14.4	76	1.2	91
TD28-24-2100-448	22.8	24.0	132	1.2	158
TD28-24-2100-450	4.8	8.4	95	3.6	341
TD28-24-2100-455	8.4	16.8	178	8.4	1,493
TD28-24-2100-455	19.2	20.4	132	1.2	158
TD28-24-2100-456	12.0	15.6	125	3.6	451
TD28-24-2100-456	25.2	26.4	112	1.2	134
Underground YAK					
YAKD-24-1950-080	0.0	3.6	157	3.6	566
YAKD-24-1950-081	10.8	12.0	252	1.2	302
YAKD-24-1950-086	37.2	38.4	90	1.2	108
YAKD-24-1950-086	42.0	45.6	83	3.6	298
YAKD-24-1950-087	44.4	46.8	126	2.4	302
YAKD-24-1950-088	14.4	15.6	104	1.2	125
YAKD-24-1950-088	21.6	22.8	100	1.2	120
YAKD-24-1950-088	32.4	42.0	132	9.6	1,262
Including	32.4	36.0	216	3.6	778
YAKD-24-1950-088	46.8	48.0	88	1.2	106
YAKD-24-2000-106	19.2	24.0	229	4.8	1,099
YAKD-24-2000-108	6.0	7.2	104	1.2	125
YAKD-24-2000-108	44.4	45.6	272	1.2	326
YAKD-24-2000-111	33.6	34.8	96	1.2	115
YAKD-24-2000-115	9.6	10.8	84	1.2	101
YAKD-24-2000-115	15.6	16.8	80	1.2	96
YAKD-24-2000-117	22.8	24.0	76	1.2	91
YAKD-24-2000-117	25.2	26.4	332	1.2	398

YAKD-24-2000-117	32.4	45.6	169	13.2	2,237
Including	33.6	36.0	466	2.4	1,118
YAKD-24-2000-118	25.2	26.4	100	1.2	120
YAKD-24-2000-118	45.6	46.8	104	1.2	125
YAKD-24-2000-119	0.0	8.4	142	8.4	1,190
YAKD-24-2000-119	18.0	19.2	168	1.2	202
YAKD-24-2000-122	4.8	6.0	184	1.2	221
YAKD-24-2000-122	14.4	28.8	931	14.4	13,406
Including	21.6	26.4	2,054	4.8	9,859
YAKD-24-2000-130	20.4	21.6	80	1.2	96
YAKD-24-2000-130	22.8	34.8	729	12.0	8,750
Including	24.0	27.6	1,963	3.6	7,066
YAKD-24-2000-132	27.6	28.8	96	1.2	115
YAKD-24-2000-132	30.0	33.6	148	3.6	533
YAKD-24-2000-132	42.0	48.0	201	6.0	1,205
YAKD-24-2050-169	25.2	27.6	1,128	2.4	2,707
YAKD-24-2050-173	12.0	36.0	117	24.0	2,818
YAKD-24-2050-175	16.8	25.2	127	8.4	1,066
YAKD-24-2050-175	26.4	27.6	100	1.2	120
YAKD-24-2050-176	30.0	31.2	280	1.2	336
YAKD-24-2050-176	39.6	40.8	92	1.2	110
YAKD-24-2075-091	34.8	39.6	269	4.8	1,291
YAKD-24-2075-092	7.2	8.4	440	1.2	528
YAKD-24-2075-093	16.8	19.2	180	2.4	432
YAKD-24-2075-096	16.8	18.0	160	1.2	192
YAKD-24-2075-096	36.0	43.2	197	7.2	1,421

¹ Holes were drilled at various angles, true widths are not known at this time.

² All assay results are above the cut-off grade of 75 g/t Ag.