



Aurion Regional Scout Drilling Intersects Four New Gold Occurrences on Wholly Owned Risti

- **Kaares Area – Gold intersected along the E-W structural trend 1.8 km W and 800 m E of the Vanha prospect**
 - 3.63 g/t Au over 3.20 m from 41.30 m (KS23068)
 - 2.17 g/t Au over 1.60 m from 148.35 m (KS23030)
- **Kaares Area – Gold intersected along NW trending structures (splays from the E-W structural trend)**
 - 4.67 g/t Au over 1.75 m from 103.15 m (KS23057)
- **Risti Northwest – Gold mineralization and favorable host rocks intersected 1 km SE of the Ikkari Discovery (Rupert Resources) and 13 km from Kaares**
- **Risti North – New deformation zone and favorable host rocks with elevated gold 9 km from Kaares**
- **Numerous gold and pathfinder anomalies from base of till sampling program**

ST. JOHN'S, NL, Nov. 13, 2023 /CNW/ - **Aurion Resources Ltd.** (TSXV: AU) (OTCQX: AIRRF) ("**Aurion**" or the "**Company**") announces results from the scout drilling and base of till sampling programs at its wholly owned Risti property located in the Central Lapland Greenstone Belt in northern Finland.

Summary

- **Kaares Area – Gold intersected along the E-W structural trend 1.8 km W and 800 m E of the Vanha prospect**
 - 3.63 g/t Au over 3.20 m from 41.30 m (KS23068), 1.8 km east of the Vanha prospect
 - 2.17 g/t Au over 1.60 m from 148.35 m (KS23030), 800 m west of the Vanha prospect
 - Further evidence of gold mineralization along the mainly unexplored structural trend interpreted to extend over 15 km within the Risti property and further into the Aurion-B2Gold JV area which hosts the recent Vuoma discovery
- **Kaares Area – Gold intersected along NW trending structures (splays from the E-W structural trend)**
 - 4.67 g/t Au over 1.75 m from 103.15 m (KS23057), 1.2 km north of the Vanha prospect
 - 1.92 g/t Au over 1.40 m from 96.90 m (KS23046), 650 m northwest of the Vanha prospect
- **Risti Northwest – Gold mineralization and favorable host rocks intersected 1 km SE of the Ikkari Discovery (Rupert Resources) and 13 km from Kaares**
 - 1.09 g/t Au over 2.00 m from 213.85 m (HE23010)
 - Gold mineralization hosted by deformed and altered mafic-ultramafic and sedimentary rocks
- **Risti North – New deformation zone and favorable host rocks with elevated gold 9 km from Kaares**
 - Hole HE23011 intersected intervals of deformed and altered mafic-ultramafic rocks with elevated gold
- **Numerous gold and pathfinder anomalies from base of till sampling program**
 - 20+ geochemical and/or geophysical targets to be tested

Comments

"Aurion's exploration program in till covered areas, now in its third year, is demonstrating the significant discovery potential at Risti, yielding the rapidly growing Kaares discovery and multiple new gold intersections over a broad expanse." commented Matti Talikka, CEO of Aurion." Following the discovery, under cover, of the 4+ Moz Ikkari deposit by Rupert Resources, Aurion commenced exploration on the covered areas of Risti. This program has now graduated from base of till sampling and geophysical surveys to drill testing. We believe that shareholder value is best achieved by new discoveries and look forward to delivering more results from this ongoing program."

Link to Figures: <https://aurionresources.com/site/assets/files/1519/nr23-21figures.pdf>

Risti Scout Drilling Summary									
Hole ID	EOH(m)	Azimuth	Dip	From (m)	To (m)	Width (m)	Au (g/t)	Target Area	Comments
KS23030	166.70	209.8	-38.9	148.35	149.95	1.60	2.17	Kaares	
and				151.55	152.80	1.25	0.28		
KS23031	135.20	209.5	-39.2	94.70	96.70	2.00	0.10	Kaares	
KS23033	207.60	268.5	-44.6	95.50	99.50	4.00		Kaares	0.21 g/t Pd+Pt
KS23044	151.20	224.9	-49.8	66.95	70.45	3.50	0.92	Kaares	
and				84.25	85.20	0.95	4.19		
and				104.75	105.75	1.00	0.86		
KS23045	151.70	254.9	-49.7	69.00	71.10	2.10	0.57	Kaares	0.35% Cu
and				80.00	88.00	8.00	0.60		
including				81.00	82.00	1.00	2.93		
and				137.00	138.20	1.20	0.35		0.22% Cu
KS23046	153.20	248.9	-40.1	96.90	98.30	1.40	1.92	Kaares	
and				130.30	131.55	1.25	0.30		
KS23047	166.00	225.4	-44.5	5.35	9.00	3.65	1.02	Kaares	
and				13.45	16.50	3.05	0.47		
and				25.50	27.00	1.50	0.53		
and				154.45	155.70	1.25	0.80		
KS23048	157.20	108.9	-38.3	109.15	110.00	0.85	0.27	Kaares	4.20% Cu
KS23049	117.90	224.3	-38.5	91.00	92.70	1.70	3.48	Kaares	0.3 m of core loss
including				91.00	91.50	0.50	11.20		
and				103.70	105.20	1.50	0.67		
KS23050	100.20	218.5	-39.6	NSV				Kaares	
KS23051	151.60	222.8	-39.5	37.60	38.60	1.00	0.39	Kaares	
and				50.90	51.55	0.65	0.36		0.72% Cu
KS23052	100.00	225.1	-39.4	NSV				Kaares	
KS23053	103.90	223.6	-39.5	NSV				Kaares	
KS23054	304.80	225.9	-38.9	211.60	212.65	1.05	5.02	Kaares	
and				284.55	285.60	1.05	0.54		
KS23055	109.80	225.0	-39.4	41.10	42.80	1.70	0.17	Kaares	
KS23056	100.60	179.3	-38.8	NSV				Kaares	
KS23057	115.40	223.0	-38.6	103.15	104.90	1.75	4.67	Kaares	
including				104.15	104.90	0.75	10.60		
KS23058	101.00	231.2	-39.2	NSV				Kaares	
KS23060	100.60	228.3	-38.9	NSV				Kaares	
KS23061	142.50	129.9	-39.7	NSV				Kaares	
KS23063	121.90	221.0	-39.2	NSV				Kaares	
KS23064	112.30	217.9	-38.5	NSV				Kaares	
KS23065	133.70	222.1	-37.5	NSV				Kaares	
KS23066	103.10	223.7	-38.8	NSV				Kaares	
KS23067	102.90	223.0	-39.5	72.70	73.70	1.00	0.15	Kaares	
KS23068	106.80	224.2	-39.5	41.30	44.50	3.20	3.63	Kaares	0.1 m of core loss
including				42.70	43.90	1.20	7.98		
SM23002	202.20	223.6	-39.0	NSV				Kaares	
HE23003	259.80	334.8	-45.0	37.20	37.75	0.55	0.13	Risti NW	
HE23004	100.40	359.1	-39.6	NSV				Risti NW	
HE23005	70.70	357.8	-38.6	NSV				Risti SW	
HE23006	101.00	179.1	-39.5	35.70	40.00	4.30		Risti SW	0.74 g/t Pd+Pt
HE23007	106.90	136.4	-39.1	NSV				Risti SW	
HE23008	97.50	159.3	-39.1	NSV				Risti SW	
HE23009	74.20	21.8	-40.0	NSV				Risti SW	
HE23010	251.10	161.3	-39.7	154.95	156.55	1.60	0.25	Risti NW	
and				213.85	215.85	2.00	1.09		
HE23011	238.10	328.7	-44.1	188.00	189.55	1.55	0.17	Risti N	
and				217.00	219.00	2.00	0.12		

All widths are core widths. True width is not known at this time. All assay values are uncut.

NSV = no significant values, EOH = end of hole

Scout Drill Program

36 scout holes, totaling 4,781.60 m, were drilled at several targets within the wholly owned (182 km²) Risti property (Figures 1 & 2). The targets were drilled to test anomalies identified from

geochemical and geophysical surveys.

Gold and favourable host rocks were encountered in all target areas with 19 out of 36 scout holes intersecting precious or base metal mineralization. Copper and PGE mineralization was encountered at two target areas in the southern part of the Risti property.

Kaares Area

Scout drilling targeted:

- Extensions of the east-west structural trend hosting the Vanha prospect
- Northwest trending structures, representing potential splays from the east-west structural trend
- Selected geochemical and geophysical anomalies

Gold mineralization was intersected approximately 1.8 km west and 800 m east of the Vanha prospect extending the strike length of the prospective E-W trend to 2.6 km (previously 1.1 km) (Figure 3).

- 3.63 g/t Au over 3.20 m from 41.30 m (KS23068) and 3.48 g/t Au over 1.70 m from 91.00 m (KS23049), 1.8 km west of the Vanha prospect
- 2.17 g/t Au over 1.60 m from 148.35 m (KS23030), 800 m east of the Vanha prospect
- Further evidence of gold mineralization along the mainly unexplored structural trend interpreted to extend over 15 km within the Risti property and further into the Aurion-B2Gold JV area which hosts the recent Vuoma discovery.

Gold mineralization was also encountered along the NW trending structures to the north and northwest of the Vanha prospect.

- 4.67 g/t Au over 1.75 m from 103.15 m (KS23057), 1.2 km north of the Vanha prospect
- 1.92 g/t Au over 1.40 m from 96.90 m (KS23046), 650 m northwest of the Vanha prospect.
- 0.57 g/t Au over 2.10 m from 69.00 m, 0.60 g/t Au over 8.00 m from 80.00 m including 2.93 g/t Au over 1.00 m from 81.00 m (KS23045), 550 m northwest of the Vanha prospect.
- 5.02 g/t Au over 1.05 m from 211.60 m (KS23054), 1.8 km northwest of the Vanha prospect.

An individual hole testing a copper in till anomaly, 700 m southwest of the Vanha prospect, returned 4.20% Cu and 0.27 g/t Au over 0.85 m from 109.15 m (KS23048).

The gold mineralization at the Kaares area is mainly hosted by highly deformed and altered (silica, sericite, albite) mafic volcanic and metasedimentary rocks with minor to moderate amounts of fine-grained sulphide minerals including pyrite, pyrrhotite, chalcopyrite, galena, sphalerite and arsenopyrite in varying quantities. The higher-grade intervals are mainly hosted within silicified and brecciated zones with a moderate amount of sulphides. Elevated levels of base metals, including copper, have been encountered in several holes.

Risti North Area

Four holes were drilled in the northern part of the Risti property with an aim to test the potential continuation into the Risti property of the prospective trend that hosts the Helmi (Aurion-B2Gold JV) and Ikkari (Rupert Resources) discoveries.

Hole HE23010 is located in the NW corner of the Risti property, approximately 1 km southeast of the Ikkari (4.39 Moz Au) discovery. The nearest previous Aurion drill hole is located 4.8 km to the south. The hole targeted a geophysical feature and intersected contact zones between deformed and altered mafic-ultramafic rocks and a younger sedimentary domain. Elevated gold was encountered at the sheared contact (0.25 g/t Au over 1.60 m from 154.95 m) and in the sedimentary rocks (1.09 g/t Au over 2.00 m from 213.85 m). Hole HE23003, drilled 300 m east of HE23010, intersected

deformed and altered units of siltstone and clastic sediments which returned local elevated gold values (≥ 0.1 g/t).

Hole HE23011 is located in the northern part of the Risti property (7.5 km east of HE23010 and 7 km northeast of Aamurusko). The nearest previous Aurion drill hole is located 3.6 km to the southeast. The hole targeted a geochemical anomaly and geophysical feature, and intersected a contact zone between deformed and altered mafic-ultramafic rocks and a younger sedimentary domain. Intervals with elevated gold (≥ 0.1 g/t) were encountered within the highly deformed and altered ultramafic rocks.

These results indicate that the favourable structural trend and lithologies that host the recent significant discoveries (Helmi and Ikkari) may extend to the northern part of the Risti property.

Risti Southwest Area

Five scout holes were drilled in the southwestern part of the Risti property testing selected geochemical and geophysical targets. No significant gold mineralization was encountered. HE23006 intersected mafic intrusive rocks which returned 0.74 g/t Pd+Pt over 4.30 m from 35.70 m. Several target areas remain untested in the southwest part of the Risti property.

Base of till sampling program

A total of 713 till samples have been collected in 2023 within the Risti property (Figure 4). Till sampling has returned a number of gold and pathfinder anomalies that warrant follow up activities. Many of the geochemical anomalies coincide with structural features interpreted from the geophysical data sets. The majority of the anomalies remain untested with 20+ targets identified for follow up testing.

Quality Assurance and Quality Control

All drill core samples were delivered to the ALS preparation facility in Sodankylä, Finland where sample preparation work was completed. All analytical work was completed at ALS facilities in Loughrea, Ireland and Rosia Montana, Romania. ALS is an internationally accredited lab and is ISO compliant (ISO 9001:2008, ISO/IEC 17025:2017). Samples were analyzed for gold using either the Au-AA26 procedure (50 g fire assay with AAS finish: Lower Detection Limit ("LDL") 0.01 g/t gold; Upper Detection Limit ("UDL") 100 g/t gold) or they were analyzed for gold, platinum and palladium using the PGM-ICP24 procedure (50 g fire assay with ICP-AES finish: LDL 0.001 g/t gold, 0.005 g/t platinum, 0.001 g/t palladium; UDL 10 g/t gold, 10 g/t platinum, 10 g/t palladium) or the PGM-ICP23 procedure (30 g fire assay with ICP-AES finish: LDL 0.001 g/t gold, 0.005 g/t platinum, 0.001 g/t palladium; UDL 10 g/t gold, 10 g/t platinum, 10 g/t palladium). Multi-element analysis (ME-ICP61, four-acid digestion, 35 element ICP-AES) was completed on all samples. Certified standards and blanks were inserted every 10 samples. ALS has its own QA/QC protocol using standards, blanks and duplicates.

All till samples were initially delivered to the ALS preparation facility in Sodankylä, Finland from where they were shipped to the ALS preparation facility in Outokumpu, Finland where sample preparation work was completed. All analytical work was completed at the ALS facility in Loughrea, Ireland. ALS is an internationally accredited lab and is ISO compliant (ISO 9001:2008, ISO/IEC 17025:2017). Samples were analyzed for gold, platinum and palladium using the PGM-ICP24 procedure (50 g fire assay with ICP-AES finish: LDL 0.001 g/t gold, 0.005 g/t platinum, 0.001 g/t palladium; UDL 10 g/t gold, 10 g/t platinum, 10 g/t palladium) or the PGM-ICP23 procedure (30 g fire assay with ICP-AES finish: LDL 0.001 g/t gold, 0.005 g/t platinum, 0.001 g/t palladium; UDL 10 g/t gold, 10 g/t platinum, 10 g/t palladium). Multi-element analysis (ME-MS61, four-acid digestion, 48 element ICP-MS) was completed on all samples. Certified standards were inserted every 25 samples. ALS has its own QA/QC protocol using standards, blanks and duplicates.

This news release has been reviewed by Andrew Hussey, P.Geo., GIS Geologist and Database Manager for Aurion Resources, a Qualified Person as defined by National Instrument 43-101. For more information on these projects please visit our website at www.aurionresources.com.

About Aurion Resources Ltd.

Aurion Resources Ltd. (Aurion) is a well-funded, Canadian exploration company listed on the TSX Venture Exchange (TSX-V: AU) and the OTCQX Best Market (OTCQX: AIRRF). Aurion's strategy is to generate or acquire early-stage precious metals exploration opportunities and advance them through direct exploration by our experienced team or by business partnerships and joint venture arrangements. Aurion's current focus is exploring on its Risti project, as well as advancing its joint venture properties with B2Gold and Kinross in Finland.

On behalf of the Board of Directors,
Matti Talikka, CEO

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE Aurion Resources Ltd.

 View original content to download multimedia:

<http://www.newswire.ca/en/releases/archive/November2023/13/c4076.html>

%SEDAR: 00027167E

For further information: Mark Santarossa, Vice President, Corporate Development, Cell: +1 (416) 371-1325, Email: msantarossa@aurionresources.ca

CO: Aurion Resources Ltd.

CNW 07:00e 13-NOV-23